

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Abies concolor</i> (Gordon & Glendinning) Lindl. ex Hildebr.	White Fir	T	.		Pinaceae	U
? <i>Abronia latifolia</i> Eschsch.	Coastal or Yellow Sand-verbena	PH	.		Nyctaginaceae	X
<i>Abronia maritima</i> Nutt. ex S. Watson	Red or Sticky Sand-verbena, Beach Pancake	PH	.		Nyctaginaceae	S, 4.2
<i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam.	Hybrid Sand-verbena	AH	.		Nyctaginaceae	R
<u><i>Abronia neurophylla</i> Standl.</u>	<u>Beach Sand-verbena</u>	PH	.		Nyctaginaceae	R, T
<i>Abronia pogonantha</i> Heimerl	Desert Sand-verbena	AH	.		Nyctaginaceae	R
<i>Abronia turbinata</i> Torr. ex S. Watson	Turbinate Sand-verbena	A/PH	.		Nyctaginaceae	R
<i>Abronia umbellata</i> Lam. ssp. <i>umbellata</i>	Beach Sand-verbena	PH	.		Nyctaginaceae	S
<i>Abronia villosa</i> var. <i>aurita</i> (Abrams) Jeps.	Woolly Sand-verbena	AH	.		Nyctaginaceae	R, 1B.1
* <i>Abutilon theophrasti</i> Medikus	Velvet Leaf	AH	NI		Malvaceae	R
* <i>Acacia baileyana</i> F. Muell.	Cootamundra Wattle	S/T	.		Fabaceae	R
* <i>Acacia cultriformis</i> A. Cunn. ex G. Don	Sickle-leaved Acacia	S	.		Fabaceae	R
* <i>Acacia dealbata</i> Link	Silver Wattle	T	.		Fabaceae	R
* <i>Acacia longifolia</i> (Andrews) Willd.	Golden Wattle	S/T	.		Fabaceae	R
* <i>Acacia retinodes</i> Schldl.	Everblooming Acacia	T	.		Fabaceae	R
* <i>Acacia saligna</i> (Labill.) H.L. Wendl.	Golden Wreath Wattle	S/T	.		Fabaceae	R
<i>Acamptopappus sphaerocephalus</i> (Har. & Gray) Gray var. <i>sphaerocephalus</i>	Rayless Goldenhead	S	.		Asteraceae	R
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jockerst	Heartleaf Thornmint	AH	.		Lamiaceae	U, 1B.2
<i>Acanthoscyphus parishii</i> (Parry) Small var. <i>parishii</i>	Parish Oxytheca	AH	.		Polygonaceae	R, 4.2
<i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (E.A. McGregor) Reveal	Abrams Oxytheca	AH	.		Polygonaceae	R, 1B.2
<i>Acer macrophyllum</i> Pursh	Bigleaf Maple	T	FAC		Sapindaceae	S
<i>Acer negundo</i> var. <i>californicum</i> (Torrey & A. Gray) Sarg.	Box Elder	T	FACW		Sapindaceae	R
* <i>Achillea filipenulina</i> Lam.	Fernleaf Yarrow	PH	.		Asteraceae	R
<u><i>Achillea millefolium</i> var. <i>arenicola</i> (Heller) Nobs in Ferris</u>	<u>Common Island White Yarrow</u>	PH	FACU		Asteraceae	R
<i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson	California White Yarrow	PH	FACU		Asteraceae	R
<i>Achillea millefolium</i> L. var. <i>millefolium</i>	White Yarrow	PH	FACU		Asteraceae	S
<i>Achillea millefolium</i> var. <i>occidentale</i> DC.	Woolly White Yarrow	PH	FACU		Asteraceae	U
<i>Achillea millefolium</i> var. <i>pacifica</i> (Rydb.) G.N. Jones	Pacific White Yarrow	PH	FACU		Asteraceae	R
<i>Achnatherum aridum</i> (M.E. Jones) Barkworth	Mormon Needlegrass	PG	.		Poaceae	R, 2.3
* <i>Achnatherum brachychaetum</i> (Godr.) Barkworth *	Shortbristled Needlegrass	PH	.		Poaceae	R
<i>Achnatherum coronatum</i> (Thurber) Barkworth	Giant Needlegrass	PG	.		Poaceae	X
<u><i>Achnatherum diegoense</i> (Swallen) Barkworth</u>	<u>San Diego Needlegrass</u>	PG	.		Poaceae	S, 4.2
<i>Achnatherum hymenoides</i> (Roemer & Schultes) Barkworth	Indian Ricegrass	PG	.		Poaceae	O
? <i>Achnatherum latiglumis</i> (Swallen) Barkworth	Thurber Needlegrass	PG	.		Poaceae	X
<i>Achnatherum occidentale</i> (Thurber) Barkworth ssp. <i>occidentalis</i>	Western Needlegrass	PG	.		Poaceae	R
<i>Achnatherum occidentale</i> ssp. <i>pubescens</i> (Vasey) Barkworth	Elmer Needlegrass	PG	.		Poaceae	R
<i>Achnatherum parishii</i> (Vasey) Barkworth	Parish Needlegrass	PG	.		Poaceae	R
<i>Achnatherum thurberianum</i> (Piper) Barkworth	Thurber Needlegrass	PG	.		Poaceae	R
<i>Achyrachaena mollis</i> Schauer	Blow-Wives	AH	FAC*		Asteraceae	U
<i>Acmispon americanus</i> (Nuttall) Rydb. var. <i>americanus</i>	Spanish Clover, American Birds-foot Trefoil	AH	(FAC)		Fabaceae	O
<u><i>Acmispon argophyllus</i> var. <i>argenteus</i> (Dunkle) Brouillet</u>	<u>Silver Deervetch</u>	PH	.		Fabaceae	U
<i>Acmispon argophyllus</i> (A. Gray) Brouillet var. <i>argophyllus</i>	Silver Deervetch, Silky Lotus	PH	.		Fabaceae	S
<u><i>Acmispon argophyllus</i> var. <i>niveus</i> (E. Greene) Brouillet</u>	<u>Santa Cruz Island Silverhosackia</u>	PH	.		Fabaceae	R
<i>Acmispon brachycarpus</i> (Bentham) D.D. Sokoloff	Hill Lotus, Short-podded Hosackia	AH	.		Fabaceae	O
<u><i>Acmispon dendroideus</i> (E. Greene) Brouillet var. <i>dendroideus</i></u>	<u>Island Broom</u>	PH	.		Fabaceae	R
<u><i>Acmispon dendroideus</i> var. <i>veatchii</i> (E. Greene) Brouillet</u>	<u>San Miguel Island Deerweed</u>	PH	.		Fabaceae	R
<i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff	White Lotus	AH	.		Fabaceae	R
<i>Acmispon glaber</i> var. <i>brevialatus</i> (Ottley) Brouillet	Short Deerweed	PH	.		Fabaceae	R
<i>Acmispon glaber</i> (Vogel) Brouillet var. <i>glaber</i>	Deerweed, California Broom	PH	.		Fabaceae	C

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Acmispon grandiflorus</i> (Benth.) Brouillet var. <i>grandiflorus</i>	Large-flowered Lotus or Hosackia	PH	.		Fabaceae	S
<i>Acmispon heermannii</i> (Durand & Hilg.) Brouillet var. <i>heermannii</i>	Heerman Lotus or Hosackia	PH	.		Fabaceae	R
<i>Acmispon heermannii</i> var. <i>orbicularis</i> (A. Gray) Brouillet	Heerman Lotus	PH	.		Fabaceae	R
<i>Acmispon junceus</i> (Benth.) Brouillet var. <i>junceus</i>	Rush hosackia	AH	.		Fabaceae	R
<i>Acmispon maritimus</i> (Nuttall) D.D. Sokoloff var. <i>maritimus</i>	Coastal Lotus or Hosackia	AH	.		Fabaceae	C
<i>Acmispon micranthus</i> (Torrey & A. Gray) Brouillet	Grab Hosackia or Lotus	AH	.		Fabaceae	R
<i>Acmispon nevadensis</i> var. <i>davisonii</i> (E. Greene) Brouillet	Suphur-flowered Hosackia	PH	.		Fabaceae	U
<i>Acmispon nevadensis</i> (S. Watson) Brouillet var. <i>nevadensis</i>	Sierra Nevada Hosackia	PH	.		Fabaceae	R
<i>Acmispon parviflorus</i> (Benth.) D.D. Sokoloff	Tiny Lotus	AH	.		Fabaceae	R
<i>Acmispon procumbens</i> (E. Greene) Brouillet var. <i>procumbens</i>	Silky California Broom	PH	.		Fabaceae	S
<i>Acmispon prostrates</i> (Torrey & A. Gray) Brouillet	Nuttall's Lotus, Wire Bird's-foot Trefoil	AH	.		Fabaceae	R, 1B.1
<i>Acmispon strigosus</i> (Nuttall) Brouillet var. <i>strigosus</i>	Strigose Lotus or Hosackia	AH	.		Fabaceae	C
<i>Acmispon wrangelianus</i> (Fischer & C. Meyer) D.D. Sokoloff	Chile Lotus or Hosackia	AH	.		Fabaceae	S
<i>Acourtia microcephala</i> DC.	Sacapellote	PH	.		Asteraceae	O
* <i>Acroptilon repens</i> (L.) DC.	Russian Knapweed	AH	.		Asteraceae	S
? <i>Actaea rubra</i> (Aiton) Wildenow	Red Banberry	S	.		Ranunculaceae	X
<i>Adenostoma fasciculatum</i> Hook. & Arn. var. <i>fasciculatum</i>	Chamise	S	.		Rosaceae	C
<i>Adenostoma sparsifolium</i> Torrey	Red Shank, Ribbon-bush	S	.		Rosaceae	U
? <i>Adiantum aleuticum</i> (Rupr.) C.A. Paris	Western Five-finger Fern or Maidenhair	PF	FACW		Pteridaceae	X
<i>Adiantum capillus-veneris</i> L.	Southern Maidenhair, Venushair Fern	PF	FACW		Pteridaceae	S
<i>Adiantum jordanii</i> Müller Halle	California Maidenhair	PF	(FAC)		Pteridaceae	C
* <i>Aeonium arboreum</i> (L.) Webb & Berthel. var. <i>arboreum</i>	Tree Aenium	S	.		Crassulaceae	R
<i>Aesculus californica</i> (Spach) Nutt.	California Buckeye	S/T	.		Sapindaceae	R
? <i>Agastache urticifolia</i> (Benth.) Kuntze var. <i>urticifolia</i>	Nettleleaf Horsemint, Giant Hyssop	PH	.		Lamiaceae	X
* <i>Agave americana</i> L.	Century Plant	S	.		Agavaceae	R
* <i>Agave attenuata</i> Salm-Dyck.	Century Plant	S	.		Agavaceae	R
* <i>Ageratina adenophora</i> (Spreng.) R.M. King & H. Rob.	Sticky Snakeroot	PH	.		Asteraceae	R
<i>Agoseris elata</i> (Nuttall) E. Greene	Tall Mountain Dandelion	PH	FAC		Asteraceae	R
<i>Agoseris grandiflora</i> (Nutt.) Greene	Bigflower [Mountain] Dandelion	PH	.		Asteraceae	S
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i> Greene	Mountain Dandelion	AH	.		Asteraceae	S
<i>Agoseris heterophylla</i> (Nutt.) Greene var. <i>heterophylla</i>	Mountain Dandelion	AH	.		Asteraceae	O
<i>Agoseris retrorsa</i> (Benth.) E. Greene	Spear-leaved or Retrorse Mountain Dandelion	PH	.		Asteraceae	O
? <i>Agropyron cristatum</i> (L.) Gaertn. *	xxx Crested Wheatgrass	PG	.		Poaceae	X
? <i>Agropyron desertorum</i> (Fischer) Schultes	Desert Crested Wheatgrass	PG	.		Poaceae	X
* <i>Agrostis capillaris</i> L. *	Colonial Bentgrass	PG	.		Poaceae	R
<i>Agrostis exarata</i> Trin.	Western or Spike Bentgrass	PG	FACW		Poaceae	U
<i>Agrostis hallii</i> Vasey	Hall's Bentgrass	PG	.		Poaceae	R
? <i>Agrostis microphylla</i> Steudel	Small-leaved Bentgrass	AG	FACW		Poaceae	X
<i>Agrostis pallens</i> Trin.	Thingrass	PG	.		Poaceae	R
? <i>Agrostis scabra</i> Willd.	Rough Bentgrass	PG	FAC		Poaceae	X
<i>Agrostis stolonifera</i> L. var. <i>palustris</i> (Hudson) Pers.	Creeping Bentgrass	PG	FACW		Poaceae	U
* <i>Ailanthus altissima</i> (Miller) Swingle *	Tree-of-Heaven	T	FACU		Hippocastinaceae	S
* <i>Aira caryophyllea</i> L. *	Silver Hairgrass	AG	.		Poaceae	R
* <i>Albizia julibrissin</i> Durazz. *	Silk Tree, Mimosa Tree	T	.		Fabaceae	R
* <i>Albizia lophantha</i> (Willd.) Benth.	Plume Acacia	T/S	.		Fabaceae	R
* <i>Alcea rosea</i> L.	Hollyhock	BH	.		Malvaceae	R
<i>Alisma plantago-aquaticum</i> L.	Common or Broadleaf Water-plantain	PH	OBL		Alismataceae	R
? <i>Allenrolfea occidentalis</i> (S. Watson) Kuntze	Iodine Bush	S	OBL		Chenopodiaceae	X
<i>Allium amplexans</i> Torrey	Narrowleaf Onion	PG	.		Alliaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Allium burlewii</i> A. Davidson	Burlew Onion	PG	.		Alliaceae	S
<i>Allium campanulatum</i> S. Watson	Sierra Onion	PG	.		Alliaceae	S
<i>Allium cratericola</i> Eastw.	Cratered Onion	PG	.		Alliaceae	R
<i>Allium denticulatum</i> (Traub) D. McNeal	Dentate Fringed Onion	PG	.		Alliaceae	R
<i>Allium diabloese</i> (Traub) D. McNeal	Diablo Onion	PG	.		Alliaceae	U
<i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i>	Fringed Onion	PG	.		Alliaceae	O
<i>Allium fimbriatum</i> var. <i>mohavense</i> Jepson	Mojave Onion	PG	.		Alliaceae	R
<i>Allium haemaetochiton</i> S. Watson	Red-skinned Onion	PG	.		Alliaceae	U
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Pinos Onion	PG	.		Alliaceae	O, 1B,3
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion	PG	.		Alliaceae	R
<i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i>	Pitted Onion	PG	.		Alliaceae	R
<i>Allium monticola</i> Davidson	Mountain Onion	PG	.		Alliaceae	R
* <i>Allium neapolitanum</i> Cirillo *	Onion	PG	.		Alliaceae	R
<i>Allium parryi</i> S. Watson	Parry Fringed Onion	PG	.		Alliaceae	R
<i>Allium parvum</i> Kellogg	Small Onion	PG	.		Alliaceae	R
<i>Allium peninsulare</i> Lemmon var. <i>peninsulare</i>	Peninsular Onion	PG	.		Alliaceae	R
<i>Allium praecox</i> Brandege	Early Onion	PG	.		Alliaceae	R
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion	PG	.		Alliaceae	R
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion	PG	.		Alliaceae	R
* <i>Allium vineale</i> L. ssp. <i>vineale</i>	Wild Garlic	PG	.		Alliaceae	R
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum	AH	.		Polemoniaceae	R
<i>Allophyllum gilioides</i> (Benth) A.D. Grant & V. Grant ssp. <i>gilioides</i>	Straggling Gilia	AH	FACU*		Polemoniaceae	U
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i> (A.A. Heller) Day	Violet Phlox	AH	.		Polemoniaceae	S
<i>Allophyllum glutinosum</i> (Benth) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae	S
<i>Allophyllum integrifolium</i> (Brand) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae	R
<i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Brietung	Mountain Alder	S	NI		Betulaceae	R
<i>Alnus rhombifolia</i> Nuttall	White Alder	T	FACW		Betulaceae	C
* <i>Aloe</i> sp.	Aloe	PG	.		Asphodelaceae	R
? <i>Alopecurus aequalis</i> Sobol. var. <i>aequalis</i>	Short-awn Foxtail	PG	OBL		Poaceae	X
<i>Alopecurus carolinianus</i> Walter	Tufted Foxtail	AG	FACW		Poaceae	R
? <i>Alopecurus geniculatus</i> L.	Water Foxtail	PG	OBL		Poaceae	X
<i>Alopecurus saccatus</i> Vasey	Pacific Foxtail	AG	OBL		Poaceae	R
* <i>Alternanthera caracasana</i> Kunth *	Alternanthera	PH	.		Amaranthaceae	R
* <i>Amaranthus albus</i> L. *	Pigweed Amaranth	AH	FACU		Amaranthaceae	C
<i>Amaranthus blitoides</i> S. Watson	Prostrate Amaranth	AH	FACW		Amaranthaceae	O
<i>Amaranthus californicus</i> (Moq.) S. Watson	California Amaranth	AH	FACW		Amaranthaceae	R
* <i>Amaranthus caudatus</i> L.	Love-lies-bleeding	AH	.		Amaranthaceae	R
* <i>Amaranthus cruentus</i> L.	Blood Amaranth	AH	.		Amaranthaceae	R
* <i>Amaranthus deflexus</i> L. *	Low Amaranth	AH	.		Amaranthaceae	U
* <i>Amaranthus hybridus</i> L.	Hybrid Amaranth	AH	.		Amaranthaceae	U
<i>Amaranthus palmeri</i> S. Watson ssp. <i>palmeri</i>	Palmer Amaranth	AH	FACU		Amaranthaceae	U
<i>Amaranthus powellii</i> ssp. <i>bouchonii</i> (Thell.) Costea & Carretero	Powell Amaranth	AH	.		Amaranthaceae	R
<i>Amaranthus powellii</i> S. Watson ssp. <i>powellii</i>	Powell Amaranth	AH	.		Amaranthaceae	U
* <i>Amaranthus retroflexus</i> L.	Red-root Amaranth, Rough Pigweed	AH	FACU		Amaranthaceae	U
* <i>Amaryllis belladonna</i> L.	Naked Lady	PG	.		Amaryllidaceae	R
<i>Amblyopappus pusillus</i> Hook. & Arn.	Dwarf or Coast Amblyopappus	AH	FACW-		Asteraceae	S
<i>Ambrosia acanthicarpa</i> Hooker	Burweed, Annual Bur-sage	AH	.		Asteraceae	O
<i>Ambrosia artemisiifolia</i> L.	Common Ragweed	AH	FACU		Asteraceae	R
<i>Ambrosia chamissonis</i> (Less.) E. Greene	Beach Bur	AH	.		Asteraceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Ambrosia confertiflora</i> DC.	Weak-leaved Burweed or Bur-sage	PH	.		Asteraceae	R
<i>Ambrosia dumosa</i> (A. Gray) Payne	White Bur-sage, Burro Bush, Burro-Weed	S	.		Asteraceae	R
? <i>Ambrosia monogyra</i> (T. & G. ex G.) Strother & B.G. Baldwin	Leafy Burrobrush	S	(FAC+)		Asteraceae	X
<i>Ambrosia psilostachya</i> var. <i>californica</i> (Rydb.) Blake	Western Ragweed	BH	FAC		Asteraceae	C
<i>Ambrosia salsola</i> var. <i>fasciculata</i> (A.Nelson) Strother & B.G. Baldwin	White Burrobrush	S	(FACU)		Asteraceae	R
? <i>Ambrosia salsola</i> var. <i>pentalepis</i> (A.Nelson) Strother & B.G. Baldwin	Southern Burrobrush	S	(FACU)		Asteraceae	X
<i>Ambrosia salsola</i> (T. & G. ex G.) Strother & B.G. Baldwin var. <i>salsola</i>	Burrobrush	S	(FACU)		Asteraceae	R
<i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson	Alderleaf Service-berry	S	FACU		Rosaceae	R
<i>Amelanchier pallida</i> E. Greene	Western or Pallid Service-berry	S	.		Rosaceae	R
<i>Amelanchier utahensis</i> Koehne	Utah Service-berry	S	.		Rosaceae	R
<i>Ammannia coccinea</i> Rottb.	Long-leaved or Purple Ammannia	AH	OBL		Lythraceae	R
<i>Ammannia robusta</i> Heer & Regel	Grand Redstem	AH	OBL		Lythraceae	R
* <i>Ammi majus</i> L.	Bishop Weed	AH	.		Apiaceae	R
* <i>Ammophila arenaria</i> (L.) Link *	European Beachgrass	PG	FACU		Poaceae	S
<i>Amorpha californica</i> Nuttall var. <i>californica</i>	California False Indigo	S	FACU		Fabaceae	S
<i>Amsinckia douglasiana</i> A. DC.	Douglas Fiddleneck	AH	.		Boraginaceae	R, 4.2
<i>Amsinckia eastwoodae</i> J.F. Macbr.	Elegant Fiddleneck	AH	.		Boraginaceae	R
<i>Amsinckia menziesii</i> var. <i>intermedia</i> (Fischer & C. Meyer) Ganders	Rancher's Fire, Common Fiddleneck	AH	.		Boraginaceae	C
<i>Amsinckia menziesii</i> (Lehm.) Nelson & J.F. Macbr. var. <i>menziesii</i>	Common or Menzeis Fiddleneck	AH	.		Boraginaceae	C
<i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i>	Showy Fiddleneck	AH	FACU		Boraginaceae	R
<i>Amsinckia tessellata</i> Gray var. <i>gloriosa</i> (Suksd.) Hoover	Glorious Fiddleneck	AH	.		Boraginaceae	U
<i>Amsinckia tessellata</i> Gray var. <i>tessellata</i>	Devil's Lettuce, Tessellate Fiddleneck	AH	.		Boraginaceae	R
<i>Amsinckia vernicosa</i> Hook. & Arn. var. <i>vernicosa</i>	Vernal Fiddleneck	AH	.		Boraginaceae	R
* <i>Anagallis arvensis</i> L.	Scarlet Pimpernel	AH	FAC		Myrsinaceae	C
? <i>Anagallis minima</i> (L.) Krause	Chaffweed	AH	FACW		Myrsinaceae	X
* <i>Anagallis monelli</i> L.	Flaxleaf Pimpernel	PH	.		Myrsinaceae	R
? <i>Anaphalis margaritaceae</i> (L.) Benth. & Hooker F. ex C.B. Clarke	Pearly Everlasting	PH	.		Asteraceae	X
* <i>Anchusa azurea</i> Mill.	Garden Alkanet	PH	.		Boraginaceae	R
<i>Ancistrocarphus filagineus</i> Gray	Woolly Fishhooks	AH	.		Asteraceae	U
<i>Andropogon glomeratus</i> var. <i>pumilus</i> Vasey ex Dewey	Bushy Bluestem	PG	FACW		Poaceae	R
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell	Southwestern Bushy Bluestem	PG	FACW		Poaceae	U
<i>Androsace elongata</i> ssp. <i>acuta</i> (E. Greene) G. Robb.	Rock-jasmine	AH	.		Primulaceae	R
* <i>Anemone occidentalis</i> S. Watson	Western Anemone	PH	.		Ranunculaceae	R
<i>Anemopsis californica</i> Hooker & Arnott var. <i>californica</i>	Yerba Mansa	PH	OBL		Saururaceae	S
* <i>Anethum graveolens</i> L.	Dill	AH	.		Apiaceae	R
<i>Anisocoma acaulis</i> Torrey & A. Gray	Scale Bud	AH	.		Asteraceae	U
* <i>Anredera cordifolia</i> (Ten.) Steenis	Mignonetta Vine, Madeira Vine	PV	.		Basellaceae	R
<i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray	Low Everlasting	PH	.		Asteraceae	R
* <i>Anthemis cotula</i> L.	Mayweed, Stinkweed, Dog-fennel	AH	FACU		Asteraceae	O
<i>Anthoxanthum occidentale</i> (Buckley) Veldkamp	California Sweet Grass	PG	.		Poaceae	R
* <i>Anthriscus caucalis</i> M. Bieb.	Bur-chervil	AH	.		Apiaceae	R
<i>Antirrhinum coulterianum</i> Bentham ssp. <i>coulterianum</i>	White Snapdragon	AH	.		Plantaginaceae	U
<i>Antirrhinum kelloggii</i> Greene	Kellogg Snapdragon	AV	.		Plantaginaceae	S
* <i>Antirrhinum majus</i> L.	Snapdragon	AH	.		Plantaginaceae	R
<i>Antirrhinum multiflorum</i> Pennell	Sticky Snapdragon	S	.		Plantaginaceae	O
<i>Antirrhinum nuttallianum</i> Benth. ssp. <i>nuttallianum</i>	Nuttall Snapdragon	AH	.		Plantaginaceae	R
<i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson	Nuttall Snapdragon	AH	.		Plantaginaceae	R
<i>Antirrhinum ovatum</i> Eastwood	Oval-leaved Snapdragon	AH	.		Plantaginaceae	R, 4.2
<i>Aphanes occidentalis</i> (Nuttall) Rydb.	Dew-cup, Lady's Mantle	AH	.		Rosaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Aphanisma blitoides</i> Moq.	Aphanisma	S	.	.	Chenopodiaceae	R, 1B.2
<i>Apiastrum angustifolium</i> Nuttall	Wild Celery, Mock Parsley	AH	(FAC)	.	Apiaceae	S
* <i>Apium graveolens</i> L.	Celery	PH	FACW*	.	Apiaceae	S
<i>Apocynum androsaemifolium</i> L.	Bitter Dogbane	PH	.	.	Apocynaceae	R
<i>Apocynum cannabinum</i> L.	Indian Hemp	PH	FAC	.	Apocynaceae	S
<i>Apocynum Xmedium</i> E. Greene ( <i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> XA. <i>cannabinum</i> var. <i>hypericif</i> )	Bitter Dogbane	PH	FAC	.	Apocynaceae	R
* <i>Aptenia cordifolia</i> (L. f.) N.E. Br.	Apple Red Iceplant	PH	.	.	Aizoaceae	R
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine	PH	OBL	.	Ranunculaceae	R
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine	PH	FAC	.	Ranunculaceae	U
* <i>Arachis hypogaea</i> L.	Peanut	PH	.	.	Fabaceae	R
<i>Aralia californica</i> S. Watson	Elk Clover, Spikenard	S	FACW	.	Araliaceae	R
* <i>Araujia sericifera</i> Brot.	Bladder-flower	PV	.	.	Apocynaceae	S
<i>Arbutus menziesii</i> Pursh	Pacific Madrone	T	.	.	Ericaceae	R
* <i>Arbutus unedo</i> L.	Strawberry Tree	T	.	.	Ericaceae	R
<i>Arceuthobium abietinum</i> (Engelm.) Hawksw. & Wiens forma <i>concoloris</i>	Dwarf Fir Mistletoe	PH	.	.	Viscaceae	R
<i>Arceuthobium californicum</i> Hawksworth & Wiens	Sugar Pine Dwarf Mistletoe	PH	.	.	Viscaceae	R
<i>Arceuthobium campylopodum</i> Engelm.	Western Dwarf Mistletoe	PH	.	.	Viscaceae	U
<i>Arceuthobium cyanocarpum</i> Coulter & A. Nelson	Limber Pine Dwarf Mistletoe	PH	.	.	Viscaceae	R
<i>Arceuthobium divaricatum</i> Engelm.	Pinyon Dwarf Mistletoe	PH	.	.	Viscaceae	U
<i>Arceuthobium occidentale</i> Engelm.	Foothill Pine Dwarf Mistletoe	PH	.	.	Viscaceae	R
? <i>Arctium lappa</i> L.	Great Burdock	BH	.	.	Asteraceae	X
<i>Arctostaphylos canescens</i> Eastw. ssp. <i>canescens</i> ?	Hoary Manzanita	S	.	.	Ericaceae	R
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> (Eastw.) Keeley, Vasey & Parker	Cushing's Eastwood Manzanita	S	.	.	Ericaceae	U
? <i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i> (Wells) Keeley, Vasey & Parker	San Gabriel Mountains Manzanita	S	.	.	Ericaceae	X
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.	.	Ericaceae	S
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i> (J.E. Jones) P. Wells	Santa Ynez Mountains Manzanita	S	.	.	Ericaceae	C
<i>Arctostaphylos glandulosa</i> Eastw. XA. <i>glauca</i> Lindley	Eastwood-Bigberry Manzanita Hybrid	S	.	.	Ericaceae	R
<i>Arctostaphylos glauca</i> Lindley	Bigberry Manzanita	S	.	.	Ericaceae	C
<i>Arctostaphylos parryana</i> Lemmon ssp. <i>parryana</i>	Parry Manzanita	S	.	.	Ericaceae	C
<i>Arctostaphylos patula</i> Greene	Greenleaf Manzanita	S	.	.	Ericaceae	R
<i>Arctostaphylos pungens</i> H.B. & K.	Pungent Manzanita	S	.	.	Ericaceae	U
* <i>Arctotis venusta</i> Norlindh	Blue-eyed African Daisy	AH	.	.	Asteraceae	R
<i>Argemone corymbosa</i> E. Greene ssp. <i>corymbosa</i>	Desert Prickly Poppy	PH	.	.	Papaveraceae	R
<i>Argemone munita</i> Durand & Hilgard ssp. <i>munita</i>	Prickly Poppy, Chicalote	AH	.	.	Papaveraceae	S
<i>Argemone munita</i> ssp. <i>rotundata</i> (Rydberg) G.B. Ownbey	Prickly Poppy, Chicalote	AH	.	.	Papaveraceae	R
<i>Argentina egedii</i> (Wormsk.) Rydb. ssp. <i>egedii</i>	Pacific Coast Cinquifol or Silverweed	PH	OBL	.	Rosaceae	U
<i>Aristida adscensionis</i> L.	Six-weeks Three-awn Grass	AG	.	.	Poaceae	R
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.	Poverty Three-awn Grass	PG	.	.	Poaceae	R
? <i>Aristida purpurea</i> var. <i>nealleyi</i> (Vasey) K.W. Allred	Nealley Three-awn Grass	PG	.	.	Poaceae	X
? <i>Aristida purpurea</i> var. <i>parishii</i> (A.S. Hitch.) Allred	Parish's Threeawn	PG	.	.	Poaceae	X
<i>Aristida purpurea</i> Nuttall var. <i>purpurea</i>	Purple Three-awn Grass	PG	.	.	Poaceae	R
? <i>Aristida purpurea</i> var. <i>wrightii</i> (A. Hitchc.) K.W. Allred	Parish Three-awn Grass	PG	.	.	Poaceae	X
<i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent	Hook Three-awn Grass	PG	.	.	Poaceae	R
* <i>Armoracia rusticana</i> P. Gaertner, B. Meyer & Scherbius	Horse Radish	PH	.	.	Brassicaceae	R
<i>Arnica discoidea</i> Benth. var. <i>discoidea</i>	Rayless or Discoid Arnica	PH	.	.	Asteraceae	R
* <i>Arrhenatherum elatius</i> (L.) J. Presl & C. Presl	Tall Oat Grass	PG	FACU*	.	Poaceae	R
* <i>Artemisia biennis</i> Willd. var. <i>biennis</i>	Biennial Wormwood	BH	FAC	.	Asteraceae	S
<i>Artemisia californica</i> Less.	California Sagebrush	S	.	.	Asteraceae	C
<i>Artemisia douglasiana</i> Besser	Mugwort	PH	FACW	.	Asteraceae	C

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
<i>Artemisia dracunculus</i> L.	Tarragon, Dragon Tarragon	PH	.	Asteraceae	C
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i> (Nuttall) Keck	White Sagebrush	PH	FACW*	Asteraceae	R
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>	Silver or Western Mugwort	PH	FACW*	Asteraceae	R
<u><i>Artemisia nesiotica</i> Raven</u>	<u>Island Sagebrush</u>	PH	.	Asteraceae	R
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements	Parish Great Basin Sagebrush	S	.	Asteraceae	R
<i>Artemisia tridentata</i> Nuttall ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.	Asteraceae	C
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Vasey Great Basin or Mountain Sagebrush	S	.	Asteraceae	R
* <i>Artemisia vulgaris</i> L.	Common Wormwood or Mugwort	PH	FACW	Asteraceae	R
<i>Arthrocnemum</i> [ <i>Salicornia</i> ] <i>subterminale</i> (Parish) Standley	Common or Parish Glasswort	S	OBL	Chenopodiaceae	R
* <i>Arundo donax</i> L.	Giant Reed	PG	FACW	Poaceae	C
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.	Apocynaceae	S
<i>Asclepias eriocarpa</i> Benthham	Kotolo, Indian Milkweed	PH	.	Apocynaceae	S
<i>Asclepias erosa</i> Torrey	Desert Milkweed	PH	.	Apocynaceae	R
<i>Asclepias fascicularis</i> Decne.	Narrowleaf Milkweed	PH	FAC	Apocynaceae	O
<i>Asclepias vestita</i> Hooker & Arnott	Woolly Milkweed	PH	.	Apocynaceae	R
* <i>Asparagus asparagoides</i> (L.) W.F. Wight	Smilax Asparagus	PH	.	Asparagaceae	R
* <i>Asparagus officinalis</i> L. ssp. <i>officinalis</i>	Asparagus	PH	FACU	Asparagaceae	R
* <i>Asparagus setaceus</i> (Kunth) Jessop	South African Asparagus	PG	.	Asparagaceae	R
* <i>Asphodelus fistulosus</i> L. *	Asphodel	PG	.	Asphodelaceae	U
<i>Aspidotis californica</i> (Hooker) Nuttall ex Copeland	California Lace Fern	PF	.	Pteridaceae	S
<i>Asplenium vespertinum</i> Maxon	Western Splenwort	PF	.	Aspleniaceae	R, 4.2
<i>Astragalus asymmetricus</i> E. Sheldon	Cockeyed Milkvetch	PH	.	Fabaceae	R
<i>Astragalus brauntonii</i> Parish	Braunton Milkvetch	PH	.	Fabaceae	R, 1B.1, FE
<u><i>Astragalus coccineus</i> Brandegee</u>	<u>Scarlet Milkvetch</u>	PH	.	Fabaceae	R
<i>Astragalus curtipes</i> A. Gray	San Luis Obispo or Morro Milkvetch	PH	.	Fabaceae	R
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>	Two-seeded Milkvetch	AH	.	Fabaceae	U
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jeps.	Dispersed Two-seeded Milkvetch	AH	.	Fabaceae	R
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.	South Coast Two-seeded Milkvetch	AH	.	Fabaceae	R, 1B.2
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.	San Luis Obispo Two-seeded Milkvetch	AH	.	Fabaceae	R
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch	PH	.	Fabaceae	S
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones	Parish Milkvetch	PH	.	Fabaceae	R
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed	PH	.	Fabaceae	U
<i>Astragalus gambelianus</i> E. Sheldon	Dwarf Locoweed	AH	.	Fabaceae	U
<i>Astragalus lentiginosus</i> var. <i>diphysus</i> (A. Gray) M.E. Jones	Freckled Locoweed	PH	NI	Fabaceae	R
<i>Astragalus lentiginosus</i> var. <i>frémontii</i> (A.Gray) S. Watson	Fremont Spotted Locoweed	PH	NI	Fabaceae	U
<i>Astragalus lentiginosus</i> var. <i>idriensis</i> M.E. Jones	Idria Freckled Locoweed	PH	NI	Fabaceae	S
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones	Black-sepaled Freckled Locoweed	PH	NI	Fabaceae	R
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch	PH	NI	Fabaceae	R, 1B.2
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod	PH	.	Fabaceae	R, 1B.2
<i>Astragalus leucopsis</i> Torr. var. <i>leucopsis</i>	Coast Rattleweed	PH	.	Fabaceae	R
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray	Salinas Valley Milkvetch	PH	.	Fabaceae	R, 4.3
<i>Astragalus miguelensis</i> Greene	San Miguel Milkvetch	PH	.	Fabaceae	R, 4.3
<i>Astragalus nuttallii</i> (T. & G.) J.T. Howell var. <i>nuttallii</i>	Nuttall's Milkvetch	PH	.	Fabaceae	R, 4.2
<i>Astragalus oxyphysus</i> Gray	Robust Milkvetch	PH	.	Fabaceae	R
<i>Astragalus pachypus</i> E. Greene var. <i>pachypus</i>	Thickpod Milkvetch	PH	.	Fabaceae	S
<i>Astragalus pomonensis</i> M.E. Jones	Pomona Locoweed	PH	.	Fabaceae	R
<i>Astragalus purshii</i> Douglas ex Hook. var. <i>purshii</i>	Pursh Woollypod Milkvetch	PH	.	Fabaceae	R
<i>Astragalus purshii</i> var. <i>tinctus</i> M.E. Jones	Pursh Woollypod	PH	.	Fabaceae	S
<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz	Ventura Marsh Milkvetch	PH	OBL	Fabaceae	R, 1B.1, FE, SE

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Astragalus traskiae</i> Eastwood	Trask Locoweed or Milkvetch	PH	.		Fabaceae	R, 1B.2
<i>Astragalus trichopodus</i> var. <i>lonchus</i> (M.E. Jones) Barneby	Three-pod Milkvetch	PH	.		Fabaceae	U
<i>Astragalus trichopodus</i> var. <i>phoxus</i> (M.E. Jones) Barneby	Antisell Three-pod Milkvetch	PH	.		Fabaceae	C
<i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i>	Three-pod Milkvetch	PH	.		Fabaceae	U
<i>Astragalus whitneyi</i> var. <i>pinosus</i> Elmer	Mount Pinos Locoweed	PH	.		Fabaceae	R
<i>Astragalus whitneyi</i> A. Gray var. <i>whitneyi</i>	Whitney Locoweed	PH	.		Fabaceae	R
? <i>Athyrium filix-femina</i> var. <i>californicum</i> Butters	Southwestern Lady Fern	PF	FAC		Dryopteridaceae	X
? <i>Athyrium filix-femina</i> var. <i>cyclosorum</i> Ruprecht	Northwestern Lady Fern	PF	FAC		Dryopteridaceae	X
<i>Athysanus pusillus</i> (Hook.) Greene	Dwarf Athysanus	AH	.		Brassicaceae	S
<i>Atriplex argentea</i> Nutt. var. <i>argentea</i>	Silverscale	AH	FAC		Chenopodiaceae	R
<i>Atriplex argentea</i> var. <i>expansa</i> (S. Watson) S.L. Welsh & Reveal	Broad Silverscale	AH	FAC		Chenopodiaceae	R
<i>Atriplex argentea</i> var. <i>mohavensis</i> M.E. Jones	Mojave Silverscale	AH	FAC		Chenopodiaceae	R
<i>Atriplex canescens</i> (Pursh) Nuttall ssp. <i>canescens</i>	Fourwing or Hoary Saltbush	S	FACU		Chenopodiaceae	S
<i>Atriplex canescens</i> var. <i>laciniata</i> Parish in W.L. Jepson	Caleb Saltbush	S	FACU		Chenopodiaceae	R
<i>Atriplex coulteri</i> (Moq.) D. Dietr.	Coulter Saltbush	PH	FACU		Chenopodiaceae	R, 1B.2
<i>Atriplex dioica</i> Raf.	Thickleaf Orach	AH	.		Chenopodiaceae	R
? <i>Atriplex fruticulosa</i> Jepson	Ball Saltbush	PH	FACW		Chenopodiaceae	X
<i>Atriplex lentiformis</i> ssp. <i>breweri</i> (S. Watson) H.M. Hall & Clements	Brewer Big Saltbush or Quailbrush	S	FAC		Chenopodiaceae	S
<i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i>	Big Saltbush, Quailbrush	S	FAC		Chenopodiaceae	O
<i>Atriplex leucophylla</i> (Moq.) D. Dietr.	Whiteleaf, Beach Saltbush or Seascale	PH	FAC*		Chenopodiaceae	U
<i>Atriplex linearis</i> S. Watson	Narrowleaf Fourwing Saltbush	S	FACU		Chenopodiaceae	R
* <i>Atriplex micrantha</i> Ledeb.	Russian Saltbush	AH	.		Chenopodiaceae	R
? <sup>3</sup> <i>Atriplex nummularia</i> Lindl.	Bluegreen Saltbush	S	.		Chenopodiaceae	X
<i>Atriplex pacifica</i> Nelson	South Coast Saltbush	AH	FAC		Chenopodiaceae	R, 1B.2
? <i>Atriplex parishii</i> S. Watson var. <i>parishii</i>	Parish Britblescale	AH	FAC		Chenopodiaceae	X
<i>Atriplex polycarpa</i> (Torrey) S. Watson	Common Saltbush, Allscale	S	FACU		Chenopodiaceae	R
<i>Atriplex prostrata</i> Boucher ex de Candolle	Thinleaf Orach	AH	FACW		Chenopodiaceae	U
* <i>Atriplex rosea</i> L.	Tumbling or Rose or Red Oracle, Redscale	AH	FACU		Chenopodiaceae	S
* <i>Atriplex semibaccata</i> R.Br.	Australian Saltbush	PH	FAC		Chenopodiaceae	C
<i>Atriplex serenana</i> var. <i>davisonii</i> (Standley) Munz	Davidson Bractscale	AH	FAC		Chenopodiaceae	R, 1B.2
<i>Atriplex serenana</i> Nelson var. <i>serenana</i>	Bractscale	AH	FAC		Chenopodiaceae	R
? <i>Atriplex spinifera</i> J.F. Macbr.	Spiny Saltbush	S	FAC		Chenopodiaceae	X
* <i>Atriplex suberecta</i> I. Verd.	Australian Annual Saltbush	AH	.		Chenopodiaceae	R
* <i>Atriplex vesicaria</i> Heward ex Benth.	Aboriginal Sagebrush	S	.		Chenopodiaceae	R
<i>Atriplex watsonii</i> Nelson ex Abrams	Matscale	PH	FACW+		Chenopodiaceae	R
* <i>Avena barbata</i> Link.	Slender Wild Oat	AG	.		Poaceae	C
* <i>Avena fatua</i> L.	Wild Oat	AG	.		Poaceae	C
* <i>Avena sativa</i> L.	Cultivated Oat	AG	.		Poaceae	S
<i>Azolla filiculoides</i> Lam.	Duckweed Fern	AF	OBL		Azollaceae	U
? <i>Azolla mexicana</i> C. Presl	Mexican Duckweed Fern	AF	OBL		Azollaceae	X
<i>Baccharis glutinosa</i> Pers.	Marsh Baccharis, Douglas False-willow	S	OBL		Asteraceae	S
<i>Baccharis malibuensis</i> Beauchamp & Henrickson	Malibu Baccharis	S	(FACW)		Asteraceae	R, 1B.1
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i> (DC.) C.G. Wolf	Coyote Brush	S	(FAC-)		Asteraceae	C
<i>Baccharis plummerae</i> Gray var. <i>plummerae</i>	Plummer Baccharis	S	.		Asteraceae	O, 4.3
<i>Baccharis salicifolia</i> (Ruiz Lopez & Pavon) Pers. ssp. <i>salicifolia</i>	Mulefat, Seep-willow, Water-wally	S	FACW		Asteraceae	C
<i>Baccharis salicina</i> Torrey & A. Gray	Emory Baccharis	S	FACW		Asteraceae	R
<i>Bahiopsis laciniata</i> (A. Gray) E.E. Schill.	San Diego County Viguiera	S	.		Asteraceae	R
<i>Balsamorhiza deltoidea</i> Nuttall	Balsamroot, Chuchupate	PH	.		Asteraceae	S
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH	FACW		Brassicaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Barbarea vulgaris</i> W.T. Aiton	Common Wintercress	BH	FACW		Brassicaceae	R
* <i>Bassia hyssopifolia</i> (Pallas) Kuntze	Five-hook, Smother-Weed	AH	FAC		Chenopodiaceae	S
<i>Batis maritima</i> L.	Saltwort, Beachwort	S	OBL		Bataceae	R
* <i>Bellis perennis</i> L.	English Daisy	PH	(FACW)		Asteraceae	R
* <i>Berberis aquifolium</i> Pursh var. <i>aquifolium</i>	Oregon Grape	S	.		Berberidiaceae	R
<i>Berberis dictyota</i> Jeps.	Dull-leaf or Jepson Holly-leaved Barberry	S	.		Berberidiaceae	R
? <i>Berberis nevinii</i> A. Gray et al.	Nevin's Barberry	S	.		Berberidiaceae	1B.1
<i>Berberis pinnata</i> ssp. <i>insularis</i> Munz	Island Barberry	S	.		Berberidiaceae	R, 1B.1, FE, SE
<i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i>	Pinnate-leaved Barberry	S	.		Berberidiaceae	R
<i>Berula erecta</i> (Huds.) Coville	Cutleaf Water-parsnip	PH	OBL		Apiaceae	R
* <i>Beta macrocarpa</i> Guss.	Beet	AH	(FACW)		Chenopodiaceae	R
* <i>Beta vulgaris</i> ssp. <i>maritima</i> (L.) Arcangeli	Common Beet	PH	FACU		Chenopodiaceae	S
<i>Bidens frondosa</i> L.	Sticktight	AH	FACW		Asteraceae	R
<i>Bidens laevis</i> (L.) Britton, Sterns & Pogg.	Bur-marigold	A/PH	OBL		Asteraceae	R
* <i>Bidens pilosa</i> L.	Common Beggar-ticks	AH	FACW		Asteraceae	S
<i>Bloomeria crocea</i> (Torrey) Cov. ssp. <i>crocea</i>	Goldenstars	PH	.		Themidaceae	C
<i>Bloomeria crocea</i> ssp. <i>montana</i> (E. Greene) Ingram	Mountain Goldenstars	PH	.		Themidaceae	U
<i>Boechea arcuata</i> (Nutt.) Windham & Al-Shehbaz	Few-flowered Rock Cress	PH	.		Brassicaceae	S
<i>Boechea breweri</i> (S. Watson) Al-Shehbaz var. <i>breweri</i>	Brewer Rock Cress	PH	.		Brassicaceae	R
<i>Boechea californica</i> (Rollins) Windham & Al-Shehbaz	California Rockcress	PH	.		Brassicaceae	R
? <i>Boechea platysperma</i> (A. Gray) Al-Shehbaz	Pioneer Rockcress	PH	.		Brassicaceae	X
<i>Boechea pulchra</i> (M.E. Jones ex S. Watson) W.A. Weber	Desert Rock Cress	PH	.		Brassicaceae	C
<i>Boechea repanda</i> (S. Watson) Al-Shehbaz	Yosemite Rock Cress	PH	.		Brassicaceae	U
<i>Boechea retrofracta</i> (Graham) A. Löve & D. Löve	Holboell Rock Cress	PH	FACU*		Brassicaceae	R
<i>Boechea sparsiflora</i> (Nutt.) Dorn	Few-flowered Rock Cress	PH	.		Brassicaceae	S
<i>Boechea xylopoda</i> Windam & Al-Shehbaz	Desert Rock Cress	PH	.		Brassicaceae	R
<i>Boerhavia coccinea</i> Mill.	Scarlet Spiderling	PH	.		Nyctaginaceae	R
? <i>Bolboschoenus</i> [ <i>Scirpus</i> ] <i>glaucus</i> (Lam.) S.G. Sm.	Slender Bulrush	PG	OBL		Cyperaceae	X
<i>Bolboschoenus</i> [ <i>Scirpus</i> ] <i>maritimus</i> var. <i>paludosus</i> (A. Nelson) T. Koyama	Saltmarsh Bulrush	PG	OBL		Cyperaceae	O
<i>Bolboschoenus</i> [ <i>Scirpus</i> ] <i>robustus</i> (Pursh) Soják, Čas. Nár.	Seashore Bulrush	PG	OBL		Cyperaceae	R
<i>Bolboschoenus maritimus</i> (L.) Palla X <i>Bolboschoenus robustus</i> (Pursh) Soják, Čas. Nár.	Hybrid Saltmarsh Bulrush	PG	OBL		Cyperaceae	R
<i>Bombacilaena californica</i> (Fisch. & C. Meyer) Holub var. <i>californica</i>	Slender Cottonweed	AH	.		Asteraceae	U
* <i>Borago officinalis</i> L.	Borage	AH	.		Boraginaceae	R
<i>Boschniakia strobilacea</i> Gray	California Ground Cone	PH	.		Orobanchaceae	R
<i>Bothriochloa barbinodis</i> (Lagasca) Herter	Cane Bluestem	PG	.		Poaceae	U
<i>Botrychium simplex</i> E. Hitchc. var. <i>simplex</i>	Least Moonwort, Little Grapefern	PF	FACU		Ophioglossaceae	R
? <i>Bouteloua barbata</i> Lag. var. <i>barbata</i>	Sixweeks Grama	AG	.		Poaceae	X
? <i>Bouteloua gracilis</i> (Kunth) Lag. ex Griffiths	Blue Grama, Eyelash Grama	PG	.		Poaceae	X
<i>Bowlesia incana</i> Ruiz Lopez & Pavon	Hoary Bowlesia	AH	FACU*		Apiaceae	U
<i>Boykinia occidentalis</i> T. & G.	Santa Lucia Brookfoam	PH	FACW		Saxifragaceae	R
<i>Boykinia rotundifolia</i> C. Parry	Roundleaved Boykinia	PH	FACW		Saxifragaceae	R
* <i>Brachypodium distachyon</i> (L.) Beauv.	Short-pedicled Brome	AG	.		Poaceae	R
* <i>Brassica juncea</i> (L.) Czernajew	Chinese Mustard	AH	.		Brassicaceae	R
* <i>Brassica napus</i> L. ssp. <i>napus</i>	Rapeseed	A/BH	.		Brassicaceae	R
* <i>Brassica nigra</i> (L.) Koch	Black Mustard	AH	.		Brassicaceae	C
* <i>Brassica oleracea</i> L. var. <i>oleracea</i>	Cabbage	AH	.		Brassicaceae	R
* <i>Brassica rapa</i> L. var. <i>rapa</i>	Field Mustard	AH	.		Brassicaceae	U
* <i>Brassica tournefortii</i> Gouan	Mediterranean Mustard	AH	.		Brassicaceae	R
<i>Brickellia californica</i> (T. & G.) Gray	California Brickellbush	S	FACU		Asteraceae	C

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
<i>Brickellia californica</i> (T. & G.) Gray X <i>B. nevinii</i> Gray	California-Nevin Brickellbush Hybrid	S	FACU	Asteraceae	R
<i>Brickellia desertorum</i> Coville	Desert Brickellbush	S	.	Asteraceae	R
<i>Brickellia multiflora</i> Kellogg	Gum-leaved Brickellbush	S	.	Asteraceae	R
<i>Brickellia nevinii</i> Gray	Nevin Brickellbush	S	.	Asteraceae	S
* <i>Briza minor</i> L.	Little Quakinggrass	AG	FACW-	Poaceae	R
<i>Brodiaea coronaria</i> (Salisbury) Jepson ssp. <i>coronaria</i>	Crown Brodiaea	PG	.	Themidaceae	R
? <i>Brodiaea elegans</i> Hoover ssp. <i>elegans</i>	Elegant Brodiaea	PG	.	Themidaceae	X
<i>Brodiaea jolonensis</i> Eastwood	Dwarf Brodiaea	PG	.	Themidaceae	R
<i>Brodiaea terrestris</i> ssp. <i>kernensis</i> (Hoover) Niehaus	Harvest Brodiaea	PG	.	Themidaceae	R
* <i>Bromus arenarius</i> Labill.	Australian Brome	AG	.	Poaceae	U
<i>Bromus arizonicus</i> (Shear) Stebbins	Arizona Brome	AG	.	Poaceae	U
* <i>Bromus berteroi</i> Colla *	Chilean Chess	PG	.	Poaceae	R
<i>Bromus carinatus</i> Hooker & Arnott var. <i>carinatus</i>	California Brome	PG	.	Poaceae	C
* <i>Bromus catharticus</i> Vahl	Rescue Grass	AG	.	Poaceae	U
* <i>Bromus diandrus</i> Roth. ssp. <i>diandrus</i>	Ripgut Grass	AG	(FACU)	Poaceae	C
* <i>Bromus erectus</i> Hudson *	Erect Brome	PG	.	Poaceae	R
<i>Bromus grandis</i> (Shear) A. Hitchc.	Tall or Grand Brome	PG	.	Poaceae	S
* <i>Bromus hordeaceus</i> ssp. <i>divaricatus</i> (Bonnier & Layens) Kerguelen *	Soft Brome	AG	FACU-	Poaceae	R
* <i>Bromus hordeaceus</i> L. ssp. <i>hordeaceus</i> *	Soft Chess	AG	FACU-	Poaceae	C
* <i>Bromus inermis</i> Leyss. ssp. <i>inermis</i> *	Smooth Brome	PG	(FACW)	Poaceae	R
<i>Bromus laevipes</i> Shear	Woodland Brome	PG	.	Poaceae	R
* <i>Bromus madritensis</i> L. ssp. <i>madritensis</i>	Madrid Brome, Foxtail Chess	AG	.	Poaceae	S
* <i>Bromus madritensis</i> ssp. <i>rubens</i> (L.) Husnot	Red Brome	AG	NI	Poaceae	C
<i>Bromus maritimus</i> (Piper) Hitchcock	Maritime Brome			Poaceae	R
<i>Bromus orcuttianus</i> (Shear) A. Hitchc.	Orcutt Brome	PG	.	Poaceae	R
<i>Bromus pseudolaevipes</i> Wagnon	Woodland Brome	PG	.	Poaceae	R
* <i>Bromus sitchensis</i> Trin. *	Sitka Brome	PG	.	Poaceae	R
* <i>Bromus stamineus</i> Desv. *	South American Brome	PG	.	Poaceae	R
* <i>Bromus sterilis</i> L. *	Poverty Brome	AG	.	Poaceae	R
* <i>Bromus tectorum</i> L. var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.	Poaceae	C
* <i>Bromus trinii</i> Desv. *	Chilean Brome	AG	.	Poaceae	R
* <i>Caesalpinia gilliesii</i> (Hook.) D. Dietr.	Bird-of-Paradise	S/T	.	Fabaceae	R
<i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i>	American Searocket	AH	FACU	Brassicaceae	R
* <i>Cakile maritima</i> Scop. ssp. <i>maritima</i>	European Searocket	AH	FACW	Brassicaceae	S
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia	AH	.	Montiaceae	R, 4.2
<i>Calandrinia ciliata</i> (Ruiz Lopez & Pavon) DC.	Redmaids	AH	FACU*	Montiaceae	O
* <i>Calendula arvensis</i> L.	Field Marigold	AH	.	Asteraceae	R
* <i>Calendula officinalis</i> L.	Pot Marigold	AH	.	Asteraceae	U
<i>California macrophylla</i> (H. & A.) Aldas., C. Navarro, P. Vargas, L. Saez & Aedo	Largeleaf Filaree	AH	.	Geraniaceae	R, 1B.1
* <i>Callistemon viminalis</i> (Soland. ex Gaertn.) Cheel.	Weeping Bottle Brush	S	(FAC)	Myrtaceae	R
<i>Callitriche marginata</i> Torrey	California Water-starwort, Wallow Starwort	PH	OBL	Plantaginaceae	R
* <i>Callitropsis macrocarpa</i> (Hartweg) D.P. Little	Monterey Cypress	T	.	Cupressaceae	U
<i>Calocedrus decurrens</i> (Torrey) Florin	Incense Cedar	T	.	Cupressaceae	U
<i>Calochortus albus</i> Bentham	Fairy Lantern, Globe Lily	PG	.	Liliaceae	S
<i>Calochortus catalinae</i> S. Watson	Catalina Mariposa Lily	PG	.	Liliaceae	O, 4.2
<i>Calochortus clavatus</i> S. Watson ssp. <i>clavatus</i>	Club-haired Mariposa Lily	PG	.	Liliaceae	R, 1B.2
<i>Calochortus clavatus</i> ssp. <i>gracilis</i> Ownby	Slender Club-haired Mariposa Lily	PG	.	Liliaceae	R, 1B.2
<i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz	Pale Yellow Mariposa Lily	PG	.	Liliaceae	R
<i>Calochortus coeruleus</i> (Kellogg) S. Watson	Beavertail-grass	PG	.	Liliaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Calochortus fimbriatus</i> H.P. McDonald	Late-flowering Mariposa Lily	PG	.		Liliaceae	R, 1B.2
<i>Calochortus invenustus</i> E. Greene	Plain Mariposa Lily	PG	.		Liliaceae	S
<i>Calochortus kennedyi</i> Porter var. <i>kennedyi</i>	Red Mariposa Lily	PG	.		Liliaceae	S
<i>Calochortus luteus</i> Lindley	Gold Nuggets	PG	.		Liliaceae	R
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily	PG	FACW		Liliaceae	R, 1B.2
<i>Calochortus plummerae</i> Greene	Plummer Mariposa Lily	PG	.		Liliaceae	U, 1B.2
<i>Calochortus splendens</i> Benth.	Splendid or Lilac Mariposa Lily	PG	.		Liliaceae	S
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.		Liliaceae	S
<i>Calyptridium monandrum</i> Nuttall	Common Calyptridium, Sand Cress	AH	.		Montiaceae	S
<i>Calyptridium monospermum</i> Greene	One-seeded Pussy Paws	AH	.		Montiaceae	R
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium	AH	.		Montiaceae	U
<i>Calyptridium umbellatum</i> (Torrey) Greene	Pussy Paws	AH	.		Montiaceae	U
? <i>Calystegia longipes</i> (S. Watson) Brummitt	Morning-glory	PV	.		Convolvulaceae	X
<i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt	<u>Island Morning-glory</u>	PV	.		Convolvulaceae	U, 4.3
<i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i> (House) Brummitt	Coastal Scrub Morning-glory	PV	.		Convolvulaceae	C
<i>Calystegia macrostegia</i> ssp. <i>intermedia</i> (Abrams) Brummitt	Intermediate Morning-glory	PV	.		Convolvulaceae	S
<i>Calystegia macrostegia</i> (E. Greene) Brummitt ssp. <i>macrostegia</i>	Morning-glory	PV	.		Convolvulaceae	S
<i>Calystegia malacophylla</i> (E. Greene) Munz ssp. <i>malacophylla</i>	Sierra Morning-glory	PV	.		Convolvulaceae	R
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.		Convolvulaceae	S
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoides</i> (Greene) Munz	Tehachapi Morning-glory	PV	.		Convolvulaceae	R
<i>Calystegia occidentalis</i> ssp. <i>fulrata</i> (Gray) Brummitt	Western Morning-glory	PV	.		Convolvulaceae	R
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt	Woolly Western Morning-glory	PV	.		Convolvulaceae	R
<i>Calystegia peirsonii</i> (Abrams) Brummitt	Peirson's Morning-glory	PV	.		Convolvulaceae	R, 4.2
<i>Calystegia purpurata</i> (Greene) Brummitt ssp. <i>purpurata</i>	Purple Morning-glory	PV	.		Convolvulaceae	S
<i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt	Bingham Morning-glory	PV	.		Convolvulaceae	R, 1A
<i>Calystegia sepium</i> ssp. <i>limnophila</i> (E. Greene) Brummitt	Riparian Morning-glory	PV	.		Convolvulaceae	R
<i>Calystegia soldanella</i> (L.) R.Br.	Beach Morning-glory	PV	.		Convolvulaceae	U
* <i>Camelina microcarpa</i> Andrz.	False Flax	A/BH	FAC-		Brassicaceae	R
<i>Camissonia boothii</i> ssp. <i>decorticans</i> (Hooker & Arnott) Raven	Booth Shredding Primrose	AH	.		Onagraceae	C
<i>Camissonia boothii</i> ssp. <i>desertorum</i> (Munz) P.H. Raven	Desert Shredding Primrose	AH	.		Onagraceae	R
<i>Camissonia boothii</i> ssp. <i>rutila</i> (Davidson) Munz	Booth Shredding Primrose	AH	.		Onagraceae	R
<i>Camissonia brevipes</i> (A. Gray) Raven ssp. <i>brevipes</i>	Yellow Cups	AH	.		Onagraceae	R
<i>Camissonia campestris</i> (E. Greene) Raven cf. ssp. <i>campestris</i>	Mojave Sun-cup	AH	.		Onagraceae	O
<i>Camissonia campestris</i> ssp. <i>obispoensis</i> Raven	San Luis Obispo Sun-cup	AH	.		Onagraceae	R
<i>Camissonia contorta</i> (Douglas) P.H. Raven	Contorted Primrose	AH	.		Onagraceae	R
<i>Camissonia graciliflora</i> (Hooker & Arnott) Raven	Hill Sun-cup	AH	.		Onagraceae	R
<i>Camissonia kernensis</i> (Munz) P.H. Raven ssp. <i>kernensis</i>	Kern County Evening Primrose	AH	.		Onagraceae	R
<i>Camissonia lacustris</i> P.H. Raven	Lakeside Primrose	AH	.		Onagraceae	R
<i>Camissonia palmeri</i> (S. Watson) Raven	Palmer Primrose	AH	.		Onagraceae	R
<i>Camissonia strigulosa</i> (Fischer & C. Meyer) Raven	Strigose Primrose	AH	.		Onagraceae	O
<i>Camissoniopsis bistorta</i> (Torr. & A. Gray) W.L. Wagner & Hoch	California or Southern Sun-cups	AH	.		Onagraceae	S
<i>Camissoniopsis cheiranthifolia</i> (Sprengel) W.L. Wagner & Hoch ssp. <i>cheiranthifolia</i>	<u>Beach Primrose</u>	PH	.		Onagraceae	R
<i>Camissoniopsis cheiranthifolia</i> ssp. <i>suffruticosa</i> (S. Watson) W.L. Wagner & Hoch	Beach Primrose	PH	.		Onagraceae	S
<i>Camissoniopsis confusa</i> (P.H. Raven) W.L. Wagner & Hoch	Confusing Primrose	AH	.		Onagraceae	R
<i>Camissoniopsis hirtella</i> (E. Greene) W.L. Wagner & Hoch	Small-haired Primrose	AH	.		Onagraceae	O
<i>Camissoniopsis ignota</i> (Jepson) W.L. Wagner & Hoch	Small Primrose	AH	.		Onagraceae	U
<i>Camissoniopsis intermedia</i> (P.H. Raven) W.L. Wagner & Hoch	Primrose	AH	.		Onagraceae	S
<i>Camissoniopsis luciae</i> (P.H. Raven) W.L. Wagner & Hoch	Santa Lucia Sun-cup	AH	.		Onagraceae	R
<i>Camissoniopsis micrantha</i> (Sprengel) W.L. Wagner & Hoch	Tiny Primrose	AH	.		Onagraceae	U

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Camissoniopsis pallida</i> (Abrams) W.L. Wagner & Hoch ssp. <i>pallida</i>	Pale Primrose	AH	.		Onagraceae	R
?* <i>Cannabis sativa</i> L.	Hemp, Marijuana	PH	FACU*		Cannabaceae	X
* <i>Capsella bursa-pastoris</i> (L.) Medikus var. <i>bursa-pastoris</i>	Shepherd's Purse	AH	FAC-		Brassicaceae	S
<i>Cardamine breweri</i> S. Watson var. <i>breweri</i>	Bitter-cress	PH	FACW		Brassicaceae	R
<i>Cardamine californica</i> (T. & G.) Greene var. <i>californica</i>	California Milkmaids	AH	.		Brassicaceae	S
<i>Cardamine oligosperma</i> Torrey & Gray	Few-seeded Bitter-cress	AH	FACW		Brassicaceae	R
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>	Toothwort	PH	FAC*		Brassicaceae	R
* <i>Cardaria chalepensis</i> (L.) Hand.-Mazz.	Lens-podded Hoary Cress	PH	.		Brassicaceae	R
* <i>Cardaria pubescens</i> (C. Meyer) Jamol.	White-top	PH	.		Brassicaceae	S
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.	Sand Mat	PH	.		Caryophyllaceae	R
* <i>Carduus pycnocephalus</i> L. ssp. <i>pycnocephalus</i>	Italian Thistle	AH	.		Asteraceae	C
* <i>Carduus tenuiflorus</i> W. Curtis	Plumeless Thistle	BH	.		Asteraceae	R
<i>Carex abrupta</i> Mackenzie	Abrupt-beaked Sedge	PG	(FACW)		Cyperaceae	R
<i>Carex alma</i> L. Bailey	Sturdy Sedge	PG	FACW*		Cyperaceae	S
<i>Carex athrostachya</i> Olney	Slender-beaked Sedge	PG	FACW		Cyperaceae	R
<i>Carex aurea</i> Nuttall	Golden-fruited Sedge	PG	OBL		Cyperaceae	R
<i>Carex barbarae</i> Dewey	Santa Barbara Sedge	PG	FACW		Cyperaceae	R
<i>Carex bolanderi</i> Olney	Bolander Sedge	PG	FACW		Cyperaceae	R
<i>Carex brainerdii</i> Mack.	Brainard Sedge	PG	.		Cyperaceae	R
<i>Carex densa</i> L. Bailey	Dense Sedge	PG	OBL		Cyperaceae	R
<i>Carex douglasii</i> Boott	Douglas Sedge	PG	FACU		Cyperaceae	U
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.	Short-grass Sedge	PG	OBL		Cyperaceae	R
<i>Carex fracta</i> Mackenzie	Fragile-sheathed Sedge	PG	.		Cyperaceae	R
<i>Carex globosa</i> Boott	Round-fruited Sedge	PG	.		Cyperaceae	R
<i>Carex hassei</i> L. Bailey	Hasse Sedge	PG	FACW		Cyperaceae	R
<i>Carex multicaulis</i> L. Bailey	Many-stemmed Sedge	PG	.		Cyperaceae	R
<i>Carex nebrascensis</i> Dewey	Nebraska Sedge	PG	OBL		Cyperaceae	R
<i>Carex pansa</i> L. Bailey	Sand Dune Sedge	PG	FACU		Cyperaceae	R
<i>Carex pellita</i> Muhl. ex Willd.	Woolly Sedge	PG	.		Cyperaceae	R
<i>Carex praegracilis</i> W. Boott	Clustered Field Sedge	PG	FACW-		Cyperaceae	O
<i>Carex rossii</i> Boott	Ross Sedge	PG	.		Cyperaceae	R
<i>Carex schottii</i> Dewey	Schott Sedge	PG	OBL		Cyperaceae	R
<i>Carex senta</i> Boott	Rough Sedge	PG	OBL		Cyperaceae	O
? <i>Carex serratodens</i> W. Boott	Sawtooth Sedge	PG	FACW		Cyperaceae	X
<i>Carex spissa</i> L. Bailey	San Diego Sedge	PG	FAC*		Cyperaceae	R
<i>Carex subfusca</i> W. Boott	Brown Sedge	PG	FAC-		Cyperaceae	U
<i>Carex triquetra</i> Boott	Triangular-fruited Sedge	PG	.		Cyperaceae	R
* <i>Carpobrotus chilensis</i> (Molina) N.E. Br.	Sea Fig	PH/S	.		Aizoaceae	C
* <i>Carpobrotus edulis</i> (L.) N.E. Br.	Hottentot Fig	PH/S	.		Aizoaceae	C
* <i>Carthamus creticus</i> L.	Smooth Distaff Thistle	AH	.		Asteraceae	R
* <i>Carthamus tinctorius</i> L.	Safflower	AH	.		Asteraceae	R
* <i>Carya illinoensis</i> K. Koch	Hickory	T.S	FACU		Juglandaceae	R
<i>Castilleja affinis</i> Hooker & Arnott ssp. <i>affinis</i>	Lay-and-Collie's Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Castilleja angustifolia</i> (Nuttall) G. Don	Desert Indian Paintbrush	PH	.		Orobanchaceae	R
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard	Eastwood Indian Paintbrush	PH	.		Orobanchaceae	R
<i>Castilleja applegatei</i> ssp. <i>martinii</i> (Abrams) Chuang & Heckard	Martin Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard	Wavyleaf Indian Paintbrush	PH	.		Orobanchaceae	R
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard	Valley Tassels	AH	.		Orobanchaceae	R
? <i>Castilleja campestris</i> (Benth.) Chuang & Heckard ssp. <i>campestris</i>	Field Owl's Clover	AH	OBL		Orobanchaceae	X

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>	Dense-flowered Owl's Clover	AH	.		Orobanchaceae	R
? <i>Castilleja densiflora</i> ssp. <i>gracilis</i> (Benth.) Chuang & Heckard	Slender Dense-flowered Owl's Clover	AH	.		Orobanchaceae	X
<i>Castilleja exserta</i> (A.A. Heller) Chuang & Heckard ssp. <i>exserta</i>	Purple Owl's Clover	AH	.		Orobanchaceae	C
<i>Castilleja foliolosa</i> Hook. & Arn.	Woolly Indian Paintbrush	PH	.		Orobanchaceae	S
? <i>Castilleja gyroloba</i> Pennell	Oak Flats Indian Paintbrush	PH	(FACU)		Orobanchaceae	X
<u><i>Castilleja lanata</i> Gray ssp. <i>hololeuca</i> (Greene) Chuang &amp; Heckard</u>	<u>White-felted Indian Paintbrush</u>	PH	.		Orobanchaceae	R, 1B.2
<i>Castilleja linariifolia</i> Benth.	Linaria-leaved Indian Paintbrush	PH	.		Orobanchaceae	U
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush	PH	FACW		Orobanchaceae	R
<i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i>	Annual Indian Paintbrush	AH	OBL		Orobanchaceae	R
<i>Castilleja minor</i> ssp. <i>spiralis</i> (Jeps.) Chuang & Heckard	Large-flowered Annual Indian Paintbrush	AH	OBL		Orobanchaceae	U
<u><i>Castilleja mollis</i> Pennell</u>	<u>Soft-leaved Indian Paintbrush</u>	PH	.		Orobanchaceae	R, 1B.1
? <i>Castilleja plagiotoma</i> A. Gray	Mojave Indian Paintbrush	PH	.		Orobanchaceae	X
<i>Castilleja subinclusa</i> E. Greene ssp. <i>subinclusa</i>	Long-leaved or Jepson Indian Paintbrush	PH	.		Orobanchaceae	C
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	San Francisco Long-leaved Indian Paintbrush	PH	.		Orobanchaceae	R
? <i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard	Bristle Owl's Clover	AH	FAC		Orobanchaceae	X
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower	AH	.		Brassicaceae	U
<i>Caulanthus anceps</i> Payson	Lemmon Mustard	AH	.		Brassicaceae	R
<i>Caulanthus californicus</i> (S. Watson) Payson	California Jewelflower	AH	.		Brassicaceae	R, FE
<i>Caulanthus coulteri</i> S. Watson var. <i>coulteri</i>	Coulter Jewelflower	AH	.		Brassicaceae	S
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower	AH	.		Brassicaceae	R
<i>Caulanthus inflatus</i> S. Watson	Desert Candle	AH	.		Brassicaceae	R
<i>Caulanthus lasiophyllus</i> (Hooker & Arnott) Payson	California Mustard	AH	.		Brassicaceae	S
<i>Caulanthus lemmonii</i> S. Watson	Lemmon Jewelflower	AH	.		Brassicaceae	U, 1B.2
<i>Ceanothus cordulatus</i> Kellogg	Mountain Whitethorn, Snow Bush	S	.		Rhamnaceae	S
<i>Ceanothus crassifolius</i> Torrey var. <i>crassifolius</i>	Snowball, Hoaryleaf Ceanothus	S	.		Rhamnaceae	S
<i>Ceanothus crassifolius</i> var. <i>planus</i> Abrams	Flatleaf Snowball	S	.		Rhamnaceae	C
<i>Ceanothus cuneatus</i> (Hooker) Nuttall ex Torr. & Gray var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.		Rhamnaceae	C
<i>Ceanothus dentatus</i> T. & G.	Dentate Ceanothus	S	.		Rhamnaceae	R
<i>Ceanothus greggii</i> ssp. <i>vestitus</i> (Greene) McMinn	Mojave Ceanothus	S	.		Rhamnaceae	S
<i>Ceanothus integerrimus</i> Hooker & Arnott	Deer Brush	S	.		Rhamnaceae	S
<i>Ceanothus leucodermis</i> E. Greene	Chaparral Whitethorn	S	.		Rhamnaceae	C
<i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastwood) Munz	Island Ceanothus	S	.		Rhamnaceae	R, 4.3
<i>Ceanothus megacarpus</i> Nuttall var. <i>megacarpus</i>	Bigpod Ceanothus	S	.		Rhamnaceae	C
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus	S	.		Rhamnaceae	R
<i>Ceanothus oliganthus</i> Nuttall var. <i>oliganthus</i>	Hoary Ceanothus	S	.		Rhamnaceae	C
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover	Jim Brush	S	.		Rhamnaceae	R
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus	S	.		Rhamnaceae	U
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>	Wartleaf Ceanothus	S	.		Rhamnaceae	U
<i>Ceanothus papillosus</i> T. & G. ssp. <i>roweanus</i> (McMinn) Munz	Rowean Wartleaf Ceanothus	S	.		Rhamnaceae	R
<i>Ceanothus spinosus</i> Nuttall	Greabark Ceanothus	S	.		Rhamnaceae	C
<i>Ceanothus thrysiflorus</i> Eschsch. ssp. <i>thrysiflorus</i>	Blue Blossom Ceanothus	S	.		Rhamnaceae	R
<i>Ceanothus tomentosus</i> var. <i>olivaceous</i> Jepson	Woollyleaf Ceanothus	S	.		Rhamnaceae	R
<i>Ceanothus tomentosus</i> Parry var. <i>tomentosus</i>	Woollyleaf Ceanothus	S	.		Rhamnaceae	R
? <i>Celtis reticulata</i> Torrey	Netleaf Hackberry	T.S	FACW*		Ulmaceae	X
* <i>Cenchrus echinatus</i> L. *	Southern Sandbur	AG	NO		Poaceae	R
* <i>Cenchrus longispinus</i> (Hackel) Fern. *	Mat Sandbur, Burgrass	AG	.		Poaceae	R
* <i>Cenchrus spinifex</i> Cav.	Coastal Sandbur	PG	.		Poaceae	R
* <i>Centaurea calcitrapa</i> L.	Red or Purple Star-thistle	A/BH	.		Asteraceae	R
* <i>Centaurea cineraria</i> L.	Dusty Miller	PH	.		Asteraceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Centaurea cyanus</i> L.	Bachelor's Button, Cornflower	AH	.		Asteraceae	R
* <i>Centaurea melitensis</i> L.	Tocalote, Napa Thistle	AH	.		Asteraceae	C
* <i>Centaurea solstitialis</i> L.	Yellow Star-thistle	AH	.		Asteraceae	C
* <i>Centaurea stoebe</i> ssp. <i>micranthos</i> (Gugler) Hayek	Spotted Knapweed	BH	.		Asteraceae	R
* <i>Centranthus ruber</i> (L.) DC.	Red Valerain	PH	.		Valerianaceae	R
? <i>Centromadia fitchii</i> (A. Gray) E. Greene	Fitch Spikeweed	AH	.		Asteraceae	X
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin	Southern Tarplant	AH	.		Asteraceae	R, 1B.1
? <i>Centromadia pungens</i> (Hooker & Arnott) E. Greene ssp. <i>pungens</i>	Common Spikeweed	AH	FAC		Asteraceae	X
<i>Centrostegia thurberi</i> var. <i>macrotheca</i> (J.T. Howell) Goodman	Thurber Spineflower	AH	.		Polygonaceae	R
<i>Centrostegia thurberi</i> Gray ex Benth. var. <i>thurberi</i>	Thurber Spineflower	AH	.		Polygonaceae	S
? <i>Cephalanthera austiniiae</i> (A. Gray) Heller	Phantom Orchid	PH	.		Orchidaceae	X
? <sup>3</sup> <i>Cerastium fontanum</i> ssp. <i>vulgare</i> (Hartman) Greuter & Burdet	Common Chickweed	AH	FACU		Caryophyllaceae	X
* <i>Cerastium glomeratum</i> Thuill.	Mouse-ear Chickweed	AH	FACU		Caryophyllaceae	R
* <i>Ceratonia siliqua</i> L.	Carob, St. John's Bread	T	.		Fabaceae	R
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail	PH	OBL		Ceratophyllaceae	R
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.		Rosaceae	C
<i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little	Island Mountain Mahogany	S	.		Rosaceae	R, 4.3
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren	Cut-leaved Mountain Mahogany	S	.		Rosaceae	R
<i>Cercocarpus ledifolius</i> Nuttall var. <i>ledifolius</i>	Mountain Mahogany	S	.		Rosaceae	U
<i>Chaenactis artemisiifolia</i> (Gray) Gray	White Pincushion	AH	.		Asteraceae	U
<i>Chaenactis fremontii</i> A. Gray	Desert Pincushion	AH	.		Asteraceae	R
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.		Asteraceae	C
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall	Different-seeded Yellow Pincushion	AH	.		Asteraceae	R
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall	Woolly Yellow Pincushion	AH	.		Asteraceae	U
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray	Big-flowered Yellow Pincushion	AH	.		Asteraceae	R
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall	Woolly Yellow Pincushion	AH	.		Asteraceae	R, 1B.1
<i>Chaenactis santolinoides</i> E. Greene	Perennial Pincushion	PH	.		Asteraceae	O
<i>Chaenactis stevioides</i> Hook. & Arn.	Desert Pincushion	AH	.		Asteraceae	R
<i>Chaenactis xantiana</i> Gray	Xantus Pincushion	AH	.		Asteraceae	U
<i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl.	Sonoran Sandmat	AH	.		Euphorbiaceae	R
<i>Chamaesyce albomarginata</i> (Torrey & A. Gray) Small	Rattlesnake Spurge	AH	.		Euphorbiaceae	O
* <i>Chamaesyce maculata</i> (L.) Small	Spotted Spurge	AH	.		Euphorbiaceae	U
<i>Chamaesyce melanadenia</i> (Torrey) Milsp.	Squaw Spurge	PH	.		Euphorbiaceae	R
<i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl.	Sonoran Spurge	AH	.		Euphorbiaceae	R
* <i>Chamaesyce nutans</i> (Lag.) Small	Eyebane	AH	.		Euphorbiaceae	R
<i>Chamaesyce ocellata</i> (Durand & Hilg.) Millsp. ssp. <i>ocellata</i>	Littleye Spurge	AH	.		Euphorbiaceae	R
<i>Chamaesyce polycarpa</i> var. <i>hirtella</i> (Boiss.) Parish	Hairy Golondrina	PH	.		Euphorbiaceae	R
<i>Chamaesyce polycarpa</i> (Benth.) Millsp. var. <i>polycarpa</i>	Golondrina	PH	.		Euphorbiaceae	U
* <i>Chamaesyce prostrata</i> (Ait.) Small	Prostrate Spurge	AH	.		Euphorbiaceae	R
* <i>Chamaesyce serpens</i> (H.B.K.) Small	Matted Sandmat	AH	.		Euphorbiaceae	R
? <i>Chamaesyce serpyllifolia</i> ssp. <i>hirtula</i> (S. Watson) Koutnik	Hairy Thyme-leaved Spurge	AH	.		Euphorbiaceae	X
<i>Chamaesyce serpyllifolia</i> (Pers.) Small ssp. <i>serpyllifolia</i>	Thyme-leaved spurge	AH	.		Euphorbiaceae	R
<i>Cheilanthes clevelandii</i> D.C. Eaton.	Cleveland Lip-fern	PF	.		Pteridaceae	R
<i>Cheilanthes cooperae</i> D.C. Eaton	Mrs. Cooper Lip-fern	PF	.		Pteridaceae	R
<i>Cheilanthes covillei</i> Maxon	Coville Lip-fern	PF	.		Pteridaceae	O
<i>Cheilanthes newberryi</i> (D.C. Eaton) Domin	Cotton Fern	PF	.		Pteridaceae	R
? <i>Chenodium rubrum</i> var. <i>humile</i> (Hooker) S. Watson	Red Goosefoot	AH	FACW		Chenopodiaceae	X
* <i>Chenopodium album</i> L.	Lamb's Quarters, Pigweed, White Goosefoot	AH	FAC		Chenopodiaceae	O
<i>Chenopodium atrovirens</i> Rydb.	Pigweed	AH	.		Chenopodiaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Chenopodium berlandieri</i> var. <i>sinuatum</i> (Murr) Wahl	Pitseed Goosefoot	AH	(FAC)		Chenopodiaceae	S
<i>Chenopodium berlandieri</i> Moq. var. <i>zschackei</i> (Murr) Graebn.	Pitseed Goosefoot	AH	(FAC)		Chenopodiaceae	R
<i>Chenopodium californicum</i> (S. Watson) S. Watson	California Goosefoot, Soap Plant	PH	.		Chenopodiaceae	C
* <i>Chenopodium chenopodioides</i> (L.) Aellen.	South American Pigweed, Red Goosefoot	AH	FACW		Chenopodiaceae	R
<i>Chenopodium desiccatum</i> A. Nelson	Aridland Goosefoot	AH	.		Chenopodiaceae	R
<i>Chenopodium fremontii</i> S. Watson	Fremont Goosefoot	AH	FAC*		Chenopodiaceae	U
* <i>Chenopodium glaucum</i> L. var. <i>salinum</i> (Standley) B. Boivin	Oakleaf Goosefoot	AH	FACU		Chenopodiaceae	R
? <i>Chenopodium incognitum</i> Wahl	Masked or Mountain Goosefoot	AH	.		Chenopodiaceae	X
? <i>Chenopodium leptophyllum</i> (Moquin-Tandon) Nuttall ex S. Watson	Narrowleaf Goosefoot	AH	UPL		Chenopodiaceae	X
? <i>Chenopodium littoreum</i> Benet-Pierce & M.G. Simpson	Coastal Goosefoot	AH	.		Chenopodiaceae	X
* <i>Chenopodium macrospermum</i> var. <i>halophilum</i> (Philippi) Standley	Coast Goosefoot	AH	(FACW)		Chenopodiaceae	U
* <i>Chenopodium missouriense</i> Aellen	Missouri Lambsquarters	AH	.		Chenopodiaceae	R
* <i>Chenopodium murale</i> L.	Nettle-leaved Goosefoot	AH	(FACU)		Chenopodiaceae	S
<i>Chenopodium pratericola</i> Rydb.	Narrow-leaved Goosefoot	AH	.		Chenopodiaceae	R
* <i>Chenopodium rubrum</i> L. var. <i>rubrum</i>	Red Goosefoot	AH	FACW		Chenopodiaceae	R
* <i>Chenopodium strictum</i> Roth ssp. <i>strictum</i>	Goosefoot	AH	(FACU)		Chenopodiaceae	R
* <i>Chenopodium strictum</i> ssp. <i>glaucoephyllum</i> (Aellen.) H.A. Wahl	Whiteleaf Goosefoot	AH	(FACU)		Chenopodiaceae	R
* <i>Chloris gayana</i> Kunth *	Rhodegrass	PG	.		Poaceae	R
* <i>Chloris virgata</i> Sw. *	Windmillgrass	AG	.		Poaceae	R
<i>Chlorogalum pomeridianum</i> (DC.) Kunth var. <i>pomeridianum</i>	Soap Plant	PG	.		Agavaceae	C
<i>Chloropyron maritimum</i> (Nutt. ex Benth.) ssp. <i>maritimum</i>	Saltmarsh Birds-beak	AH	OBL		Orobanchaceae	R, 1B.1, FE, SE
* <i>Chondrilla juncea</i> L.	Rush Skeletonweed	PH	.		Asteraceae	R
* <i>Chorispora tenella</i> (Pall.) de Candolle	Common Blue Mustard	AH	.		Brassicaceae	R
<i>Chorizanthe blakleyi</i> Hardham	Blakley's Spineflower	AH	.		Polygonaceae	R, 1B.3
<i>Chorizanthe brevicornu</i> Torr. var. <i>brevicornu</i>	Brittle Spineflower	AH	.		Polygonaceae	R
<i>Chorizanthe clevelandii</i> C. Parry	Cleveland Spineflower	AH	.		Polygonaceae	R
<i>Chorizanthe douglasii</i> Benth.	Douglas Spineflower	AH	.		Polygonaceae	R, 4.3
? <i>Chorizanthe fimbriata</i> Nuttall var. <i>fimbriata</i>	Fringed Spineflower	AH	.		Polygonaceae	X
<i>Chorizanthe membranacea</i> Benth.	Pink Spineflower	AH	.		Polygonaceae	R
? <i>Chorizanthe obovata</i> Goodman	Obovate Spineflower	AH	.		Polygonaceae	X
<i>Chorizanthe parryi</i> var. <i>fernandina</i> (S. Watson) Jeps.	San Fernando Valley Spineflower	AH	.		Polygonaceae	R, SE, 1B.1
<i>Chorizanthe procumbens</i> Nutt.	Prostrate Spineflower	AH	.		Polygonaceae	R
<i>Chorizanthe staticoides</i> forma <i>bracteata</i> Goodman	Turkish Rugging, Stalice Spineflower	AH	.		Polygonaceae	R
<i>Chorizanthe staticoides</i> Bentham var. <i>staticoides</i>	Turkish Rugging, Stalice Spineflower	AH	.		Polygonaceae	S
<i>Chorizanthe uniaristata</i> T. & G.	One-awned Spineflower	AH	.		Polygonaceae	R
<i>Chorizanthe watsonii</i> T. & G.	Watson Spineflower	AH	.		Polygonaceae	R
? <i>Chorizanthe wheeleri</i> S. Watson	Wheeler Spineflower	AH	.		Polygonaceae	X, 4.3
<i>Chorizanthe xantii</i> S. Watson var. <i>xantii</i>	Xantus Spineflower	AH	.		Polygonaceae	S
* <i>Chrysanthemum coronarium</i> L.	Garland Chrysanthemum, Crown Daisy	AH	.		Asteraceae	R
* <i>Chrysanthemum parthenium</i> Bernh.	Chrysanthemum, Feverfew	PH	.		Asteraceae	R
<i>Chrysothamnus viscidiflorus</i> (Hook.) Nutt. ssp. <i>viscidiflorus</i>	Yellow Rabbitbrush	S	.		Asteraceae	R
* <i>Cichorium intybus</i> L.	Chicory	PH	.		Asteraceae	S
<i>Cicuta douglasii</i> (DC.) Coulter & Rose	Western Water-hemlock	PH	OBL		Apiaceae	R
* <i>Cirsium arvense</i> (L.) Scop.	Canada or Creeping Thistle	PH	FAC-		Asteraceae	R
<i>Cirsium brevistylum</i> Cronq.	Indian Thistle	BH	.		Asteraceae	R
<i>Cirsium occidentale</i> var. <i>californicum</i> (Gray) Keil & C. Turner	California Thistle	BH	.		Asteraceae	S
<i>Cirsium occidentale</i> (Nuttall) Jepson var. <i>occidentale</i>	Cobweb Thistle	BH	.		Asteraceae	S
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.		Asteraceae	S
* <i>Cirsium ochrocentrum</i> A. Gray var. <i>ochrocentrum</i>	Yellowspine Thistle	PH	.		Asteraceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Cirsium scariosum</i> Nutt. var. <i>citrinum</i> (Petr.) D.J. Keil	Southern Meadow Thistle	BH	FAC		Asteraceae	R
* <i>Cirsium vulgare</i> (Savi) Tenore	Common or Bull Thistle	BH	FACU		Asteraceae	S
<i>Cistanthe maritima</i> (Nutt.) Hershk.	Seaside Redmaids	AH			Montiaceae	R, 4.2
?* <i>Cistus creticus</i> L.	Rock-rose	S	.		Cistaceae	X
?* <i>Cistus ladanifer</i> L.	Gum Cistus or Rock-rose	S	.		Cistaceae	X
* <i>Citrullus colocynthis</i> var. <i>lanatus</i> (Thumb.) Matsum & Nakai	Watermelon	AH			Cucurbitaceae	R
? <i>Cladium californicum</i> (S. Watson) O'Neill	Saw-grass	PH	OBL		Cyperaceae	X
<i>Clarkia affinis</i> Lewis & Lewis	Hairy Clarkia	AH			Onagraceae	R
<i>Clarkia bottae</i> (Spach) Lewis & Lewis	Punchbowl Godetia	AH	.		Onagraceae	O
<i>Clarkia cylindrica</i> ssp. <i>clavicaarpa</i> W. Davis	Cylindrical Godetia	AH	.		Onagraceae	R
<i>Clarkia cylindrica</i> (Jepson) H. Lewis & M. Lewis ssp. <i>cylindrica</i>	Cylindrical Godetia	AH	.		Onagraceae	U
<i>Clarkia dudleyana</i> (Abrams) J.F. Macbr.	Dudley Godetia	AH	.		Onagraceae	R
<i>Clarkia epilobioides</i> (Nutt.) A. Nels. & J.F. Macbr.	Willow-herb Godetia	AH	.		Onagraceae	S
<i>Clarkia heterandra</i> (Torrey) H. Lewis & Raven	California Gaura	AH	.		Onagraceae	R
<i>Clarkia modesta</i> Jeps.	Modest Clarkia	AH	.		Onagraceae	R
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> (Douglas) H. Lewis & M. Lewis	Four-spotted Purple Clarkia	AH	.		Onagraceae	C
<i>Clarkia purpurea</i> ssp. <i>viminea</i> (Douglas) Lewis & Lewis	Large Purple Clarkia	AH	.		Onagraceae	R
<i>Clarkia rhomboidea</i> Douglas	Rhomboid Clarkia	AH	.		Onagraceae	U
? <i>Clarkia similis</i> Harlan Lewis & Ernst	Copy-cat Clarkia	AH	.		Onagraceae	X
<i>Clarkia speciosa</i> F.H. Lewis & M.R. Lewis ssp. <i>speciosa</i>	Redspot Clarkia	AH	.		Onagraceae	R
<i>Clarkia unguiculata</i> Lindley	Elegant Farwell-to-Spring or Clarkia	AH	.		Onagraceae	O
<i>Clarkia williamsonii</i> (Durand & Hilg.) H. Lewis & M. Lewis	Williamson's Clarkia	AH	.		Onagraceae	R
<i>Clarkia xantiana</i> Gray ssp. <i>xantiana</i>	Xantus Clarkia	AH	.		Onagraceae	R
<i>Claytonia exigua</i> T. & G. ssp. <i>exigua</i>	Small Miner's Lettuce	AH	.		Montiaceae	U
<i>Claytonia parviflora</i> Hook. ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FAC		Montiaceae	S
<i>Claytonia parviflora</i> ssp. <i>viridis</i> (Davidson) J.M. Miller & Chambers	Small-flowered Miner's Lettuce	AH	FAC		Montiaceae	R
? <i>Claytonia perfoliata</i> ssp. <i>intermontana</i> J.M. Miller & K.L. Chambers	Great Basin Miner's Lettuce	AH	FAC		Montiaceae	X
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i> (Rydb.) J.M. Miller & Chambers	Miner's Lettuce	AH	FAC		Montiaceae	S
<i>Claytonia perfoliata</i> Donn ex Willd. ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC		Montiaceae	C
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	FAC		Montiaceae	U
<i>Clematis lasiantha</i> Nuttall	Pipestem Clematis	PV	.		Ranunculaceae	C
<i>Clematis ligusticifolia</i> Nuttall	Virgin's Bower, Old Man's Beard	PV	FAC		Ranunculaceae	S
? <i>Clematis pauciflora</i> Nuttall	Ropevine	PV	.		Ranunculaceae	X
<i>Clinopodium douglasii</i> (Benth.) Kuntze	Yerba Buena	PH	.		Lamiaceae	R
<i>Clinopodium mimuloides</i> Kuntze	Monkeyflower Yerba Buena	PH/S	.		Lamiaceae	R, 4.2
* <i>Cnicus benedictus</i> L.	Blessed Thistle	AH	.		Asteraceae	U
? <i>Coleogyne ramosissima</i> Torrey	Blackbush	S	.		Rosaceae	X
<i>Collinsia bartsifolia</i> var. <i>davidsonii</i> (Parish) V. Newsom	Davidson White Chinese Houses	AH	.		Plantaginaceae	R
<i>Collinsia callosa</i> Parish	Large-fruited Blue-eyed Mary	AH	.		Plantaginaceae	S
<i>Collinsia childii</i> A. Gray	Child Blue-eyed Mary	AH	.		Plantaginaceae	R
<i>Collinsia heterophylla</i> Buist var. <i>heterophylla</i>	Chinese Houses	AH	.		Plantaginaceae	O
<i>Collinsia parryi</i> A. Gray	Parry Blue-eyed Mary	AH	.		Plantaginaceae	U
<i>Collinsia parviflora</i> Lindley	Blue-eyed Mary, Blue Lips	AH	.		Plantaginaceae	R
<i>Collinsia torreyi</i> var. <i>wrightii</i> (S. Watson) I.M. Johnston	Wright Blue-eyed Mary	AH	.		Plantaginaceae	U
<i>Collomia grandiflora</i> Lindley	Large-flowered Collomia	AH	.		Polemoniaceae	U
? <i>Collomia linearis</i> Nuttall	Narrow-leaved Collomia	AH	FACU		Polemoniaceae	X
<i>Collomia tinctoria</i> Kellogg	Yellow-staining Collomia	AH	.		Polemoniaceae	R
<i>Comarostaphylis diversifolia</i> ssp. <i>planifolia</i> (Jeps.) G.D. Wallace	Simpleleaf Summer Holly	S	.		Ericaceae	R
* <i>Conium maculatum</i> L.	Poison Hemlock	BH	FACW		Apiaceae	C

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Conringia orientalis</i> (L.) Dumortier	Rabbit's-ear, Treacle Mustard	AH	.		Brassicaceae	R
* <i>Consolida ajacis</i> (L.) Schur	Doubtful Knight's-spur	AH	.		Ranunculaceae	R
* <i>Convolvulus arvensis</i> L.	Bindweed	PV	.		Convolvulaceae	C
<i>Convolvulus simulans</i> Perry	Small-flowered Morning-glory	AV	.		Convolvulaceae	R
* <i>Conyza bonariensis</i> (L.) Cronq.	Flax-leaved Fleabane, South American	AH	.		Asteraceae	S
<i>Conyza canadensis</i> (L.) Cronq.	Horseweed	AH	FAC		Asteraceae	C
* <i>Conyza floribunda</i> Kunth	Many-flowered Horseweed	AH	.		Asteraceae	R
? <i>Corallorhiza maculata</i> (Raf.) Raf. var. <i>maculata</i>	Spotted Coral Root	PH	.		Orchidaceae	X
<i>Cordylanthus nevinii</i> A. Gray	Nevin Bird's-Beak	AH	.		Orobanchaceae	S
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Birds-beak	AH	.		Orobanchaceae	C
<i>Cordylanthus rigidus</i> ssp. <i>setigerus</i> Chuang & Heckard	Dark-tipped Rigid Bird's-Beak	AH	.		Orobanchaceae	U
* <i>Coreopsis lanceolata</i> var. <i>villosa</i> Michx.	Woolly Lanceleaf Stickleaf	PH	.		Asteraceae	R
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae	C
* <i>Coriandrum sativum</i> L.	Coriandra, Cilantro	AH	.		Apiaceae	R
<i>Cornus glabrata</i> Bentham	Brown Dogwood	S	FACW		Cornaceae	R
? <i>Cornus nuttallii</i> Audubon	Mountain Dogwood	T	.		Cornaceae	X
? <i>Cornus sericea</i> ssp. <i>occidentalis</i> (Torrey & Gray) Fosberg	Western American Dogwood	S	.		Cornaceae	X
<i>Cornus sericea</i> L. ssp. <i>sericea</i>	American or Creek Dogwood	S	.		Cornaceae	R
* <i>Cortaderia jubata</i> (Lemoine) Stapf *	Andean Pampas Grass	PG	(FACW-)		Poaceae	S
* <i>Cortaderia selloana</i> (Schultes) Aschers. & Graegner *	Pampas Grass	PG	.		Poaceae	S
* <i>Cosmos bipinnatus</i> Cav.	Garden Cosmos	AH	.		Asteraceae	R
* <i>Cotoneaster pannosus</i> Franchet	Cotoneaster	S	.		Rosaceae	R
* <i>Cotula australis</i> (Sieber) Hooker f.	Australian Brass-buttons	AH	.		Asteraceae	U
* <i>Cotula coronopifolia</i> L.	African Brass-buttons	AH	FACW+		Asteraceae	O
* <i>Cotyledon orbiculata</i> var. <i>oblonga</i> (Haw.) DC.	Pig's Ear	S	.		Crassulaceae	R
<i>Crassula aquatica</i> (L.) Schönl.	Water Pigmy-Weed	AH	OBL		Crassulaceae	R
<i>Crassula connata</i> (Ruiz, Lopez & Pavon) A. Berger	Pygmy [Sand-]Weed	AH	FAC		Crassulaceae	S
? <i>Crassula solieri</i> (C. Gay) F. Meigen *	Solier Vernal Pool Water Pygmy-weed	AH	OBL		Crassulaceae	X
* <i>Crassula tillaea</i> Lester-Garl.	Water Pygmy-Weed	AH	OBL		Crassulaceae	R
<i>Crepis acuminata</i> Nuttall	Long-leaved Hawksbeard	PH	.		Asteraceae	R
? <i>Crepis capillaries</i> (L.) Wallr.	Smooth Hawksbeard	AH	.		Asteraceae	X
<i>Crepis occidentalis</i> Nuttall ssp. <i>occidentalis</i>	Western Hawksbeard	PH	.		Asteraceae	U
<i>Crepis occidentalis</i> ssp. <i>pumila</i> (Rydb.) Babcock & Stebbins	Western Hawksbeard	PH	.		Asteraceae	R
? <i>Crepis vesicaria</i> ssp. <i>taraxicifolia</i> (Thuill.) Thell.	Dandelion or Weedy Hawksbeard	AH	.		Asteraceae	X
<i>Cressa truxillensis</i> Kunth	Spreading Alkali-Weed	PH	FACW		Convolvulaceae	U
<i>Croton californicus</i> Muell. Arg. var. <i>californicus</i>	California Croton	PH	.		Euphorbiaceae	S
* <i>Crypsis schoenoides</i> (L.) Lam. *	Swamp Grass	AG	OBL		Poaceae	U
* <i>Crypsis vaginiflora</i> (Forsskal) Opiz *	Prickle Grass	AG	OBL		Poaceae	R
<i>Cryptantha affinis</i> (A. Gray) E. Greene	Side-groved Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha barbigera</i> (A. Gray) E. Greene	Bearded Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha circumscissa</i> (Hook. & Arn.) I.M. Johnston var. <i>circumscissa</i>	Greenocharis	AH	.		Boraginaceae	S
<i>Cryptantha clevelandii</i> E. Greene var. <i>clevelandii</i>	Cleveland Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha clevelandii</i> var. <i>florosa</i> I.M. Johnston	Coastal Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not	AH	.		Boraginaceae	C, T
<i>Cryptantha decipiens</i> (M.E. Jones) A.A.Heller	Gravel Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha echinella</i> E. Greene	Prickly Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha flaccida</i> (Lehm.) E. Greene	Flaccid Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha intermedia</i> (A. Gray) E. Greene var. <i>intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae	C
<i>Cryptantha leiocarpa</i> (Fischer & C. Meyer) E. Greene	Coast Forget-Me-Not	AH	.		Boraginaceae	R

# Checklist of Vascular Plant Flora of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Cryptantha maritima</i> (Greene) Greene	Seaside Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha micrantha</i> var. <i>lepida</i> (A. Gray) I.M. Johnston	Mountain Red-root Eremocarya	AH	.		Boraginaceae	R
<i>Cryptantha micrantha</i> (Torrey) I.M. Johnston var. <i>micrantha</i>	Eremocarya	AH	.		Boraginaceae	R
<i>Cryptantha micromeres</i> (A. Gray) E. Greene	Minute-flowered Forget	AH	.		Boraginaceae	U
<i>Cryptantha microstachys</i> (A. Gray) E. Greene	Tejon Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha muricata</i> var. <i>jonesii</i> (A. Gray) I.M. Johnston	Jones Prickly Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha muricata</i> (Hooker & Arnott) Nelson & Macbr. var. <i>muricata</i>	Showy Prickly Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha nemaclada</i> E. Greene	Colusa Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>nevadensis</i>	Nevada Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha nevadensis</i> var. <i>rigida</i> I.M. Johnston	Rigid Nevada Forget-Me-Not	AH	.		Boraginaceae	O
<i>Cryptantha oxygona</i> (A. Gray) E. Greene	Sharp-not Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha pterocarya</i> (Torr.) E. Greene var. <i>pterocarya</i>	Wing-nut Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha simulans</i> E. Greene	Pine Forget-Me-Not	AH	.		Boraginaceae	S
<i>Cryptantha sparsiflora</i> (E. Greene) E. Greene	Few-flowered Forget-Me-Not	AH	.		Boraginaceae	R
<i>Cryptantha torreyana</i> (A. Gray) E. Greene	Torrey Forget-Me-Not	AH	.		Boraginaceae	U
<i>Cryptantha traskiae</i> I.M. Johnston	Trask Forget-Me-Not	AH	.		Boraginaceae	U
* <i>Cucumis melo</i> var. <i>dudaim</i> (L.) Naudin	Cantaloupe	AH	.		Cucurbitaceae	R
? <sup>3</sup> <i>Cucumis myriocarpus</i> E. Mey. ex Naud.	Gooseberry Gourd	AV	.		Cucurbitaceae	X
* <i>Cucurbita ficifolia</i> Bouché	Figleaf Gourd	PV	.		Cucurbitaceae	R
<i>Cucurbita foetidissima</i> Kunth	Calabazilla	PV	.		Cucurbitaceae	S
<i>Cucurbita palmata</i> S. Watson	Coyote Melon	PV	.		Cucurbitaceae	R
* <i>Cucurbita pepo</i> L. var. <i>pepo</i>	Field Pumpkin	AV	.		Cucurbitaceae	R
<i>Cuscuta californica</i> var. <i>breviflora</i> Engelm.	Short-flowered California Dodder	AV	.		Convolvulaceae	R
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae	C
? <i>Cuscuta californica</i> var. <i>papillosa</i> Yuncker	Papillose California Dodder	AV	.		Convolvulaceae	X
<i>Cuscuta campestris</i> Yuncker	Western Field Dodder	AV	.		Convolvulaceae	R
<i>Cuscuta denticulata</i> Engelm.	Desert dodder	AV	.		Convolvulaceae	R
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>	Pretty Dodder	AV	.		Convolvulaceae	R
<i>Cuscuta indecora</i> var. <i>neuropetala</i> (Engelm.) Hitchc.	Pretty Dodder	AV	.		Convolvulaceae	R
<i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i>	Pacific Saltmarsh Dodder	AV	(OBL)		Convolvulaceae	R
<i>Cuscuta salina</i> Engelm. in W.H. Brewer, S. Watson, & A. Gray	Saltmarsh Dodder	AV	(FACW)		Convolvulaceae	R
<i>Cuscuta subinclusa</i> Durand & Hilg.	Canyon Dodder	AV	.		Convolvulaceae	O
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz	Elegant Cycladenia	PH	.		Apocynaceae	R
<i>Cylindropuntia californica</i> var. <i>parkeri</i> (J.M. Coulter) Pinkava	Cane or Snake Cholla	S	.		Cactaceae	R
<i>Cylindropuntia prolifera</i> (Engelm.) F.M. Kunth in C. Backeberge & F.M. Knuth	Coastal Cholla	S	.		Cactaceae	U
* <i>Cynara cardunculus</i> L. ssp. <i>cardunculus</i>	Cardoon, Thistle Artichoke	PH	.		Asteraceae	U
* <i>Cynara scolymus</i> L.	Artichoke	PH	.		Asteraceae	R
* <i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i> *	Bermuda Grass	PG	FAC		Poaceae	C
? <sup>3</sup> <i>Cynosurus cristatus</i> L. *	Crested Dogtail	PG	FACW*		Poaceae	X
* <i>Cynosurus echinatus</i> L. *	Hedgehog Dogtail	AG	.		Poaceae	R
<i>Cyperus acuminatus</i> Torrey & Hooker	Short-pointed Umbrella-sedge	AG	OBL		Cyperaceae	R
<i>Cyperus eragrostis</i> Lam.	Umbrella-sedge	PG	FACW		Cyperaceae	S
<i>Cyperus erythrorhizos</i> Muhlenb.	Red-root Flatsedge	AG	OBL		Cyperaceae	R
<i>Cyperus esculentus</i> var. <i>leptostachyus</i> Boeckeler	Yellow Nutgrass, Chufa	PG	FACW		Cyperaceae	S
* <i>Cyperus involvatus</i> Rottb.	Alternate-leaf Flatsedge	PG	OBL		Cyperaceae	U
<i>Cyperus laevigatus</i> L.	Smooth Flatsedge	PG	FACW+		Cyperaceae	R
? <i>Cyperus niger</i> Ruiz Lopez & Pavon	Black Flatsedge	PG	FACW+		Cyperaceae	X
<i>Cyperus odoratus</i> L.	Flatsedge	AG	FACW		Cyperaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status	Indicator		
* <i>Cyperus rotundus</i> L.	Purple Nutsedge	PG	FAC		Cyperaceae	R
<i>Cyperus squarrosus</i> L.	Awned Flatsedge	PG	OBL		Cyperaceae	R
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern	PF	FACU		Dryopteridaceae	U
* <i>Cytisus scoparius</i> (L.) Link	Scotch Broom	S	.		Fabaceae	R
? <i>Cytisus striatus</i> (Hill) Rothm.	Portuguese Broom	S	.		Fabaceae	R
* <i>Dactylis glomerata</i> L. *	Orchard Grass	PH	FACU		Poaceae	U
? <i>Dactyloctenium aegyptium</i> (L.) Beauv. *	Crowfoot Grass	AG	.		Poaceae	X
<i>Danthonia unispicata</i> (Thurb.) Vasey	One-spike Oat Grass	PG	.		Poaceae	R
<i>Datisca glomerata</i> (C. Presl) Baillon	Durango Root	PH	FACW		Datisceae	S
* <i>Datura stramonium</i> L. *	Jimson Weed	AH	.		Solanaceae	R
<i>Datura wrightii</i> Regel	Jimson Weed	AH	.		Solanaceae	C
* <i>Daucus carota</i> L.	Carrot, Queen Ann's Lace	AH	.		Apiaceae	R
<i>Daucus pusillus</i> Michaux	Southwestern Carrot, Yerba de la Vibora	AH	.		Apiaceae	S
<i>Deinandra clementina</i> (Brandege) B.G. Baldwin	<u>Island or Catalina Tarplant</u>	S	.		Asteraceae	R
<i>Deinandra fasciculata</i> (DC.) E. Greene	Fascicled Tarplant	AH	.		Asteraceae	C
<i>Deinandra kelloggii</i> (E. Greene) E. Greene	Kellogg Tarplant	AH	.		Asteraceae	R
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin	Santa Susana Tarplant	S	.		Asteraceae	R, SR
* <i>Delosperma litorale</i> (Kensit) L. Bolus	Seaside Delosperma	S	.		Aizoaceae	R
<i>Delphinium cardinale</i> Hooker	Scarlet or Cardinal Larkspur	PH	.		Ranunculaceae	S
<i>Delphinium gracilentum</i> Greene	Coast Larkspur	PH	.		Ranunculaceae	R
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>	Gypsum Larkspur	PH	.		Ranunculaceae	R, 4.2
<i>Delphinium hesperium</i> A. Gray	Western Larkspur	PH	.		Ranunculaceae	R
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling	Unexpected Larkspur	PH	.		Ranunculaceae	R, 4.3
<i>Delphinium parishii</i> ssp. <i>pallidum</i> (Munz) M.J. Warnock	Pale-flowered Larkspur	PH	.		Ranunculaceae	S
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.		Ranunculaceae	U
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling	Dune Larkspur	PH	.		Ranunculaceae	R, 1B.2
<i>Delphinium parryi</i> ssp. <i>maritimum</i> (Davidson) M.J. Warnock	Maritime Larkspur	PH	.		Ranunculaceae	R
<i>Delphinium parryi</i> A. Gary ssp. <i>parryi</i>	Parry Larkspur	PH	.		Ranunculaceae	S
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur	PH	.		Ranunculaceae	S, 4.3
<i>Delphinium patens</i> ssp. <i>hepaticoideum</i> Ewan	Spreading Larkspur	PH	.		Ranunculaceae	U
<i>Delphinium patens</i> ssp. <i>montanum</i> (Munz) Ewan	Mountain Spreading Larkspur	PH	.		Ranunculaceae	R
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling	Umbrella Larkspur	PH	.		Ranunculaceae	R, 1B.3
<i>Dendromecon rigida</i> Bentham ssp. <i>rigida</i>	Bush Poppy	S	.		Papaveraceae	C
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i>	Tufted Hairgrass	PG	FACW		Poaceae	R
<i>Deschampsia danthanooides</i> (Trin.) Munro ex Bentham	Annual Hairgrass	AG	FACW		Poaceae	R
? <i>Deschampsia elongata</i> (Hooker) Bentham	Slender Hairgrass	PG	FACW		Poaceae	X
<i>Descurainia adenophora</i> (Wooton & Standley) O.E. Schulz in H.G.A. Engler	Desert Tansy Mustard	BH	.		Brassicaceae	R
? <i>Descurainia incisa</i> (A. Gray) Britton ssp. <i>incisa</i>	Richardson Tansy Mustard	AH	.		Brassicaceae	X
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detling	Naked Western Tansy Mustard	AH	.		Brassicaceae	R
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl.	Western Tansy Mustard	AH	.		Brassicaceae	R
<i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl.	Menzies Tansy Mustard	AH	.		Brassicaceae	U
? <i>Descurainia pinnata</i> ssp. <i>ochroleuca</i> (Wooton) Detling	Yellow Tansy Mustard	AH	.		Brassicaceae	X
* <i>Descurainia sophia</i> (L.) Webb	Tansy Mustard	AH	.		Brassicaceae	S
* <i>Dianthus plumarius</i> L. ssp. <i>plumarius</i>	Feathered Pink	AH	.		Caryophyllaceae	R
<i>Dicentra pauciflora</i> S. Watson	Few-flowered Bleeding Heart	PH	.		Fumariaceae	R
? <i>Dichanthelium acuminatum</i> ssp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong	Hairy Panicgrass	PG	FACW		Poaceae	X
<i>Dichelostemma capitatum</i> Alph. Wood ssp. <i>capitatum</i>	Blue Dicks	PG	.		Themidaceae	C
<i>Dichelostemma congestum</i> (Sm.) Kunth	Ookow	PG	.		Themidaceae	R
* <i>Dichondra micrantha</i> Urb.	Dichondra	PH	.		Convolvulaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Dichondra occidentalis</i> House	Western Dichondra	PH	.		Convolvulaceae	R, 4.2
<i>Dieteria canescens</i> (Pursh) Torr. var. <i>canescens</i>	Hoary-Aster	BH	.		Asteraceae	U
? <sup>3</sup> <i>Digitaria ciliaris</i> (Retz.) Koeler var. <i>ciliaris</i>	Southern Crabgrass	AG	FAC		Poaceae	X
* <i>Digitaria ischaemum</i> (Schreber) Muhlenberg	Smooth Crabgrass	PG	FAC*		Poaceae	R
* <i>Digitaria sanguinalis</i> (L.) Scop.	Hairy Crabgrass	PG	FACU		Poaceae	S
? <sup>3</sup> <i>Dimorphotheca sinuata</i> DC.	Cape-Marigold, African Daisy	AH	.		Asteraceae	X
* <i>Diplotaxis muralis</i> (L.) de Candolle	Wall-mustard	A/PH	.		Brassicaceae	R
* <i>Disphyma crassifolium</i> (L.) L. Bolus	Iceplant	PH	.		Aizoaceae	R
<i>Distichlis spicata</i> (L.) E. Greene	Saltgrass	PG	FACW		Poaceae	S
<i>Dithyrea maritima</i> (A. Davids.) Davidson	<u>Beach Spectacle-pod</u>	PH	.		Brassicaceae	R, 1B.1
* <i>Dittrichia graveolens</i> (L.) W. Greuter	Stinkwort	AH	.		Asteraceae	R
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene	Alpine Shooting Star	PH	OBL		Primulaceae	R
<i>Dodecatheon clevelandii</i> E. Greene ssp. <i>clevelandii</i>	Cleveland Shooting Star	PH	.		Primulaceae	R
<i>Dodecatheon clevelandii</i> ssp. <i>insulare</i> H.L. Thompson	Island Shooting Star	PH	.		Primulaceae	R
<i>Dodecatheon clevelandii</i> ssp. <i>patulum</i> (E. Greene) H.J. Thompson	Lowland Padre Shooting Star	PH	.		Primulaceae	R
<i>Dodecatheon clevelandii</i> ssp. <i>sanctarum</i> (E. Greene) Abrams	Cleveland Shooting Star	PH	.		Primulaceae	U
<i>Downingia bella</i> Hoover	Hoover Downingia	AH	OBL		Lobeliaceae	R
<i>Downingia pulchella</i> (Lindl.) Torrey	Flat-face Downingia	AH	OBL		Lobeliaceae	R
<i>Draba cuneifolia</i> T. & G. var. <i>cuneifolia</i>	Wedgeleaf Draba	AH	.		Brassicaceae	R
<i>Draba verna</i> L.	Vernal Whitlow-grass	AH	.		Brassicaceae	R
* <i>Drosanthemum floribundum</i> (Haw.) Schwantes	Dew Flower Iceplant	PH	.		Aizoaceae	R
<i>Drymocallis glandulosa</i> (Lindley) Rydberg ssp. <i>glandulosa</i>	Sticky Cinquifol	PH	FAC		Rosaceae	S
<i>Drymocallis glandulosa</i> ssp. <i>reflexa</i> (E. Greene) Ertter	Greene Cinquifol	PH	FAC		Rosaceae	R
<i>Drymocallis glandulosa</i> ssp. <i>wrangelliana</i> (Fisch. & Avé-Lall.) Ertter	Wrangell's Cinquifol	PH	FAC		Rosaceae	R
<i>Drymocallis lactea</i> (Greene) Rydb. var. <i>lactea</i>	Sierra Nevada Sticky Cinquifol	PH	FAC		Rosaceae	U
<i>Dryopteris arguta</i> (Kaulfuss) Maxon	Coastal or Marginal Wood Fern, Yerba del Golpe	PF	.		Dryopteridaceae	C
<i>Dudleya abramsii</i> ssp. <i>parva</i> (Rose & Davids.) J. Bartel	Conejo Live-forever	PH	.		Crassulaceae	R, 1B.2, FT
<i>Dudleya blochmaniae</i> (Eastw.) Moran ssp. <i>blochmaniae</i>	Blochman Live-forever	PH	.		Crassulaceae	U, 1B.1
<i>Dudleya caespitosa</i> (Haw.) Britt. & Rose	Sea Lettuce	PH	.		Crassulaceae	R
<i>Dudleya cymosa</i> ssp. <i>agourensis</i> K. Nakai	Agoura Hills Live-forever	PH	.		Crassulaceae	R, 1B.2, FT
<i>Dudleya cymosa</i> (Lem.) Britton & Rose ssp. <i>cymosa</i>	Canyon Live-forever	PH	.		Crassulaceae	R
<i>Dudleya cymosa</i> ssp. <i>marcescens</i> Moran	Marcescent Live-forever	PH	.		Crassulaceae	R, 1B.2, FT, SR
<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> (Britt.) Moran	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae	R, 1B.2, FT
<i>Dudleya cymosa</i> ssp. <i>pumila</i> (Rose) K. Nakai	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae	U
<i>Dudleya farinosa</i> (Lindl.) Britton & Rose	Farinose Live-forever	PH	.		Crassulaceae	R
<i>Dudleya lanceolata</i> (Nuttall) Britton & Rose	Lanceleaf Live-forever, Rock Lettuce	PH	.		Crassulaceae	C
<i>Dudleya pulverulenta</i> ssp. <i>arizonica</i> (Rose) Moran	Chalky Live-forever	PH	.		Crassulaceae	R
<i>Dudleya pulverulenta</i> (Nuttall) Britton ssp. <i>pulverulenta</i>	Chalky Live-forever	PH	.		Crassulaceae	S
<i>Dudleya verityi</i> N. Nakai	Verity Live-forever	PH	.		Crassulaceae	R, 1B.2, FT
<i>Dudleya virens</i> ssp. <i>insularis</i> (Rose) Moran	Island Green Live-forever	PH	.		Crassulaceae	R, 1B.2
<i>Dudleya virens</i> (Rose) Moran ssp. <i>virens</i>	Bright Green Live-forever	PH	.		Crassulaceae	R, 1B.2
* <i>Dysphania pumilio</i> (R. Br.) Mosyakin & Clemants	Tasmanian Goosefoot	AH	.		Chenopodiaceae	R
* <i>Dysphania ambrosioides</i> (L.) Mosykin & Clemants	Mexican Tea	PH	FAC		Chenopodiaceae	S
* <i>Dysphania botrys</i> (L.) Mosykin & Clemants	Jerusalem Oak, Feather Geranium	AH	FACU		Chenopodiaceae	U
* <i>Dysphania multifida</i> (L.) Mosyakin & Clemants	Cut-leaf Goosefoot	AH	.		Chenopodiaceae	R
<i>Eastwoodia elegans</i> Brandegee	Yellow Mock Aster	S	.		Asteraceae	R
* <i>Echinochloa colona</i> (L.) Link	Awnless Barnyard Grass	AG	FACW		Poaceae	R
* <i>Echinochloa crus-galli</i> (Kunth) Schultes	Barnyard Grass	AG	FACW		Poaceae	S
<i>Echinochloa crus-pavonis</i> (L.) P. Beauv. var. <i>crus-pavonis</i>	Barnyard Grass	AG/BG	OBL		Poaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
? <i>Echinochloa esculenta</i> (A. Braun) H. Scholz	Japanese Millet	AG	.		Poaceae	X
* <i>Echinochloa frumentacea</i> Link	Billion-dollar Barnyard Grass	AG	.		Poaceae	R
<i>Echinodorus berteroi</i> (Spreng.) Fassett	Bur Head	AG	OBL		Alismataceae	R
* <i>Echium candicans</i> L.f.	Pride-of-Madeira	S	.		Boraginaceae	R
* <i>Echium plantagineum</i> L.	Salvation Jane, Patterson's Curse	S	.		Boraginaceae	R
<i>Eclipta prostrata</i> (L.) L.	False Daisy	AH	(FACW)		Asteraceae	R
<i>Ehrendorferia chrysantha</i> (Hooker & Arnott) Rylander	Golden Eardrops	PH	.		Fumariaceae	O
<i>Ehrendorferia ochroleuca</i> (Engelm.) Fukuhara	White Eardrops, Yellow Dicentra	PH	.		Fumariaceae	R
* <i>Ehrharta calycina</i> Sm.	Perennial Veldtgrass	PG	.		Poaceae	R
* <i>Ehrharta erecta</i> Lam.	Erect Veldtgrass	PG	.		Poaceae	R
* <i>Eichhornia crassipes</i> (Mart.) Solms	Water Hyacinth	PG	OBL		Pontederiaceae	R
<i>Elatine brachysperma</i> Gray	Slender Waterwort	AH	OBL		Elatinaceae	R
<i>Elatine californica</i> Gray	California Waterwort	AH	OBL		Elatinaceae	R
? <i>Elatine rubella</i> Rydb.	Waterwort	AH	OBL		Elatinaceae	X
<i>Eleocharis acicularis</i> (L.) Roemer & Schultes var. <i>acicularis</i>	Slender Spikerush	PG	OBL		Cyperaceae	U
<i>Eleocharis acicularis</i> var. <i>gracilenscens</i> Svenson	Graceful Spikerush	PG	OBL		Cyperaceae	R
<i>Eleocharis bella</i> (Piper) Svenson	Bella Spikerush	PG	FACW		Cyperaceae	R
<i>Eleocharis bernardina</i> Munz & Johnston	Few-flowered Clubrush	PG	FACW		Cyperaceae	R
<i>Eleocharis erythropoda</i> Steud.	Bald Spikerush	PG	OBL		Cyperaceae	R
<i>Eleocharis macrostachya</i> Britt.	Common Spikerush	PG	OBL		Cyperaceae	C
<i>Eleocharis montevidensis</i> Kunth	Sand Spikerush	PG	FACW		Cyperaceae	R
<i>Eleocharis parishii</i> Britt.	Parish Spikerush	PG	FACW		Cyperaceae	C
? <i>Eleocharis parvula</i> (Roemer & Schultes) Link	Colorado Spikerush	PG	OBL		Cyperaceae	X
<i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz	Few-flowered Spikerush	PG	OBL		Cyperaceae	R
<i>Eleocharis rostellata</i> (Torrey) Torrey	Beaked Spikerush	PG	OBL		Cyperaceae	R
<i>Eleocharis suksdorfiana</i> Beauv.	Suksdorf's Spikerush	PG	OBL		Cyperaceae	R
* <i>Eleusine coracana</i> ssp. <i>africana</i> (Kennedy-O'Bryne) Hilu & de Wet	African Finger Millet	AG	.		Poaceae	R
? <i>Eleusine indica</i> (L.) Gaertn.	Goosegrass	AG	FACU		Poaceae	X
<i>Elodea canadensis</i> Rich.	Common Waterweed	PG	OBL		Hydrocharitaceae	R
<i>Elymus cinereus</i> Scribn. & Merr.	Great Basin Wildrye	PG	NI		Poaceae	R
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU		Poaceae	C
<i>Elymus elymoides</i> (Raf.) Swezey ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU-		Poaceae	C
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae	C
<i>Elymus glaucus</i> ssp. <i>jepsonii</i> (Burt Davy) Gould	Jepson Blue or Woodland Wildrye	PG	FACU		Poaceae	R
<i>Elymus multisetus</i> (J.G. Smith) Burt Davy	Bottlebrush Squirreltail	PG	.		Poaceae	S
* <i>Elymus repens</i> (L.) Gould	Quackgrass	PG	.		Poaceae	R
? <i>Elymus smithii</i> (Rdb.) Gould	Western Wheat Grass	PG	.		Poaceae	X
<i>Elymus stebbinsii</i> (Scribner & J.G. Smith) Gould	Wheatgrass	PG	.		Poaceae	R
<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i> (Link) Gould	Slender Wheatgrass	PG	.		Poaceae	R
<i>Elymus trachycaulus</i> (Link) Shinn. ssp. <i>trachycaulus</i>	Slender Wheatgrass	PG	NI*		Poaceae	R
<i>Elymus triticoides</i> Buckl. ssp. <i>triticoides</i>	Creeping Wildrye	PG	FAC+		Poaceae	C
<i>Elymus xhanseni</i> Scribn.	Hansen's Wildrye	PG	.		Poaceae	R
* <i>Elytrigia elongata</i> (Host) Nevski	Tall Wheatgrass	AG	.		Poaceae	R
* <i>Elytrigia intermedia</i> (Host) Nevski ssp. <i>intermedia</i>	Intermediate Wheatgrass	PG	.		Poaceae	R
* <i>Emex spinosa</i> (L.) Campdera	Devil's Thorn, Spiny Emex	AH	.		Polygonaceae	U
<i>Emmenanthe penduliflora</i> Bentham var. <i>penduliflora</i>	Whispering Bells	AH	.		Boraginaceae	O
<i>Emmenanthe penduliflora</i> var. <i>rosea</i> Brand	Rose Whispering Bells	AH	.		Boraginaceae	R
<i>Encelia actoni</i> Elmer	Acton Brittlebush	S	.		Asteraceae	U
<i>Encelia californica</i> Nuttall	California Bush Sunflower	S	.		Asteraceae	C

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Encelia farinosa</i> Torrey & A. Gray	Brittlebush, Incienso	S	.		Asteraceae	R
<i>Encelia frutescens</i> (Gray) Gray	Brittlebush, Incienso	S	.		Asteraceae	R
<i>Encelia virginiensis</i> Nelson	Brittlebush	S	.		Asteraceae	R
<i>Enemion occidentale</i> (H. & A.) J.R. Drummond & Hutchinson	Western Meadow-rue or Rue-anemone	PH	.		Ranunculaceae	R
<i>Ephedra californica</i> S. Watson	California Desert Tea, Cañatillo	S	.		Ephedraceae	R
<i>Ephedra nevadensis</i> S. Watson	Nevada Ephedra or Mormon-tea	S	.		Ephedraceae	R
<i>Ephedra viridis</i> Coville	Green Ephedra or Mormon-tea	S	.		Ephedraceae	C
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb	AH	.		Onagraceae	O
<i>Epilobium campestre</i> (Jeps.) Hoch & W.L. Wagner	Smooth Spike-primrose	AH	FACW		Onagraceae	R
<i>Epilobium canum</i> (Greene) Raven ssp. <i>canum</i>	California Fuchsia	PH	.		Onagraceae	C
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia	PH	.		Onagraceae	O
<i>Epilobium ciliatum</i> Raf. ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW		Onagraceae	C
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> (Lehm.) P. Hoch & Raven	Sticky Northern Willow-herb	AH	FACW		Onagraceae	R
<i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven	Dense-flowered Spike-primrose	AH	OBL		Onagraceae	R
<i>Epilobium foliosum</i> (Torrey & A. Gray) Suksd.	Leafy Spike-primrose	AH	.		Onagraceae	R
<i>Epilobium glaberrimum</i> Barbey ssp. <i>glaberrimum</i>	Waxy Willow-herb	AH	OBL		Onagraceae	R
<i>Epilobium halleanum</i> Hausskn.	Gland Willow-herb	PH	FACW		Onagraceae	R
<i>Epilobium minutum</i> Lindley ex Lehm.	Chaparral Willowherb	AH	.		Onagraceae	R
<i>Epilobium oregonense</i> Hausskn.	Oregon Willowherb	AH	OBL		Onagraceae	R
<i>Epilobium torreyi</i> (S. Watson) P. Hoch & Raven [ <i>Bousduvalia stricta</i> ]	Brook Spike-primrose	AH	FACW		Onagraceae	R
<i>Epipactis gigantea</i> Hook.	Stream Orchid	PH	OBL		Orchidaceae	S
<i>Equisetum arvense</i> L.	Common or Field Horsetail	PF	FAC		Equisetaceae	U
<i>Equisetum hyemale</i> L. var. <i>affine</i> (Engelm.) Calder & R.L. Taylor	Common or Giant Scouring Rush	PF	FAC		Equisetaceae	U
<i>Equisetum laevigatum</i> A. Braun	Smooth Scouring-Rush	PF	FACW		Equisetaceae	O
<i>Equisetum telmateia</i> ssp. <i>braunii</i> (Milde) R.L. Hauke	Giant Horsetail	PF	FAC		Equisetaceae	U
<i>Equisetum Xferrissii</i> Clute	Ferris Horsetail	PF	FAC		Equisetaceae	R
* <i>Eragrostis barrelieri</i> Daveau	Lovegrass	AG	.		Poaceae	U
* <i>Eragrostis cilianensis</i> (All.) Janchen	Lovegrass	AG	FACU		Poaceae	U
? <i>Eragrostis hypnoides</i> (Lam.) Britton, Sterns & Poggenb.	Teel Lovegrass	AG	OBL		Poaceae	X
? <i>Eragrostis lehmanniana</i> Nees	Lehmann's Lovegrass	PG	.		Poaceae	X
<i>Eragrostis mexicana</i> (Hornem.) Link var. <i>mexicana</i>	Mexican Lovegrass	AG	FAC		Poaceae	S
<i>Eragrostis mexicana</i> var. <i>virescens</i> (C. Presl) Koch & E. Sanchez	Orcutt Lovegrass	AG	FAC		Poaceae	U
<i>Eragrostis pectinacea</i> var. <i>miserrima</i> (Fourn.) Reeder	Spreading Tufted Lovegrass	AG	FAC		Poaceae	R
<i>Eragrostis pectinacea</i> (Michx.) Nees var. <i>pectinacea</i>	Tufted Lovegrass	AG	FAC		Poaceae	U
* <i>Eragrostis superba</i> Peyr.	Wilman Lovegrass	PG	.		Poaceae	R
<i>Eremalche exilis</i> (A. Gray) E. Greene	White-flowered Mallow	AH	.		Malvaceae	R
<i>Eremalche parryi</i> ssp. <i>kernensis</i> (C. Wolf) D. Bates	Kern Mallow	AH	.		Malvaceae	R, FE, 1B.1
<i>Eremalche parryi</i> (E. Greene) E. Greene ssp. <i>parryi</i>	Parry Mallow	AH	.		Malvaceae	U
<i>Eremocarpus setigerus</i> (Hooker) Bentham	Dove Weed, Turkey Mullein	AH	.		Euphorbiaceae	C
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i> (Craig) H. Mason	Mountain Woolly Star	PH	.		Polemoniaceae	S
<i>Eriastrum densifolium</i> (Benth.) H. Mason ssp. <i>densifolium</i>	Woolly Star	PH	.		Polemoniaceae	R
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i> (Benth.) H. Mason	Elongate Woolly Star	PH	.		Polemoniaceae	S
<i>Eriastrum densifolium</i> ssp. <i>mohavense</i> (Craig) H. Mason	Mojave Woolly Star	PH	.		Polemoniaceae	R
<i>Eriastrum eremicum</i> (Jeps.) H. Mason ssp. <i>eremicum</i>	Woolly Star	AH	.		Polemoniaceae	R
<i>Eriastrum filifolium</i> (Nutt.) Woot. & Standl.	Narrowleaf Woolly Star	AH	.		Polemoniaceae	R
<i>Eriastrum hooveri</i> (Jepson) H. Mason	Hoover Woolly Star	AH	.		Polemoniaceae	R
<i>Eriastrum pluriflorum</i> (A.A. Heller) H. Mason	Woolly Star	AH	.		Polemoniaceae	R
<i>Eriastrum sapphirinum</i> (Eastwood) H. Mason ssp. <i>sapphirinum</i>	Sapphire Woolly Star	AH	.		Polemoniaceae	S
<i>Eriastrum sapphirinum</i> ssp. <i>dasyanthem</i> (Brand) H. Mason	Shaggy-flowered Sapphire Woolly Star	AH	.		Polemoniaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Eriastrum signatum</i> D. Gowen	Moroon-spotted Woolly Star	AH	.		Polemoniaceae	C
<i>Ericameria arborescens</i> (A. Gray) E. Greene	Golden-fleece	S	.		Asteraceae	U
<i>Ericameria cooperi</i> (Gray) H.M. Hall var. <i>cooperi</i>	Cooper Goldenbush	S	.		Asteraceae	R
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>	Wedgeleaf Goldenbush	S	.		Asteraceae	U
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall	Spatulate-leaved Goldenbush	S	.		Asteraceae	R
<i>Ericameria ericoides</i> (Less.) Jeps. ssp. <i>ericoides</i>	Heatherleaf Goldenbush	S	.		Asteraceae	U
<i>Ericameria linearifolia</i> (DC.) Urb. & Wussow	Interior Goldenbush, Stenotopsis	S	.		Asteraceae	C
<i>Ericameria nauseosa</i> var. <i>bernardina</i> (H.M. Hall) G.L. Nesom & G.I. Baird	San Bernardino Rubber Rabbitbrush	S	.		Asteraceae	R
<i>Ericameria nauseosa</i> var. <i>hololeuca</i> (A.Gray) G.L. Nesom & G.I. Baird	White Rubber Rabbitbrush	S	.		Asteraceae	O
<i>Ericameria nauseosa</i> var. <i>mohavensis</i> (Greene) G.L. Nesom & G.I. Baird	Mojave Rubber Rabbitbrush	S	.		Asteraceae	O
<i>Ericameria nauseosa</i> var. <i>oreophila</i> (A. Nelson) G.L. Nesom & G.I. Baird	Common Rubber Rabbitbrush	S	.		Asteraceae	S
<i>Ericameria nauseosa</i> var. <i>speciosa</i> (Nutt.) G.L. Nesom & G.I. Baird	White-stemmed Rubber Rabbitbrush	S	.		Asteraceae	R
<i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom	Goldenbush	S	.		Asteraceae	U
<i>Ericameria parryi</i> var. <i>aspera</i> (Greene) G.L. Nesom & G.I. Baird	Parry Rabbitbrush	S	.		Asteraceae	R
<i>Ericameria parryi</i> var. <i>nevadensis</i> (A.Gray) G.L. Nesom & G.I. Baird	Nevada Rabbitbrush	S	.		Asteraceae	R
<i>Ericameria pinifolia</i> (Gray) H.M. Hall	Pine Goldenbush, Pinebush	S	.		Asteraceae	R
<i>Ericameria teretifolia</i> (Durand & Hilgard) Jeps.	Round-leaved Rabbitbrush	S	.		Asteraceae	R
<i>Erigeron breweri</i> var. <i>covillei</i> (Greene) G. Neswom	Fleabane Daisy	PH	.		Asteraceae	R
<i>Erigeron foliosus</i> Nuttall var. <i>foliosus</i>	Leafy Fleabane or Daisy	PH	.		Asteraceae	C
? <i>Erigeron foliosus</i> var. <i>franciscensis</i> G.L. Nesom	San Francisco Leafy Fleabane or Daisy	PH	.		Asteraceae	X
<i>Erigeron glaucus</i> Ker-Gawler	Seaside Daisy	PH	FACU		Asteraceae	R
? <i>Erigeron philadelphicus</i> L. var. <i>philadelphicus</i>	Philadelphia fleabane	PH	FAC		Asteraceae	X
? <i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey	California Yerba Santa	S	.		Boraginaceae	X
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.		Boraginaceae	U
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Thickleaf Yerba Santa	S	.		Boraginaceae	C
<i>Eriodictyon traskiae</i> Eastw.	Trask Yerba Santa	S	.		Boraginaceae	R
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>	Yerba Santa	S	.		Boraginaceae	U
<i>Eriogonum angulosum</i> Benth.	Angle-stemmed Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum arborescens</i> Greene	<u>Arborescent Buckwheat</u>	S	.		Polygonaceae	U
<i>Eriogonum baileyi</i> S. Watson var. <i>baileyi</i>	Bailey Buckwheat	AH	.		Polygonaceae	O
? <i>Eriogonum brachyanthum</i> Coville	Shortflower Wild Buckwheat	AH	.		Polygonaceae	X
<i>Eriogonum cinereum</i> Bentham	Ash or Gray Coast Buckwheat	S	.		Polygonaceae	C, 4.3
<i>Eriogonum cithariforme</i> var. <i>agninum</i> (E. Greene) Reveal	Santa Ynez Wild Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.		Polygonaceae	C, 4.3
<i>Eriogonum clavatum</i> Small	Hoover Little Trumpet	AH	.		Polygonaceae	U
<i>Eriogonum covilleianum</i> Eastw.	Coville Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum crocatum</i> Davidson	Conejo or Saffron Buckwheat	S	.		Polygonaceae	R, SR, 1B.2
<i>Eriogonum davidsonii</i> E. Green	Davidson Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal	Flat-crown Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum elegans</i> Greene	Elegant Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum elongatum</i> Bentham var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	.		Polygonaceae	C, 4.3
<i>Eriogonum fasciculatum</i> Bentham var. <i>fasciculatum</i>	California Buckwheat	S	.		Polygonaceae	S
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> (Nuttall) Abrams	Leafy California Buckwheat	S	.		Polygonaceae	C
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i> (A. DC.) Torrey & A. Gray	Hoary California Buckwheat	S	.		Polygonaceae	C
<i>Eriogonum gracile</i> Bentham var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.		Polygonaceae	O
<i>Eriogonum gracillimum</i> S. Watson	Slender Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum grande</i> Greene var. <i>grande</i>	<u>Island Buckwheat</u>	S	.		Polygonaceae	U, 4.2
<i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz	<u>Red-flowered Island Buckwheat</u>	S	.		Polygonaceae	U, 1B.2
<i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal	<u>San Nicolas Island Buckwheat</u>	S	.		Polygonaceae	U, 1B.1

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Eriogonum heermanni</i> Durand & Hilg. var. <i>heermanni</i>	Heerman Buckwheat	S	.		Polygonaceae	S
<i>Eriogonum hirtiflorum</i> S. Watson	Hairy-flowered Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum inerme</i> (S. Watson) Jeps. var. <i>imerme</i>	Unarmed Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum kennedyi</i> var. <i>alpigenum</i> (Munz & Johnston) Munz & Johnston	Alpine Kennedy Buckwheat	PH	.		Polygonaceae	R, 1B.3
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat	PH	.		Polygonaceae	U, 1B.2
<i>Eriogonum kennedyi</i> Porter ex S. Watson var. <i>kennedyi</i>	Kennedy Buckwheat	PH	.		Polygonaceae	O
<i>Eriogonum latifolium</i> Smith	Coast Buckwheat, Tibinagua	PH	.		Polygonaceae	R
<i>Eriogonum maculatum</i> A.A. Heller	Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum molestum</i> Greene	Pine Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum nudum</i> var. <i>auriculatum</i> (Benth.) J. P. Tracy ex Jeps.	Ear-shaped Wild Buckwheat	PH	.		Polygonaceae	R
<i>Eriogonum nudum</i> var. <i>pauciflorum</i> S. Watson	Tibinagua	PH	.		Polygonaceae	S
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.	Hairy-flowered Barestem Buckwheat	PH	.		Polygonaceae	S
<i>Eriogonum nudum</i> var. <i>westonii</i> (S. Stokes) J.T. Howell	Weston Barestem Buckwheat	PH	.		Polygonaceae	S
<i>Eriogonum ordii</i> S. Watson	Ord Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum ovalifolium</i> Nuttall var. <i>ovalifolium</i>	Cushion Wild Buckwheat	S	.		Polygonaceae	R
<i>Eriogonum parvifolium</i> Smith var. <i>parvifolium</i>	Dune Buckwheat	S	.		Polygonaceae	C
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat	S	.		Polygonaceae	U
<i>Eriogonum pusillum</i> T. & G.	Puny Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum roseum</i> Durand & Hilg.	Rose Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum saxatile</i> S. Watson	Rock Buckwheat	AH	.		Polygonaceae	S
<i>Eriogonum spergulinum</i> ssp. <i>reddingianum</i> (Jones) J.T. Howell	Spurry Buckwheat	PH	.		Polygonaceae	U
<i>Eriogonum spergulinum</i> A. Gray ssp. <i>spergulinum</i>	Spurry Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum thurberi</i> Torrey	Thurber's Wild Buckwheat	AH	.		Polygonaceae	R
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (Torrey & A. Gray) Jepson	Sulphur Buckwheat	S	.		Polygonaceae	U, 4.2
<i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal	Sulphur Buckwheat	S	.		Polygonaceae	R
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal	Sulphur Buckwheat	S	.		Polygonaceae	R
<i>Eriogonum umbellatum</i> var. <i>munzii</i> Reveal	Munz Yellow Buckwheat	S	.		Polygonaceae	O
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes	Sulphur Buckwheat	S	.		Polygonaceae	R
<i>Eriogonum vimineum</i> Benth.	Wicker Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum viridescens</i> A. Heller	Green Buckwheat	AH	.		Polygonaceae	U
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.	Sheathed Wright Buckwheat	S	.		Polygonaceae	R
<i>Eriogonum wrightii</i> var. <i>subscaposum</i> S. Watson	Short-scape Wright Buckwheat	S	.		Polygonaceae	C
<i>Eriogonum wrightii</i> var. <i>trachyonum</i> (Benth.) Jeps.	Rough-node Bastardsage	S	.		Polygonaceae	R
? <i>Eriophyllum ambiguum</i> (A. Gray) A. Gray var. <i>ambiguum</i>	Ambiguous Woolly Daisy	AH	.		Asteraceae	X
<i>Eriophyllum confertiflorum</i> (DC.) A. Gray var. <i>confertiflorum</i>	Golden Yarrow	PH	.		Asteraceae	C
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (Greene) Jeps.	Tansyleaf Golden Yarrow	PH	.		Asteraceae	R, 4.3
<i>Eriophyllum jepsonii</i> Greene	Jepson Woolly Yarrow	AH	.		Asteraceae	R, 4.3
? <i>Eriophyllum lanatum</i> var. <i>hallii</i> Constance	Fort Tejon Yarrow	PH	.		Asteraceae	X
<i>Eriophyllum pringlei</i> A. Gray	Pringle Golden Yarrow	AH	.		Asteraceae	S
<i>Eriophyllum staechadifolium</i> Lagasca	Seaside Woolly Sunflower	S	.		Asteraceae	R
* <i>Erodium botrys</i> (Cav.) Bertol.	Broadleaf Filaree	AH	.		Geraniaceae	C
* <i>Erodium bracycarpum</i> (Godron) Thell.	Short-beaked Filaree	AH	.		Geraniaceae	R
* <i>Erodium cicutarium</i> (L.) L'Her.	Redstem Filaree	AH	.		Geraniaceae	C
* <i>Erodium moschatum</i> (Burm. F.) L'Her. var. <i>moschatum</i>	Whitestem Filaree	AH	.		Geraniaceae	O
<i>Eryngium vaseyi</i> J. Coulter & Rose	Coyote Thistle or Button-celery	PH	FACW		Apiaceae	R
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.		Brassicaceae	C
<i>Erysimum insulare</i> Greene	<u>Island Wallflower</u>	AH/BH	.		Brassicaceae	R
<i>Erysimum moniliforme</i> Eastwood	Yellow Wallflower	BH	.		Brassicaceae	R
<i>Erysimum suffrutescens</i> (Abrams) Rossbach	Island Wallflower	AH/BH	.		Brassicaceae	R, 4.2

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Eschscholzia caespitosa</i> Bentham ssp. <i>caespitosa</i>	Tufted Poppy	BH	.	.	Papaveraceae	O
<i>Eschscholzia californica</i> Chamisso in C.G.D. ssp. <i>californica</i>	California Poppy	AH	.	.	Papaveraceae	C
<i>Eschscholzia hyppecoides</i> Bentham	Gypsum Poppy	AH	.	.	Papaveraceae	R, 4.3
? <i>Eschscholzia lemmonii</i> ssp. <i>kernensis</i> (Munz) C. Clark	Tejon Poppy	AH	.	.	Papaveraceae	R, 1B.1
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>	Lemmon Poppy	AH	.	.	Papaveraceae	R
<i>Eschscholzia minutiflora</i> S. Watson	Tiny-flowered Poppy	AH	.	.	Papaveraceae	R
<i>Eschscholzia ramosa</i> (Greene) Greene	Island Poppy	AH	.	.	Papaveraceae	R, 4.3
* <i>Eucalyptus camaldulensis</i> Dehnhardt	River Red Gum	T	.	.	Myrtaceae	O
* <i>Eucalyptus cladocalyx</i> F. Muell.	Sugar Gum	T	.	.	Myrtaceae	R
* <i>Eucalyptus globulus</i> Labill. var. <i>globulus</i>	Tasmanian Blue Gum	T	.	.	Myrtaceae	S
* <i>Eucalyptus polyanthemus</i> Schauer	Silver Dollar Gum	T	.	.	Myrtaceae	R
* <i>Eucalyptus sideroxylon</i> A. Cunn. ex Woolls	Red Ironbark	T	.	.	Myrtaceae	R
* <i>Eucalyptus tereticormis</i> Smith	Forest Red Gum	T	.	.	Myrtaceae	R
<i>Eucrypta chrysanthemifolia</i> (Benth.) Greene var. <i>chrysanthemifolia</i>	Eucrypta	AH	.	.	Boraginaceae	S
<i>Eulobus californicus</i> Torrey & A. Gray	Mustard Primrose	AH	.	.	Onagraceae	S
<i>Euphorbia crenulata</i> Engelmann	Chinese Caps	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia cyathophora</i> Murray	Painted Leaf	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia dendroides</i> L.	Woody Spurge	S	.	.	Euphorbiaceae	R
* <i>Euphorbia lathyris</i> L.	Caper or Gopher Spurge, Gopher Plant	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia marginata</i> Pursh	Snow on the Mountain	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia myrsinites</i> L.	Creeping Spurge	PH	.	.	Euphorbiaceae	R
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>	Wood Spurge	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia peplus</i> L.	Petty Spurge	AH	.	.	Euphorbiaceae	U
* <i>Euphorbia pulcherrima</i> Willd. ex Klotszch	Poinsettia	S	.	.	Euphorbiaceae	R
* <i>Euphorbia rigida</i> M. Bieb.	Gopher Spurge	PH	.	.	Euphorbiaceae	R
<i>Euphorbia spathulata</i> Lam.	Warty or Spoonleaf Spurge	AH	.	.	Euphorbiaceae	R
* <i>Euphorbia terracina</i> var. <i>terracina</i>	False Caper	PH	.	.	Euphorbiaceae	R
? <i>Eustoma exaltatum</i> (L.) Don	Catchfly Gentian	PH	OBL*	.	Gentianaceae	X
<i>Euthamia occidentalis</i> Nuttall	Western Goldenrod	PH	OBL	.	Asteraceae	O
<i>Extriplex californica</i> (Moq.) E.H. Zacharias	California Saltbush	S	FAC	.	Chenopodiaceae	U
* <i>Fallopia baldschuanica</i> (Regel) Holub	Bukhara Fleecflower	PV	.	.	Polygonaceae	R
* <i>Feijoa sellowiana</i> (O. Berg) O. Berg	Pineapple Guava	S	.	.	Myrtaceae	R
* <i>Festuca arundinacea</i> Schreber	Tall or Alta Fescue	PG	FAC-	.	Poaceae	S
<i>Festuca elmeri</i> Scribn. & Merr.	Coast Fescue	PG	.	.	Poaceae	X
* <i>Festuca pratensis</i> Huds.	Meadow Fescue	PG	FACU*	.	Poaceae	R
<i>Festuca rubra</i> L.	Red Fescue	PG	FAC	.	Poaceae	R
* <i>Ficus carica</i> L.	Common Edible Fig	T	.	.	Moraceae	R
* <i>Ficus rubiginosa</i> Desf ex Venten. var. <i>australis</i> or <i>pubescens</i>	Rustyleaf Fig	T	(FACW)	.	Moraceae	R
<i>Fimbristylis thermalis</i> S. Watson	Hot-Springs Fimbristylis	PG	OBL	.	Cyperaceae	R, 2.2
* <i>Foeniculum vulgare</i> P. Mill.	Sweet Fennel	PH	FACU	.	Apiaceae	C
<i>Forestiera pubescens</i> Nutt.	Desert Olive, Dwarf Swamp Privet	S	NI	.	Oleaceae	U
<i>Frankenia salina</i> (Molina) I.M. Johnston	Alkali Heath	PH	FACW+	.	Frankeniaceae	S
<i>Fraxinus dipetala</i> Hooker & Arnott	California Flowering Ash	T	.	.	Oleaceae	C
? <i>Fraxinus latifolia</i> Bentham	Oregon Ash	S	FACW	.	Oleaceae	X
<i>Fraxinus velutina</i> Torrey	Velvet or Arizona Ash	T	FACW	.	Oleaceae	U
<i>Fremontodendron californicum</i> (Torrey) Coville ssp. <i>californicum</i>	California Flannel Bush	S	.	.	Malvaceae	O
<i>Fritillaria agrestis</i> E. Greene	Stink Bells	PH	.	.	Liliaceae	R
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>	Chocolate Lily, Mission Bells	PH	.	.	Liliaceae	U
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary	PH	(FACU-)	.	Liliaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary	PH	.		Liliaceae	R
* <i>Fuchsia hybrida</i> Voss.	Hybrid Fuchsia	S	.		Onagraceae	R
* <i>Fumaria officinalis</i> L.	Fumitory	AH	.		Fumariaceae	R
* <i>Fumaria parviflora</i> Lam.	Fineleaf Fumitory	AH	.		Fumariaceae	R
<i>Funastrum cynanchoides</i> var. <i>hartwegii</i> (Vail) Krings	Climbing Milkweed	PV	.		Apocynaceae	R
* <i>Gaillardia pulchella</i> Fong. var. <i>pulchella</i>	Blanket Wheel	AH	.		Asteraceae	R
* <i>Gaillardia Xgrandiflora</i> Van Houtte	Fire Wheel	AH	.		Asteraceae	R
* <i>Galinsoga parviflora</i> Cav.	Gallant Soldier	AH	.		Asteraceae	R
<i>Galium andrewsii</i> A. Gray ssp. <i>andrewsii</i>	Pine Mat, Phlox-leaved Bedstraw	PH	.		Rubiaceae	O
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Intermediate Pine Mat, Phlox-leaved Bedstraw	PH	.		Rubiaceae	O
<i>Galium angustifolium</i> Nuttall ssp. <i>angustifolium</i>	Chaparral or Narrow-leaved Bedstraw	S	.		Rubiaceae	C
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb.	Channel Islands Bedstraw	S	.		Rubiaceae	R
<i>Galium aparine</i> L.	Goose Grass, Catchseed Bedstraw, Cleavers	AH	FACU		Rubiaceae	C
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw	AH	.		Rubiaceae	R
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>	California Bedstraw	PH	.		Rubiaceae	R
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw	PH	.		Rubiaceae	R
<i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb.	Santa Barbara Bedstraw	PH	.		Rubiaceae	R, 4.3
<i>Galium hallii</i> Munz & I.M. Johnston	Nodding Bedstraw	PH	.		Rubiaceae	O
<i>Galium nuttallii</i> A. Gray ssp. <i>nuttallii</i>	San Diego or Climbing Bedstraw	S	.		Rubiaceae	O
* <i>Galium parisiense</i> L.	Wall Bedstraw	AH	.		Rubiaceae	R
<i>Galium porrigens</i> Dempster var. <i>porrigens</i>	Climbing Bedstraw	PV	.		Rubiaceae	S
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand	Coastal Bedstraw	PH	OBL		Rubiaceae	R
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw	PH	.		Rubiaceae	R
<i>Gamochaeta ustulata</i> (Nutt.) Holub	Gamochaeta	BH	.		Asteraceae	R
<i>Garrya elliptica</i> Lindley	Silk-tassel Bush	S	.		Garryaceae	R
<i>Garrya flavescens</i> S. Watson ssp. <i>flavescens</i>	Silk-tassel Bush	S	.		Garryaceae	R
<i>Garrya flavescens</i> ssp. <i>pallida</i> (Eastwood) Dahling	Pallid Silk-tassel Bush	S	.		Garryaceae	S
* <i>Gastridium phleoides</i> (Nees & Meyen) C.E. Hubb. *	Nit Grass	AG	FACU		Poaceae	U
<i>Gaura coccinea</i> Pursh	Wild Honeysuckle, Linda Tarde	AH	.		Onagraceae	U
* <i>Gaura drummondii</i> (Spach) Torrey & A. Gray	Drummond Gaura	PH	.		Onagraceae	U
* <i>Gaura sinuata</i> Ser.	Wavy-leaved Gaura	PH	.		Onagraceae	U
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szweykowski	Diffuse Gayophytum	AH	.		Onagraceae	O
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski	Hybrid Gayophytum	AH	.		Onagraceae	R
<i>Gayophytum humile</i> A.L. Juss.	Low Gayophytum	AH	.		Onagraceae	R
? <i>Gayophytum oligospermum</i> H. Lewis & J. Szweykowski	Southern California Mountain Gayophytum	AH	.		Onagraceae	X
<i>Gayophytum racemosum</i> Torrey & A. Gray	Black-foot Gayophytum	AH	.		Onagraceae	R
* <i>Gazania linearis</i> (Thunb.) Druce	Gazania	PH	.		Asteraceae	U
* <i>Genista monspessulana</i> (L.) L. Johnson	French Broom	S	.		Fabaceae	R
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium	PH	.		Geraniaceae	R
<i>Geranium carolinianum</i> L.	Cranesbill, Carolina Geranium	AH	.		Geraniaceae	R
* <i>Geranium dissectum</i> L.	Dissected Geranium	AH	.		Geraniaceae	U
* <i>Geranium molle</i> L.	Annual Cranesbill	AH	.		Geraniaceae	U
* <i>Geranium pusillum</i> Burm. f.	Small Geranium	AH	.		Geraniaceae	R
* <i>Geranium retrorsum</i> L'Her.	Annual Cranesbill	AH	.		Geraniaceae	R
? <i>Geranium richardsonii</i> Fischer & Trautv.	Mountain Geranium	PH	FACW		Geraniaceae	X
* <i>Geranium rotundifolium</i> L.	Rotund Geranium	AH	.		Geraniaceae	R
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill	AH	FAC		Geraniaceae	R
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia	AH	.		Polemoniaceae	U
<i>Gilia achilleifolia</i> ssp. <i>multicaulis</i> (Benth.) V. & A. Grant	Many-stemmed California Gilia	AH	.		Polemoniaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Gilia aliquanta</i> A. D. Grant & V. E. Grant	Puff-calyx Gilia	AH	.		Polemoniaceae	R
<i>Gilia angelensis</i> V. Grant	Angel Gilia	AH	.		Polemoniaceae	S
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E. Grant	Southwestern Gilia	AH	.		Polemoniaceae	R
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia	AH	.		Polemoniaceae	R
<i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day	Purple-flowered Breccia Gilia	AH	.		Polemoniaceae	R
<i>Gilia capillaris</i> Kellogg	Miniature or Smooth-leaved Gilia	AH	.		Polemoniaceae	R
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i> (E. Greene) V. Grant	Blue Field Gilia	AH	.		Polemoniaceae	C
<i>Gilia clivorum</i> (Jeps.) V. Grant	Island Gilia	AH	.		Polemoniaceae	S
<i>Gilia interior</i> (Mason & A. Grant) A. Grant	Slender-flowered Gilia	AH	.		Polemoniaceae	R
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant	Cuyama Gilia	AH	.		Polemoniaceae	U
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant	Davy Broad-flowered Gilia	AH	.		Polemoniaceae	R
<i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i>	Broad-flowered Gilia	AH	.		Polemoniaceae	R
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant	Gabriel Trumpet	AH	.		Polemoniaceae	U
<i>Gilia malior</i> A.G. Day & V.E. Grant	Scrub Gilia	AH	.		Polemoniaceae	R
<i>Gilia minor</i> A.D. Grant & V.E. Grant	Little Gilia	AH	.		Polemoniaceae	U
<i>Gilia modocensis</i> Eastwood	Modoc Gilia	AH	.		Polemoniaceae	R
<u><i>Gilia nevinii</i> Gray</u>	<u>Nevin Gilia</u>	AH	.		Polemoniaceae	U
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i> A. & V. Grant	Desert Gilia	AH	.		Polemoniaceae	C
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A. & V. Grant	Volcanic Gilia	AH	.		Polemoniaceae	R
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>	Volcanic Gilia	AH	.		Polemoniaceae	R
<i>Gilia sinuata</i> Benth.	Sinuate Gilia	AH	.		Polemoniaceae	R
<i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i>	Greater Yellowthroat Gilia	AH	.		Polemoniaceae	R
<i>Gilia tetrabreccia</i> A. & V. Grant	Mount Piños Gilia	AH	.		Polemoniaceae	U
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant	Desert Gilia	AH	.		Polemoniaceae	U
? <i>Gilia tricolor</i> Bentham ssp. <i>tricolor</i>	Birds-eye or Tricolor Gilia	AH	.		Polemoniaceae	X
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>	Southern Bluecup	AH	.		Campanulaceae	R
* <i>Glebionis coronaria</i> (L.) Spach	Garland Chrysanthemum	PH	.		Asteraceae	U
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	American Licorice	PH	FAC+		Fabaceae	S
? <i>Glyptopleura marginata</i> D. Eaton	Sculpted-fruit	AH	.		Asteraceae	X
<i>Gnaphalium palustre</i> Nuttall	Lowland Cudweed	AH	FACW-		Asteraceae	O
<i>Grayia spinosa</i> (Hook.) Moq.	Hop-Sage	S	.		Chenopodiaceae	R
* <i>Grevillea robusta</i> A. Cunn. ex R. Br.	Silk Oak	T	.		Proteaceae	R
<i>Grindelia camporum</i> var. <i>bracteosa</i> (J.T. Howell) M.A. Lane	Bracted Gumplant	S	FACU		Asteraceae	S
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>	Great Valley Gumplant	S	FACU		Asteraceae	R
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant	S/PH	FACW		Asteraceae	U
<u><i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane</u>	<u>Island Gumplant</u>	S	.		Asteraceae	R
<u><i>Grindelia Xlatifolia</i> Kellogg ssp. <i>latifolia</i></u>	<u>Coastal Gumplant</u>	S	FACW		Asteraceae	R
* <i>Guizotia abyssinica</i> (L. f.) Cass.	Ramtilia	PH	.		Asteraceae	R
<i>Gutierrezia californica</i> (DC.) Torrey & A. Gray	California Matchweed, Snakeweed	S	.		Asteraceae	S
<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	Broom Snakeweed, Matchweed	S	.		Asteraceae	S
* <i>Gypsophila paniculata</i> L.	Baby's Breath	PH	.		Caryophyllaceae	R
* <i>Halimium lasianthum</i> (Lam.) Spach ssp. <i>lasianthum</i>	Lisbon False Sun-rose	S	.		Cistaceae	R
<u><i>Hazardia cana</i> (A. Gray) E. Greene</u>	<u>San Clemente Island Hazardia</u>	S	.		Asteraceae	R
<u><i>Hazardia detonsa</i> (Greene) Greene</u>	<u>Island Goldenbush</u>	S	.		Asteraceae	U, 4.3
<i>Hazardia squarrosa</i> var. <i>grindelioides</i> (DC.) W. Clark	Sawtooth Goldenbush	S	.		Asteraceae	O
<i>Hazardia squarrosa</i> var. <i>obtusa</i> (Greene) Jepson	Prickly Sawtooth Goldenbush	S	.		Asteraceae	O
<i>Hazardia squarrosa</i> (Hooker & Arnold) E. Greene var. <i>squarrosa</i>	Sawtooth Goldenbush	S	.		Asteraceae	S
? <i>Hazardia stenolepis</i> (H.M. Hall) Hoover	Narrow-scaled Goldenbush	S	.		Asteraceae	X
* <i>Hedera canariensis</i> Willd.	Algerian Ivy	PV	.		Araliaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Hedera helix</i> L.	English Ivy	PV	.		Araliaceae	R
* <i>Hedera hibernica</i> (G. Kirchn.) Bean	Atlantic or Irish Ivy	PV	.		Araliaceae	R
* <i>Hedypnois cretica</i> (L.) Dum.-Cours.	Crete Hedypnois	AH	.		Asteraceae	U
<i>Helenium bigelovii</i> Gray	Bigelow Sneezeweed	PH	OBL		Asteraceae	U
<i>Helenium puberulum</i> DC.	Rosilla	A/PH	FACW		Asteraceae	S
<i>Helianthemum scoparium</i> Nutt.	Peak Rushrose	S	.		Cistaceae	U
<i>Helianthus annuus</i> L.	Common Sunflower	AH	FAC-		Asteraceae	C
? <i>Helianthus californicus</i> DC.	California Sunflower	PH	OBL		Asteraceae	X
* <i>Helianthus ciliaris</i> DC.	Blueweed	PH	.		Asteraceae	R
<i>Helianthus gracilentus</i> Gray	Wild Mountain or Slender Sunflower	PH	.		Asteraceae	U
? <i>Helianthus inexpectatus</i> D.J. Keil and Elvin	Newhall Sunflower	PH	OBL		Asteraceae	X
? <i>Helianthus nuttallii</i> ssp. <i>parishii</i> (A. Gray) Heiser	Los Angeles Sunflower	PH	FACW		Asteraceae	X
* <i>Helianthus tuberosus</i> L.	Jerusalem Artichoke	PH	FAC		Asteraceae	R
* <i>Heliotropium amplexicaule</i> L.	Fragrant Heliotrope	PH	.		Boraginaceae	R
<i>Heliotropium curassavicum</i> var. <i>oculatum</i> (A. Heller) Tidestr.	Alkali Heliotrope, Chinese Pusley	PH	OBL		Boraginaceae	S
* <i>Helminthotheca echioides</i> (L.) Holub	Bristly Ox-tongue	AH	.		Asteraceae	C
<i>Hemizonella minima</i> (Gray) Gray	Hemizonella	AH	.		Asteraceae	S
* <i>Herniaria hirsuta</i> ssp. <i>cinerea</i> (DC.) Coutinho	Hairy Herniawort	AH	.		Caryophyllaceae	U
<i>Hesperexax sparsiflora</i> (A. Gray) E. Greene var. <i>sparsiflora</i>	Few-leaved Evax	AH	.		Asteraceae	R
<i>Hesperochiron californicus</i> (Benth.) S. Watson	California Hesperochiron	PH	FACW		Boraginaceae	R
<i>Hesperochiron pumilus</i> (Griseb.) Porter	Hesperochiron	PH	FACW		Boraginaceae	R
<i>Hesperocnide tenella</i> Torrey	Western Nettle	AH	.		Urticaceae	U
? <i>Hesperolinon micranthum</i> (A. Gray) Small	Dwarf Flax	AH	.		Linaceae	X
? <i>Hesperomecon linearis</i> (Bentham) E. Greene	Western Poppy	AH	.		Papaveraceae	X
<i>Hesperoyucca</i> [ <i>Yucca</i> ] <i>whipplei</i> ssp. <i>cespitosa</i> (M.E. Jones) A.L. Haines	Clumping Our Lord's Candle	S	.		Agavaceae	C
<i>Hesperoyucca</i> [ <i>Yucca</i> ] <i>whipplei</i> ssp. <i>intermedia</i> A.L. Haines	Intermediate Our Lord's Candle	S	.		Agavaceae	R
<i>Hesperoyucca</i> [ <i>Yucca</i> ] <i>whipplei</i> ssp. <i>percursa</i> (A.L. Haines) J.M. Webber	Our Lord's Candle	S	.		Agavaceae	R
<i>Hesperoyucca</i> [ <i>Yucca</i> ] <i>whipplei</i> Torrey ssp. <i>whipplei</i>	Our Lord's Candle	S	.		Agavaceae	C
? <i>Heterocodon rariflorum</i> Nuttall	Western Pearl-flower	AH	FACW*		Campanulaceae	X
<i>Heteromeles arbutifolia</i> (Lindley) Roemer	Toyon, Christmas Holly, Hollywood	S	.		Rosaceae	C
<i>Heterotheca grandiflora</i> Nuttall	Telegraph Weed	PH	.		Asteraceae	C
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple	Camphor Goldenaster	PH	.		Asteraceae	R
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (Benth.) Semple	Hairy Goldenaster	PH	.		Asteraceae	S
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i> (Greene) Semple	Hairy Goldenaster	PH	.		Asteraceae	O
<i>Heterotheca sessiliflora</i> (Nutt.) Shinnars ssp. <i>sessiliflora</i>	Hairy Goldenaster	PH	.		Asteraceae	R
<i>Heterotheca subaxillaris</i> ssp. <i>latifolia</i> (Buckley) Semple	False Goldenaster	A/BH	.		Asteraceae	R
<i>Heterotheca villosa</i> var. <i>hispida</i> (Hook.) V. Harms	Woolly Goldenaster	PH	.		Asteraceae	R
<i>Heuchera abramsii</i> Rydberg	Abrams Alumroot	PH	.		Saxifragaceae	R, 4.3
<i>Heuchera caespitosa</i> Eastw.	Urn-flowered Alumroot	PH	.		Saxifragaceae	R, 4.3
<i>Heuchera elegans</i> Abrams	Urn-flowered Alumroot	PH	.		Saxifragaceae	R
<i>Heuchera maxima</i> Greene	Island Alumroot	PH	.		Saxifragaceae	R, 1B.2
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed	PH	(FAC-)		Asteraceae	R
<i>Hieracium argutum</i> Nuttall	Southern California Hawkweed	PH	.		Asteraceae	S
<i>Hieracium horridum</i> Fries	Shaggy or Woolly Hawkweed	PH	.		Asteraceae	R
* <i>Hirschfeldia incana</i> (L.) Lagr.-Fossat	Summer Mustard	PH	.		Brassicaceae	C
<i>Hoffmannseggia glauca</i> (Ortega) Eifert	Pig-nut, Hog Potato	S	FACU		Fabaceae	R
<i>Hoita macrostachya</i> (DC.) Rydb.	Leather Root, California Tea	PH	OBL		Fabaceae	S
<i>Hoita orbicularis</i> (Lindley) Rydb.	Round-leaved Hoita	PH	OBL		Fabaceae	R
* <i>Holcus lanatus</i> L. *	Common Velvet Grass	PG	FAC		Poaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Hollisteria lanata</i> S. Watson	Hollisteria	AH	.		Polygonaceae	R
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant	AH	.		Asteraceae	U
<i>Holodiscus discolor</i> (Pursh) Maxim. var. <i>discolor</i>	Oceanspray, Cream Bush	S	.		Rosaceae	U
<i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps.	Rock Spiraea	S	.		Rosaceae	R
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>	Meadow Barley	AG	FACW		Poaceae	U
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i> (Covas & Stebb.) v. Bothner et al.	California Barley	AG	FACU		Poaceae	S
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.	Low Barley	AG	NI		Poaceae	R
<i>Hordeum intercedens</i> Nevski	Vernal Barley	AG	FACU		Poaceae	U
? <i>Hordeum jubatum</i> L.	Foxtail Barley	A/PG	FAC+		Poaceae	X
* <i>Hordeum marinum</i> ssp. <i>gussoneanum</i> (Parl.) Thell. *	Mediterranean Barley	AG	FAC		Poaceae	S
* <i>Hordeum murinum</i> ssp. <i>glaucum</i> (Steudel) Tzvelev *	Summer Barley	AG	.		Poaceae	O
* <i>Hordeum murinum</i> ssp. <i>leporinum</i> (Link) Arcang. *	Hare Barley	AG	NI		Poaceae	C
* <i>Hordeum murinum</i> L. ssp. <i>murinum</i> *	Winter Barley	AG	.		Poaceae	U
* <i>Hordeum vulgare</i> var. <i>trifurcatum</i> (Schlecht) Alefeld *	Beardless Barley	AG	.		Poaceae	R
* <i>Hordeum vulgare</i> L. var. <i>vulgare</i> *	Common Barley	AG	.		Poaceae	S
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>	Wedgeleaf Horkelia	PH	.		Rosaceae	R
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck	Fuzzy Horkelia	PH	.		Rosaceae	R, 1B.1
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia	PH	(FAC-)		Rosaceae	U
* <i>Hormungia procumbens</i> (L.) Hayek	Desert Hutchinsia	AH	(FACW)		Brassicaceae	U
<i>Hosackia crassifolia</i> Bentham var. <i>crassifolia</i>	Broad-leaved Hosackia	PH	.		Fabaceae	U
<i>Hosackia oblongifolia</i> var. <i>cuprea</i> (E. Greene) Brouillet	Stream Trefoil	PH	OBL		Fabaceae	R
<i>Hosackia oblongifolia</i> Bentham var. <i>oblongifolia</i>	Narrow-leaved Hosackia, Stream Trefoil	PH	OBL		Fabaceae	U
<i>Hosackia stipularis</i> Bentham var. <i>stipularis</i>	Balsam Lotus	PH	.		Fabaceae	R
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea	A/PH	.		Asteraceae	R
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea	PH	.		Asteraceae	R, 4.3
<i>Hulsea vestita</i> ssp. <i>parryi</i> (A. Gray) Wilken	Parry's Sunflower	PH	.		Asteraceae	R, 4.3
* <i>Humulus lupulus</i> L.	Hops	PH	NI		Cannabaceae	R
? <i>Hydrocotyle ranunculoides</i> L.f.	False-crowfoot Pennywort	PH	OBL		Araliaceae	X
? <i>Hydrocotyle umbellata</i> L.	Marsh Pennywort	PH	OBL		Araliaceae	X
<i>Hydrocotyle verticillata</i> Thunb.	Marsh Pennywort	PH	OBL		Araliaceae	R
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter	St. John's Wort	PH	FACW		Clusiaceae	R
* <i>Hypochaeris glabra</i> L.	Smooth Cat's-ear	AH	.		Asteraceae	S
* <i>Hypochaeris radicata</i> L.	Hairy or Rough Cat's-ear	BH	.		Asteraceae	R
<i>Imperata brevifolia</i> Vasey	Satintail	PG	(FACW)		Poaceae	R, 2.1
? <sup>3</sup> <i>Ipomoea indica</i> (Burm. f.) Merr.	Oceanblue Morning-glory	PV	NI		Convolvulaceae	X
? <i>Iris douglasiana</i> Herbert in W.J. Hooker and G.A.W. Arnott	Mountain Iris	PG	(FACU-)		Iridaceae	X
* <i>Iris germanica</i> L.	Bearded Iris	PG	.		Iridaceae	R
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris]	PG	OBL		Iridaceae	U
* <i>Iris pseudacorus</i> L.	Yellow Iris	PG	OBL		Iridaceae	R
<i>Isocoma acradenia</i> var. <i>bracteosa</i> (E. Greene) G.L. Nesom	Desert Goldenbush	S	NI		Asteraceae	R
<i>Isocoma menziesii</i> (Hook. & Arn.) G. Nesom var. <i>menziesii</i>	Coastal Goldenbush	S	FACW*		Asteraceae	O
<i>Isocoma menziesii</i> var. <i>sedoides</i> (E. Greene) G. Nesom	Coastal Goldenbush	S	FACW*		Asteraceae	S
<i>Isocoma menziesii</i> var. <i>vernioioides</i> (Nuttall) G. Nesom	Coastal Goldenbush	S	FACW*		Asteraceae	O
<i>Isoetes howellii</i> Engelm. var. <i>howellii</i>	Howell Quillwort	PF	OBL		Isoetaceae	R
? <i>Isoetes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer	Small Howell Quillwort	PF	OBL		Isoetaceae	X
? <i>Isoetes nuttallii</i> A. Braun	Nuttall Quillwort	PF	OBL		Isoetaceae	X
? <i>Isoetes orcuttii</i> A.A. Eaton	Orcutt Quillwort	PF	OBL		Isoetaceae	X
<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	Low Clubrush	AH	OBL		Cyperaceae	U
<i>Iva axillaries</i> ssp. <i>robustior</i> (Hooker) Bassett	Poverty Weed, Small-flowered Sumpweed	PH	FAC		Asteraceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
<i>Iva hayesiana</i> A. Gray	San Diego Marsh-elder	S	FACW	Asteraceae	R
<i>Ivesia santolinooides</i> A.Gray	Mousetail Ivesia	PH	.	Rosaceae	R
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed	PH	.	Rosaceae	R
<i>Jaumea carnosa</i> (Less.) Gray	Fleshy Jaumea	PH	OBL	Asteraceae	U
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	Yosemite Tarplant	AH	(FAC-)	Asteraceae	R
<u><i>Jepsonia malvifolia</i> (Greene) Small</u>	<u>Island Jepsonia</u>	PH	.	Saxifragaceae	R, 4.2
<i>Juglans californica</i> S. Watson var. <i>californica</i>	Southern California Black Walnut	T	FAC	Juglandaceae	C, 4.2
* <i>Juglans californica</i> var. <i>hindsii</i> Jepson	Hinds Black Walnut	T	FAC	Juglandaceae	R, 1B.1
* <i>Juglans regia</i> L. ssp. <i>regia</i>	English Walnut	T	.	Juglandaceae	R
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush	PG	FACW	Juncaceae	U, 4.2
<i>Juncus arcticus</i> ssp. <i>vallicola</i> (Rydb.) Lint	Valley Baltic Rush	PG	FACW	Juncaceae	R
<i>Juncus balticus</i> var. <i>ater</i> (Rydb.) Snogerup	Rocky Mountain Rush	PG	OBL	Juncaceae	R
<i>Juncus balticus</i> Willd. ssp. <i>balticus</i>	Baltic Rush	PG	OBL	Juncaceae	O
<i>Juncus breweri</i> Engelm.	Brewer Rush	PG	.	Juncaceae	R
? <i>Juncus bryoides</i> F.J. Hermann	Moss Rush	AG	FACW*	Juncaceae	X
<i>Juncus bufonius</i> L. var. <i>bufonius</i>	Common Toad Rush	AG	OBL	Juncaceae	O
<i>Juncus bufonius</i> var. <i>congestus</i> Wahlenb.	Congested Common Toad Rush	AG	OBL	Juncaceae	R
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Herm.	Western Toad Rush	AG	OBL	Juncaceae	R
<i>Juncus confusus</i> Cov.	Colorado Rush	PG	FACW	Juncaceae	R
<i>Juncus dubius</i> Engelm.	Mariposa Rush	PG	FACW*	Juncaceae	S
<i>Juncus effusus</i> ssp. <i>austrocalifornicus</i> H.L. Lint ex Zita	Pacific Rush	PG	OBL	Juncaceae	U
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	Swordleaf or Three-stamen Rush	PG	FACW	Juncaceae	R
? <i>Juncus falcatus</i> E. Meyer var. <i>falcatus</i>	Sickleleaf Rush	PG	FACW	Juncaceae	X
<i>Juncus lescurii</i> Bolander	Salt or San Francisco Rush	PG	FACW	Juncaceae	R
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush	PG	OBL	Juncaceae	R
<i>Juncus macrophyllus</i> Cov.	Large-leaf Rush	PG	FACW*	Juncaceae	S
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW	Juncaceae	C
<i>Juncus nevadensis</i> S. Watson var. <i>nevadensis</i>	Sierra Rush	PG	OBL	Juncaceae	R
<i>Juncus occidentalis</i> (Coville) Wiegand	Western Rush	PG	FACW	Juncaceae	R
? <i>Juncus orthophyllus</i> Cov.	Straight-leaf Rush	PG	FACW	Juncaceae	X
<i>Juncus oxymers</i> Engelm.	Iris-leaved or Pointed Rush	PG	FACW	Juncaceae	R
<i>Juncus patens</i> E. Meyer	Spreading Rush	PG	FAC	Juncaceae	R
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	Brown-fruited Rush	PG	FACW	Juncaceae	R
<i>Juncus phaeocephalus</i> Engelm. var. <i>phaeocephalus</i>	Brown-fruited Rush	PG	FACW	Juncaceae	R
<i>Juncus rugulosus</i> Engelm.	Wrinkled Rush	PG	OBL	Juncaceae	U
<i>Juncus textilis</i> Buchenau	Indian or Basket Rush	PG	OBL	Juncaceae	S
<i>Juncus tiehmii</i> Ertter	Nevada Rush	PG	(OBL)	Juncaceae	R
<i>Juncus torreyi</i> Coville	Torrey's Rush	PG	FACW+	Juncaceae	R
? <i>Juncus triflorus</i> Engelm.	Yosemite Dwarf Rush	AG	FACW	Juncaceae	X
<i>Juncus xiphioides</i> E. Meyer	Iris-leaved Rush	PG	OBL	Juncaceae	C
<i>Juniperus californica</i> Carrière	California Juniper	S	.	Cupressaceae	C
<i>Juniperus occidentalis</i> Hook.	Western Juniper	T	.	Cupressaceae	R
<i>Keckiella breviflora</i> (Lindley) I.M. Johnston var. <i>breviflora</i>	Stubflower Penstemon, Gaping Beardtongue	S	.	Plantaginaceae	O
<i>Keckiella cordifolia</i> (Benth) I.M. Johnston	Heart-leaved Bush Penstemon	S	.	Plantaginaceae	C
<i>Keckiella ternata</i> var. <i>septentrionalis</i> (Munz & Johnston) N. Holmgren	Blue-stemmed Bush Penstemon	S	.	Plantaginaceae	S
* <i>Kickxia elatine</i> (L.) Dumort.	Arrowleaf Fluellin	AH	.	Plantaginaceae	S
* <i>Kickxia spuria</i> (L.) Dumort.	Fluellin	AH	.	Plantaginaceae	R
* <i>Kochia scoparia</i> (L.) Schrader	Common Kochia	AH	NI*	Chenopodiaceae	S
<i>Koeleria macrantha</i> (Ledeb.) J.A. Schultes	Junegrass	PG	.	Poaceae	O

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Koeleruteria paniculata</i> Laxm. var. <i>paniculata</i>	Goldenrain Tree	T	.		Sapindaceae	R
<i>Krascheninnikovia lanata</i> (Pursh) A.D.J. Meeuse & Smit	Winter Fat	S	.		Chenopodiaceae	R
* <i>Lactuca ludoviciana</i> (Nuttall) DC. *	Wild Lettuce	BH	.		Asteraceae	R
* <i>Lactuca saligna</i> L.	Willow Lettuce	BH	NI*		Asteraceae	R
* <i>Lactuca sativa</i> L.	Lettuce	AH	(FAC-)		Asteraceae	R
* <i>Lactuca serriola</i> L.	Prickly Wild Lettuce	AH	FAC		Asteraceae	C
<i>Laënnecia coulteri</i> (A. Gray) G.L. Nesom	Coulter Horsetweed	AH	FAC+		Asteraceae	U
<i>Lagophylla ramosissima</i> Nutt. ssp. <i>ramosissima</i>	Branched Lagophylla, Common Hareleaf	AH	.		Asteraceae	S
* <i>Lamarckia aurea</i> (L.) Moench *	Goldentop	AG	.		Poaceae	O
* <i>Lamium amplexicaule</i> L.	Henbit, Dead Nettle	AH	.		Lamiaceae	U
<i>Lastarriaea coriacea</i> (Goodman) Hoover	Lastarriaea	AH	.		Polygonaceae	R
<i>Lasthenia californica</i> Lindley ssp. <i>californica</i>	California Goldfields	AH	FACU*		Asteraceae	C
<i>Lasthenia coronaria</i> (Nutt.) Ornduff	Crown-pappus Goldfields	AH	.		Asteraceae	R
<i>Lasthenia ferrisiae</i> Ornduff	Ferris Goldfields	AH	(OBL)		Asteraceae	R, 4.2
? <i>Lasthenia fremontii</i> (A. Gray) E. Greene	Fremont Goldfields	AH	OBL		Asteraceae	X
? <i>Lasthenia glaberrima</i> A. DC.	Rayless or Smooth Goldfields	AH	OBL		Asteraceae	X
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i> (Gray) Ornduff	Rayless Goldfields	AH	FACW		Asteraceae	R, 1B.1
<i>Lasthenia gracilis</i> (DC.) Greene	Common Goldfields	AH	FACU*		Asteraceae	C
? <i>Lasthenia microglossa</i> (A. DC.) E. Greene	Small-rayed Goldfields	AH	.		Asteraceae	X
* <i>Lathyrus latifolius</i> L.	Perennial Sweet Pea	PV	.		Fabaceae	R
* <i>Lathyrus odoratus</i> L.	Sweet Pea	AV	.		Fabaceae	R
* <i>Lathyrus tingitanus</i> L.	Tangier Pea	AV	.		Fabaceae	R
<i>Lathyrus vestitus</i> ssp. <i>alefeldii</i> (T.G. White) Broich	Alefeld's Pacific Peavine	PV	.		Fabaceae	R
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> (S. Watson) C. Hitchc.	White-petaled Pacific Peavine	PV	.		Fabaceae	R
<i>Lathyrus vestitus</i> ssp. <i>laetiflorus</i> (Greene) Broich	Pacific Peavine	PV	.		Fabaceae	S
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Naked-pod Pacific Peavine	PV	.		Fabaceae	S
<i>Lathyrus vestitus</i> Nuttall var. <i>vestitus</i>	Pacific Peavine	PV	.		Fabaceae	C
<i>Lavatera assurgentiflora</i> Kellogg ssp. <i>assurgentiflora</i>	Malva Rose	S	.		Malvaceae	R, 1B.1
<i>Layia glandulosa</i> (Hook.) Hook. & Arn. ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae	O
<i>Layia glandulosa</i> ssp. <i>lutea</i> Keck	Yellow Layia	AH	.		Asteraceae	U
<i>Layia glandulosa</i> ssp. <i>rosea</i> Gray	Rose Layia	AH	.		Asteraceae	R
<i>Layia heterotricha</i> (DC.) Hooker & Arnott	Pale-yellow Layia	AH	FAC		Asteraceae	R, 1B.1
? <i>Layia hieracioides</i> (DC.) Hooker & Arnott	Tall Layia	AH	.		Asteraceae	X
<i>Layia leucopappa</i> D.D. Keck	Comanche Point Layia	AH	.		Asteraceae	R, 1B.1
<i>Layia pentachaeata</i> ssp. <i>albida</i> Keck	White Tidy Tips	AH	.		Asteraceae	R
<i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray	Tidy Tips	AH	.		Asteraceae	U
<i>Lemna aequinoctialis</i> Welw.	Lesser Duckweed	AG	OBL		Araceae	R
<i>Lemna gibba</i> L.	Gibbose Duckweed	AG	OBL		Araceae	R
<i>Lemna minor</i> L.	Duckweed	AG	OBL		Araceae	R
<i>Lemna minuta</i> Kunth	Tiny Duckweed	AG	OBL		Araceae	U
<i>Lemna turionifera</i> Landolt	Duckweed	AG	OBL		Araceae	R
<i>Lemna valdiviana</i> Philippi	Big Duckweed	AG	OBL		Araceae	U
?* <i>Leontodon taraxacoides</i> Vill. ssp. <i>taraxacoides</i>	Hairy Hawkbit	AG	FACU		Asteraceae	X
<i>Lepechinia calycina</i> (Bentham) Epling	Pitcher Sage	S	.		Lamiaceae	R
<i>Lepechinia fragrans</i> (E. Greene) Epling	Fragrant Pitcher Sage	S	.		Lamiaceae	R, 4.2
<i>Lepechinia rossii</i> S. Boyd & O. Mistretta	Ross' Pitcher Sage	S	.		Lamiaceae	R, 1B.2
* <i>Lepidium campestre</i> (L.) R.Br.	Peppergrass	A/BH	.		Brassicaceae	R
<i>Lepidium dictyotum</i> A. Gray	Veiny Peppergrass	AH	OBL		Brassicaceae	R
* <i>Lepidium didymum</i> L. *	Wart Cress	AH	.		Brassicaceae	U

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Lepidium draba</i> L. *	Heart-podded Hoary Cress	PH	(FACU)		Brassicaceae	S
<i>Lepidium lasiocarpum</i> Nutt. var. <i>lasiocarpum</i>	Hairy-pod Peppergrass	AH	.		Brassicaceae	U
* <i>Lepidium latifolium</i> L.	Broadleaf Peppergrass	PH	FACW		Brassicaceae	R
<i>Lepidium nitidum</i> Torrey & A. Gray	Common Peppergrass	AH	.		Brassicaceae	S
<u><i>Lepidium oblongum</i> Small</u>	<u>Oblong Peppergrass</u>	AH	.		Brassicaceae	U
* <i>Lepidium perfoliatum</i> L.	Clasping Peppergrass	BH	FACU		Brassicaceae	R
* <i>Lepidium pinnatifidum</i> Ledebour	Featherleaf Peppergrass	AH	.		Brassicaceae	R
<i>Lepidium strictum</i> (S. Watson) Rattan	Prostrate Peppergrass	AH	.		Brassicaceae	R
<i>Lepidium virginicum</i> var. <i>menziesii</i> (de Candolle) Thell.	Hairy Poorman's Peppergrass	AH	FACU		Brassicaceae	U, 1B.2
<i>Lepidospartum squamatum</i> (A. Gray) A. Gray	Scalebroom	S	(FACW)		Asteraceae	C
<i>Leptochloa fusca</i> ssp. <i>fascicularis</i> (Lam.) N. Snow	Bearded Sprangletop	AG	OBL		Poaceae	R
<i>Leptochloa fusca</i> ssp. <i>uninervia</i> (J. Presl) N. Snow	Mexican Sprangletop	PG	FACW		Poaceae	S
<i>Leptosiphon androsaceus</i> Benth	Baby Tears	AH	.		Polemoniaceae	R
<i>Leptosiphon aureus</i> (Nuttall) E. Greene ssp. <i>aureus</i>	Desert Gold	AH	.		Polemoniaceae	C
<i>Leptosiphon bicolor</i> Nuttall	Bicolored Linanthus	AH	.		Polemoniaceae	R
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	Short-stemmed Linanthus	AH	.		Polemoniaceae	R
<i>Leptosiphon ciliatus</i> (Benth.) Jepson	Whisker Brush	AH	.		Polemoniaceae	R
<i>Leptosiphon liniflorus</i> (Benth.) J.M. Porter & L.A. Johnson	Linanthus	AH	.		Polemoniaceae	U
<i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson	Tehachapi Linanthus	AH	.		Polemoniaceae	R
<i>Leptosiphon parviflorus</i> Benth	Yellow Linanthus	AH	.		Polemoniaceae	O
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson	Continental Pygmy Linanthus	AH	.		Polemoniaceae	R
* <i>Leptospermum laevigatum</i> (Sol. ex Gaertn.) F. Muell.	Australian Tea Tree	S/T	.		Myrtaceae	R
<i>Leptosyne bigelovii</i> (A.Gray) A.Gray	Bigelow Coreopsis	AH	.		Asteraceae	O
<i>Leptosyne californica</i> Nutt.	California Coreopsis	AH	.		Asteraceae	R
<i>Leptosyne calliopsidea</i> (DC.) A.Gray	Leafy-stemmed Coreopsis	AH	.		Asteraceae	R
<i>Leptosyne gigantea</i> Kellogg	Giant Coreopsis	S	.		Asteraceae	S
<i>Lessingia glandulifera</i> A. Gray var. <i>glandulifera</i>	Sticky or San Francisco or Valley Lessingia	AH	.		Asteraceae	S
<i>Lessingia lemmonii</i> var. <i>peirsonii</i> (J.T. Howell) Ferris	Peirson Lessingia	AH	.		Asteraceae	R
<i>Lessingia leptoclada</i> A. Gray	Sierra Lessingia	AH	.		Asteraceae	R
<i>Lessingia pectinata</i> var. <i>tenuipes</i> (J.T. Howell) Markos	Sticky Lessingia	AH	.		Asteraceae	R
<i>Lessingia tenuis</i> (Gray) Cov.	Tenuous Lessingia	AH	.		Asteraceae	S, 4.3
? <sup>3</sup> <i>Leucanthemum maximum</i> (Ramond) DC.	White-flower Daisy	PH	.		Asteraceae	X
* <i>Leucanthemum vulgare</i> Lam.	Ox-eye Daisy, Whiteweed	PH	.		Asteraceae	R
<i>Lewisia nevadensis</i> (A. Gray) Robinson	Sierra Nevada Bitterroot	PH	(FAC)		Montiaceae	R
<i>Lewisia pygmaea</i> (A. Gray) Robinson	Pygmy Bitterroot	PH	FACW+		Montiaceae	R
<i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz	Small Bitterroot	PH	.		Montiaceae	U
<i>Leymus Xhansanii</i> Scribner	Hansen's Wildrye	PG	OBL		Poaceae	R
* <i>Ligustrum lucidum</i> W.T. Aiton f.	Glossy Privet	S	.		Oleaceae	R
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	Ocellated Humboldt Lily	PH	OBL		Liliaceae	U
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i>	Leopard Lily	PH	OBL		Liliaceae	R
* <i>Limonium arborescens</i> Kuntze *	Sea Lavender	PH	(FAC)		Plumbaginaceae	R
<i>Limonium californicum</i> (Boiss.) A.A. Heller	Marsh Rosemary	PH	OBL		Plumbaginaceae	R
* <i>Limonium otolepis</i> (Schrenk) Kuntze *	Saltmarsh Sea Lavender	PH	.		Plumbaginaceae	R
* <i>Limonium perezii</i> (Stapf) F.T. Hubbard *	Perez's Sea Lavender	PH	.		Plumbaginaceae	R
* <i>Limonium sinuatum</i> (L.) Mill. *	Wavyleaf Sea Lavender	PH	FACW		Plumbaginaceae	R
<i>Limosella acaulis</i> Sesse & Mocino	Tufted Mudwort	AH	OBL		Plantaginaceae	R
<i>Limosella aquatica</i> L.	Mudwort	AH	OBL		Plantaginaceae	R
<i>Linanthus bigelovii</i> (Gray) Greene	Bigelow Linanthus	AH	.		Polemoniaceae	R
<i>Linanthus californicus</i> (Hook. & Arn.) J.M. Porter & L.A. Johnson	Prickly Phlox	S	.		Polemoniaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Linanthus dianthiflorus</i> (Benth.) Greene	Ground Pink	AH	.		Polemoniaceae	U
<i>Linanthus dichotomus</i> Benth.	Evening Snow	AH	.		Polemoniaceae	U
<i>Linanthus parryae</i> (Gray) Greene	Parry Linanthus	AH	.		Polemoniaceae	R
<i>Linanthus pungens</i> (Torr.) J.M. Porter & L.A. Johnson	Granite Prickly Phlox	S	.		Polemoniaceae	R
* <i>Linaria bipartita</i> (Vent.) Willd.	Toadflax	AH	.		Plantaginaceae	R
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i>	Toadflax	AH	.		Plantaginaceae	R
<i>Linaria canadensis</i> var. <i>texana</i> (Scheele) Pennell	Toadflax	AH	.		Plantaginaceae	U
* <i>Linaria dalmatica</i> (L.) Mill. ssp. <i>dalmatica</i>	Dalmatian Toadflax	PH	.		Plantaginaceae	R
?* <i>Linaria purpurea</i> (L.) Mill.	Purple Toadflax	PH	.		Plantaginaceae	X
* <i>Linum grandiflorum</i> Desf.	Large-flowered Flax	AH	.		Linaceae	R
<i>Linum lewisii</i> Pursh	Western Blue Flax	PH	.		Linaceae	U
* <i>Linum usitatissimum</i> L.	Common Linen Flax	AH	.		Linaceae	R
<i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker	Tiny Lipocarpha	AG	(OBL)		Cyperaceae	R
<i>Lithophragma affine</i> Gray	Woodland Star	PH	.		Saxifragaceae	S
<i>Lithophragma bolanderi</i> Gray	Bolander Star	PH	.		Saxifragaceae	R
<i>Lithophragma cymbalaria</i> T. & G.	Mission Star	PH	.		Saxifragaceae	U
<i>Lithophragma glabrum</i> Nutt.	Smooth Star	PH	.		Saxifragaceae	R
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	Hill Star	PH	.		Saxifragaceae	R
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	Prairie Star	PH	.		Saxifragaceae	R
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	Dunn Lobelia	PH	.		Lobeliaceae	S, T
* <i>Lobularia maritima</i> (L.) Desv.	Sweet Alyssum	PH	.		Brassicaceae	S
<i>Loeflingia squarrosa</i> Nuttall var. <i>squarrosa</i>	California Loeflingia	AH	.		Caryophyllaceae	R
<i>Loeseliastrum schottii</i> S. Timbrook	Schott Loeseliastrum	AH	.		Polemoniaceae	R
? <i>Logfia arizonica</i> (A. Gray) Holub	Arizona Cottonseed	AH	.		Asteraceae	X
<i>Logfia depressa</i> (A.Gray) Holub	Low Berbia Impia	AH	.		Asteraceae	R
<i>Logfia filaginoides</i> (Hook. & Arn.) Morefield	California Filago	AH	.		Asteraceae	S
* <i>Logfia gallica</i> (L.) Coss. & Germ.	Woolly Filago	AH	.		Asteraceae	R
* <i>Lolium multiflorum</i> Lam. *	Italian Ryegrass	AG	FAC*		Poaceae	C
* <i>Lolium perenne</i> L. *	Perennial Ryegrass	PG	FAC*		Poaceae	U
* <i>Lolium rigidum</i> <u>Gaudin ssp. rigidum</u> *	<u>Wimmera Ryegrass</u>	AG	.		Poaceae	R
* <i>Lolium temulentum</i> L. *	Darnel	PG	(FAC)		Poaceae	R
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium	PH	.		Apiaceae	R
<i>Lomatium caruifolium</i> (H. & A.) J.M. Coult. & Rose var. <i>caruifolium</i>	Alkali Desertparsley	PH	.		Apiaceae	R
<i>Lomatium dasycarpum</i> (T. & G.) Coulter & Rose ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	.		Apiaceae	S
<i>Lomatium dissectum</i> var. <i>multifidum</i> (T & G.) Mathias & Consance	Carrotleaf Biscuitroot	PH	.		Apiaceae	R
<i>Lomatium insulare</i> (Eastw.) <u>Munz</u>	<u>San Nicolas Island Lomatium</u>	PH	.		Apiaceae	R
<i>Lomatium lucidum</i> (T. & G.) Jeps.	Shiny Lomatium	PH	.		Apiaceae	R
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium	PH	.		Apiaceae	R
<i>Lomatium mohavense</i> (Coulter & Rose) Coult. & Rose ssp. <i>mohavense</i>	Desert-parsley	PH	.		Apiaceae	U
<i>Lomatium nevadense</i> var. <i>parishii</i> (J.M. Coult.) Jeps.	Parish's Lomatium	PH	.		Apiaceae	R
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	Small-leaved Lomatium	PH	.		Apiaceae	R
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium	PH	.		Apiaceae	U
? <i>Lonicera hispidula</i> Benth.	California Honeysuckle	S	.		Caprifoliaceae	X
<i>Lonicera interrupta</i> Benth.	Chaparral Honeysuckle	S	.		Caprifoliaceae	U
? <i>Lonicera interrupta</i> Benth. X <i>Lonicera hispidula</i> var. <i>vacillans</i> Gray	Chaparral Honeysuckle hybrid	S	.		Caprifoliaceae	X
* <i>Lonicera japonica</i> Thunb. *	Japanese Honeysuckle	S	NI		Caprifoliaceae	R
<i>Lonicera subspicata</i> var. <i>denudata</i> Rehder	Southern or San Diego Honeysuckle	S	.		Caprifoliaceae	O
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	Santa Ynez Mountains Honeysuckle	S	.		Caprifoliaceae	R
* <i>Lotus corniculatus</i> L. *	Birdsfoot Trefoil	PH	FAC		Fabaceae	U

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
* <i>Lotus tenuis</i> Waldst. & Kit. *	Trefoil	AH	.		Fabaceae	R
* <i>Lotus uliginosus</i> Schkuhr *	Trefoil	PH	.		Fabaceae	R
* <i>Ludwigia grandiflora</i> (Michx.) Greuter & Burdet ssp. <i>grandiflora</i> *	Large-flowered Primrose-willow	PH	OBL		Onagraceae	R
* <i>Ludwigia hexapetala</i> (Camb.) Hara *	Uruguay Water Primrose	PH	OBL		Onagraceae	U
<i>Ludwigia palustris</i> (L.) Elliot	Streamside Water Primrose	PH	OBL		Onagraceae	R
* <i>Ludwigia peploides</i> (Kunth) Raven ssp. <i>peploides</i> *	Floating Seedbox	PH	OBL		Onagraceae	U
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	Silky Lupine	PH	.		Fabaceae	R
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	Wavyleaf Silky Lupine	PH	.		Fabaceae	R
<i>Lupinus agardhianus</i> Heller	Agardh's Lupine	PH	.		Fabaceae	R
<i>Lupinus albicaulis</i> Hooker	Whitestem Lupine	PH	.		Fabaceae	R
<i>Lupinus albifrons</i> Benth. var. <i>albifrons</i>	Silver Bush Lupine	S	.		Fabaceae	C
<i>Lupinus albifrons</i> var. <i>collinus</i> E. Greene	Dwarf Silver Bush Lupine	S	.		Fabaceae	R
<u><i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith</u>	<u>Island Silver Bush Lupine</u>	S	.		Fabaceae	R
<i>Lupinus andersonii</i> S. Watson	Anderson Lupine	PH	.		Fabaceae	U
<i>Lupinus arboreus</i> Sims var. <i>arboreus</i>	Yellow Bush Lupine	S	.		Fabaceae	U
? <i>Lupinus benthamii</i> Heller var. <i>benthamii</i>	Spider Lupine	AH	.		Fabaceae	R
<i>Lupinus bicolor</i> Lindley	Bicolored or Miniature Lupine	AH	.		Fabaceae	C
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine	PH	.		Fabaceae	U
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	Alpine Brewer Lupine	PH	.		Fabaceae	U
<i>Lupinus chamissonis</i> Eschsch.	Coastal Bush Lupine	S	.		Fabaceae	R
<i>Lupinus concinnus</i> J. Agardh spp. <i>concinus</i>	Bajada Lupine	AH	.		Fabaceae	S
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	Bajada Lupine	AH	.		Fabaceae	R
<i>Lupinus concinnus</i> spp. <i>orcutti</i> (S. Watson) D. Dunn	Orcutt Bajada Lupine	AH	.		Fabaceae	R
<i>Lupinus elatus</i> I.M. Johnston	Johnston Silky Lupine	PH	.		Fabaceae	S, 4.3
<i>Lupinus excubitus</i> var. <i>austromontanus</i> (A.A. Heller) C.P. Smith	Southern Mountain Bush Lupine	S	.		Fabaceae	U
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	Grape Soda Lupine	S	.		Fabaceae	S
<i>Lupinus excubitus</i> var. <i>hallii</i> (Abrams) C.P. Smith	Hall Bush Lupine	S	.		Fabaceae	S
<i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith	Johnston Bush Lupine	S	.		Fabaceae	R, 4.3
<i>Lupinus formosus</i> Greene var. <i>formosus</i>	Summer Bush Lupine	PH	.		Fabaceae	S
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine	PH	.		Fabaceae	R
<i>Lupinus hirsutissimus</i> Bentham	Nettle or Stinging Lupine	AH	.		Fabaceae	S
<i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i>	Broad-leaved Lupine	PH	(OBL)		Fabaceae	R
<i>Lupinus latifolius</i> var. <i>parishii</i> C.P. Smith	Parish Broad-leaved Lupine	PH	(OBL)		Fabaceae	U
<i>Lupinus lepidus</i> var. <i>confertus</i> (Kellogg) C.P. Smith	Prairie Lupine	PH	.		Fabaceae	U
<i>Lupinus longifolius</i> (S. Watson) Abrams	Long-leaved Bush Lupine	S	.		Fabaceae	S
<i>Lupinus luteolus</i> Kellogg	Butter Lupine	AH	.		Fabaceae	U
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine	AH	.		Fabaceae	R
<i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps.	Prostrate Red-flowered Lupine	AH	.		Fabaceae	U
<i>Lupinus microcarpus</i> Sims var. <i>microcarpus</i>	Red-flowered Lupine	AH	.		Fabaceae	O
<i>Lupinus nanus</i> Benth.	Small Lupine	AH	.		Fabaceae	U
<i>Lupinus paynei</i> Davidson	Payne's Bush Lupine	S	.		Fabaceae	R
<i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc.	Burke's Large-leaved Lupine	PH	FACW		Fabaceae	R
<i>Lupinus sparsiflorus</i> Benth. ssp. <i>sparsiflorus</i>	Few-flowered or Loose-flowered Lupine	AH	.		Fabaceae	O
<i>Lupinus succulentus</i> Douglas	Fleshy Lupine	AH	.		Fabaceae	C
<i>Lupinus truncatus</i> Nuttall	Truncate-leaved Lupine	AH	.		Fabaceae	S
? <i>Luzula comosa</i> E. Meyer	Wood Rush	PG	NI		Juncaceae	X
? <i>Luzula subsessilis</i> (S. Watson) Buchenau	Wood Rush	PG	.		Juncaceae	X
<i>Lycium andersonii</i> Gray	Anderson Desert-thorn	S	.		Solanaceae	R
<u><i>Lycium californicum</i> Nuttall ex Gray</u>	<u>California Desert-thorn</u>	S	.		Solanaceae	R, 4.2

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Lycium chinense</i> Mill. *	Chinese Desert-thorn	S	.		Solanaceae	R
<u><i>Lycium verrucosum</i> Eastwood</u>	<u>San Nicolas Island Desert-thorn</u>	S	.		Solanaceae	R, 1A
* <i>Lycopersicon esculentum</i> P. Mill.	Cherry Tomato	AH	.		Solanaceae	U
* <i>Lyonothamnus floribundus</i> ssp. <i>asplenifolius</i> (Greene) P.H. Raven	Santa Cruz Island Ironwood	T	.		Rosaceae	R
* <i>Lyonothamnus floribundus</i> A. Gray ssp. <i>floribundus</i>	Santa Catalina Island Ironwood	T	.		Rosaceae	R
<i>Lythrum californicum</i> T. & G.	California Loosestrife	PH	OBL		Lythraceae	S
* <i>Lythrum hyssopifolia</i> L.	Hyssop Loosestrife	AH	FACW		Lythraceae	S
* <i>Maclura pomifera</i> (Raf.) C.K. Schneld.	Osage Orange	T	.		Moraceae	R
<i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck	Dense-flowered Tarplant or Madia	AH	.		Asteraceae	R
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.		Asteraceae	O
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	Vernal Tarplant or Madia	AH	.		Asteraceae	R
<i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck	Wheeler Tarplant or Madia	AH	.		Asteraceae	U
<i>Madia exigua</i> (Smith) A. Gray	Small or Threadstem Tarplant or Madia	AH	.		Asteraceae	R
<i>Madia gracilis</i> (Smith) Keck	Slender Tarplant or Madia	AH	.		Asteraceae	S
<i>Madia sativa</i> Molina	Coast Tarplant	AH	.		Asteraceae	R
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie	False Solomon's Seal, Wild Lily of the Valley	PG	FAC		Convallariaceae	R
<i>Maianthemum stellatum</i> (L.) Link	False Solomon's Seal, Wild Lily of the Valley	PG	FAC		Convallariaceae	R
<i>Malacothamnus fasciculatus</i> (Nutt.ex T.& G.) Greene var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.		Malvaceae	C
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	Lax-flowered Bushmallow	S	.		Malvaceae	R
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	Fremont Bushmallow	S	.		Malvaceae	S
<i>Malacothamnus marrubioides</i> (D. & H.) Greene	Pink-flowered Bushmallow	S	.		Malvaceae	U
<i>Malacothamnus nuttallii</i> Abrams	Nuttall Bushmallow	S	.		Malvaceae	S
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow	S	.		Malvaceae	U
<i>Malacothrix californica</i> DC. var. <i>californica</i>	California Cliff-aster	PH	.		Asteraceae	S
<i>Malacothrix clevelandii</i> Gray	Cleveland Cliff-aster	AH	.		Asteraceae	U
<i>Malacothrix coulteri</i> Gray	Snake-head	AH	.		Asteraceae	R
<i>Malacothrix floccifera</i> (DC.) Blake	Woolly or Floccose Dandelion	AH	.		Asteraceae	O
<u><i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis</u>	<u>Leafy Cliff-aster</u>	AH	.		Asteraceae	R, 1B.2
<u><i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i></u>	<u>Leafy Cliff-aster</u>	AH	.		Asteraceae	R, 4.2
<u><i>Malacothrix foliosa</i> ssp. <i>polycephala</i> W.S. David</u>	<u>Many-headed Leafy Cliff-aster</u>	AH	.		Asteraceae	R, 4.2
<i>Malacothrix glabrata</i> A. Gray	Desert Dandelion	AH	.		Asteraceae	R
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray	Dunedelion	PH	.		Asteraceae	U, 4.3
<u><i>Malacothrix junakii</i> W.S. Davis</u>	<u>Junak Dandelion</u>	AH	.		Asteraceae	R, 1B.1
<i>Malacothrix phaeocarpa</i> W.S. Davis	Brown-fruited Dandelion	AH	.		Asteraceae	R, 4.3
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris	Cliff-aster	PH	.		Asteraceae	R
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster	PH	.		Asteraceae	S
<i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall	Implicated Cliff-aster	PH	.		Asteraceae	U
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>	California Cliff-aster	PH	.		Asteraceae	S, 4.2
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i> (Nutt.) Gray	Tenuated Cliff-aster	PH	.		Asteraceae	C
<i>Malacothrix similis</i> W.S. Davis & P.H. Raven	Mexican Cliff-aster	AH	.		Asteraceae	R, 1A
<u><i>Malacothrix squalida</i> Greene</u>	<u>Island Dandelion</u>	AH	.		Asteraceae	R, 1B.1
* <i>Malephora crocea</i> (Jacq.) Schwantes	Croceum Iceplant	S	.		Aizoaceae	R
* <i>Malephora luteola</i> (Haw.) Schwantes	Rocky Point Ice Plant	S	.		Aizoaceae	R
<i>Malosma laurina</i> Nuttall ex Abrams	Laurelleaf Sumac	S	.		Anacardiaceae	C
* <i>Malva arborea</i> (L.) Webb & Berthel.	Tree Mallow	S	.		Malvaceae	R
* <i>Malva neglecta</i> Wallr.	Common Mallow, Cheeses	A/BH	.		Malvaceae	R
* <i>Malva nicaeensis</i> All.	Bull Mallow	A/BH	.		Malvaceae	R
* <i>Malva parviflora</i> L.	Cheeseweed	AH	.		Malvaceae	C
* <i>Malva pseudolavatera</i> Webb & Berthel.	False Tree Mallow	S	.		Malvaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Malva sylvestris</i> L.	High Mallow	B/PH	.		Malvaceae	U
* <i>Malva verticillata</i> L. var. <i>crispa</i> L.	Crisped or Curled Mallow	BH	.		Malvaceae	R
<i>Malvella leprosa</i> (Ortega) Krapov	Alkali-mallow, White-Weed	PH	FAC		Malvaceae	S
<i>Marah fabaceus</i> var. <i>agrestis</i> (Greene) Stocking	California Man-root	PV	.		Cucurbitaceae	C
<i>Marah macrocarpus</i> (Greene) Greene var. <i>macrocarpus</i>	Large-fruited Man-root, Chilicothe	PV	.		Cucurbitaceae	S
<u><i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking</u>	<u>Island Man-root</u>	PV	.		Cucurbitaceae	R
* <i>Marrubium vulgare</i> L.	White Horehound	S	FAC		Lamiaceae	C
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>	Hairy Pepperwort, Clover Fern	PF	OBL		Marsiliaceae	R
<i>Matricaria discoidea</i> DC.	Pineapple Weed, Rayless Chamomile	AH	FACU		Asteraceae	S
? <i>Matricaria occidentalis</i> E. Greene	Valley Mayweed	AH	(OBL)		Asteraceae	X
* <i>Matthiola incana</i> (L.) W.T. Aiton	Stock	PH	.		Brassicaceae	R
<i>Meconella denticulata</i> E. Greene	Tiny Poppy	AH	.		Papaveraceae	R
* <i>Medicago lupulina</i> L.	Black Medick	AH	FAC		Fabaceae	R
* <i>Medicago minima</i> (L.) Bartal.	Burclover	AH	.		Fabaceae	U
* <i>Medicago polymorpha</i> L.	Common Burclover	AH	.		Fabaceae	C
* <i>Medicago praecox</i> DC.	Burclover	PH	.		Fabaceae	R
* <i>Medicago sativa</i> L. ssp. <i>sativa</i>	Alfalfa	PH	(FACW)		Fabaceae	S
* <i>Melaleuca armillaris</i> (Soland. ex Gaertn.) Smith	Bracelet Honey Myrtle	S	.		Myrtaceae	R
* <i>Melia azedarach</i> L.	China Berry, Persian Lilac	T	.		Meliaceae	R
<i>Melica californica</i> Scribner var. <i>californica</i>	California Melic Grass	PG	.		Poaceae	U
<i>Melica frutescens</i> Scribner	Melic Grass	PG	.		Poaceae	R
? <i>Melica hanfordii</i> Bol.	Hanford's Oniongrass	PG	.		Poaceae	X
<i>Melica imperfecta</i> Trin.	Coast Melic Grass	PG	.		Poaceae	C
<i>Melica stricta</i> var. <i>albicaulis</i> Boyle	Whitestem Melic Grass	PG	.		Poaceae	R
<i>Melica stricta</i> Bolander var. <i>stricta</i>	Nodding Melic Grass	PG	.		Poaceae	S
* <i>Melilotus alba</i> Medikus	White Sweetclover	A/BH	FACU+		Fabaceae	C
* <i>Melilotus indica</i> (L.) All.	Sourclover, Yellow Sweetclover	AH	FAC		Fabaceae	C
* <i>Melilotus officinalis</i> (L.) Lam.	Yellow Sweetclover	BH	FACU		Fabaceae	R
* <i>Mentha</i> × <i>gracilis</i> Sole [ <i>M. arvensis</i> × <i>M. spicata</i> ]	Gingermint	PH	FACW		Lamiaceae	R
* <i>Mentha</i> × <i>piperita</i> L.	Peppermint	PH	OBL		Lamiaceae	R
? <i>Mentha aquatica</i> L.	Watermint	PH	NO		Lamiaceae	X
<i>Mentha arvensis</i> L.	Field Mint	PH	FACW		Lamiaceae	R
* <i>Mentha canadensis</i> L.	Canada Mint	PH	.		Lamiaceae	R
* <i>Mentha spicata</i> L. var. <i>spicata</i>	Spearmint	PH	OBL		Lamiaceae	U
* <i>Mentha suaveolens</i> Ehrh.	Pinepple Mint	PH	.		Lamiaceae	R
<i>Mentzelia affinis</i> Greene	Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitestem Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>	Congested Stickleaf	AH	.		Loasaceae	U
<i>Mentzelia congesta</i> var. <i> davidsoniana</i> (Abrams) J.F. Macbr.	Ventana Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia gracilentia</i> T. & G.	Slender Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia laevicaulis</i> (Hooker) Torrey & Gray	Blazing Star	AH	.		Loasaceae	S
<i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G.	Tiny-flowered Stickleaf	AH	.		Loasaceae	U
<i>Mentzelia montana</i> (Davidson) Davidson ssp. <i>montana</i>	Mountain Stickleaf	AH	.		Loasaceae	S
<i>Mentzelia pectinata</i> Kellogg	Stickleaf	AH	.		Loasaceae	R
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf	AH	.		Loasaceae	R
* <i>Mesembryanthemum crystallinum</i> L.	Crystalline Iceplant	AH	(FAC)		Aizoaceae	S
* <i>Mesembryanthemum nodiflorum</i> L.	Slenderleaf Iceplant	AH	FACU		Aizoaceae	O
<i>Micranthes californica</i> (Greene) Small	California Saxifrage	PH	.		Saxifragaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i>	Douglas Microseris	AH	.		Asteraceae	R
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers	Slender Douglas Microseris	AH	.		Asteraceae	R
<i>Microseris elegans</i> A. Gray	Elegant Microseris	AH	.		Asteraceae	R
<i>Mimulus androsaceus</i> Greene	Naked Sepal Monkeyflower	AH	.		Phrymaceae	U
<i>Mimulus aurantiacus</i> Curtis var. <i>aurantiacus</i>	Bush Monkeyflower	S	.		Phrymaceae	C
<i>Mimulus aurantiacus</i> var. <i>parviflorus</i> (Greene) D.M. Thompson	<u>Bush Monkeyflower</u>	S	.		Phrymaceae	R
<i>Mimulus aurantiacus</i> var. <i>pubescens</i> (Torr.) D.M. Thompson	Fuzzy Bush Monkeyflower	S	.		Phrymaceae	C
<i>Mimulus bigelovii</i> (Gray) Gray var. <i>bigelovii</i>	Bigelow Monkeyflower	AH	.		Phrymaceae	R
<i>Mimulus bolanderi</i> Gray	Bolander Monkeyflower	AH	.		Phrymaceae	R
<i>Mimulus brevipes</i> Bentham	Short or Wide-throat Monkeyflower	AH	.		Phrymaceae	C
<i>Mimulus breweri</i> (E. Greene) Cov.	Brewer Monkeyflower	AH	.		Phrymaceae	R
<i>Mimulus cardinalis</i> Bentham	Scarlet Monkeyflower	PH	OBL		Phrymaceae	S
<i>Mimulus congdonii</i> Robinson	Congdon Monkeyflower	AH	.		Phrymaceae	R
<i>Mimulus constrictus</i> (A.L. Grant) Pennell	Narrow-throated Monkeyflower	AH	.		Phrymaceae	U
<i>Mimulus flemingii</i> <u>Munz</u>	<u>Island Bush Monkeyflower</u>	AH	FACU-		Phrymaceae	R, 4.3
<i>Mimulus floribundus</i> Lindley	Floriferous Monkeyflower	AH	OBL		Phrymaceae	U
<i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i>	Fremont Monkeyflower	AH	.		Phrymaceae	U
<i>Mimulus guttatus</i> DC.	Common Streamside Monkeyflower	A/PH	OBL		Phrymaceae	C
<i>Mimulus johnstonii</i> A.L. Grant	Johnston Monkeyflower	AH	.		Phrymaceae	S
<i>Mimulus longiflorus</i> (Nuttall) A. Grant var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	.		Phrymaceae	C
<i>Mimulus longiflorus</i> var. <i>rutilus</i> A. Grant	Red Sticky Bush Monkeyflower	S	.		Phrymaceae	R
<i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray	Musk Monkeyflower	PH	OBL		Phrymaceae	R
? <i>Mimulus palmeri</i> A. Gray	Palmer Monkeyflower	AH	.		Phrymaceae	X
<i>Mimulus parishii</i> E. Greene	Parish's Monkeyflower	AH	FACU		Phrymaceae	R
<i>Mimulus pilosus</i> (Benth.) S. Watson	Pilose or Downy Monkeyflower	AH	.		Phrymaceae	S
<i>Mimulus primuloides</i> Benth. var. <i>primuloides</i>	Primrose Monkeyflower	PH	OBL		Phrymaceae	U
<i>Mimulus puniceus</i> Nuttall	Red Bush Monkeyflower	S	.		Phrymaceae	R
<i>Mimulus rubellus</i> A. Gray	Little Redstem Monkeyflower	AH	FAC*		Phrymaceae	R
<i>Mimulus ruttanii</i> A. Gray	Rattan's Monkeyflower	AH	.		Phrymaceae	R
<i>Mimulus suksdorfii</i> Gray	Suksdorf Monkeyflower	AH	FACW*		Phrymaceae	R
<i>Mimulus tilingii</i> Regel	Tiling's Monkeyflower	PH	OBL		Phrymaceae	R
? <i>Minuartia californica</i> (A. Gray) Mattf.	California Sandwort	AH	NI		Caryophyllaceae	X
<i>Minuartia douglasii</i> (Fenzl ex T. & G.) Mattf.	Douglas Sandwort	AH	.		Caryophyllaceae	O
<i>Minuartia pusilla</i> (S. Watson) Mattf.	Sandwort	AH	NI		Caryophyllaceae	R
* <i>Mirabilis jalapa</i> L. var. <i>jalapa</i>	Four O'Clock	PH	.		Nyctaginaceae	R
<i>Mirabilis laevis</i> var. <i>crassifolia</i> A. Gray (Choisy) Spellenberg	California Wishbone Bush	PH	.		Nyctaginaceae	S
<i>Mirabilis laevis</i> var. <i>villosa</i> (Kellogg) Spellenberg	Hairy California Wishbone Bush	PH	.		Nyctaginaceae	R
<i>Mirabilis multiflora</i> var. <i>pubescens</i> S. Watson	Froebel Four O'Clock	PH	.		Nyctaginaceae	R
* <i>Modiola caroliniana</i> (L.) G. Don.	Wheel-Fruit Mallow	PH	.		Malvaceae	U
? <i>Mollugo verticillata</i> L.	Indian Chickweed	AH	.		Molluginaceae	X
<i>Monanthochloe littoralis</i> Engelm.	Shoregrass	PG	OBL		Poaceae	R
<i>Monardella australis</i> Abrams	Southern Coyote Mint	PH	FACU		Lamiaceae	R
<i>Monardella breweri</i> Gray var. <i>breweri</i>	Brewer Coyote Mint	AH	.		Lamiaceae	S
<i>Monardella breweri</i> var. <i>lanceolata</i> (Gray) A.C. Sanders & Elvin	Mustang Mint	AH	.		Lamiaceae	C
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i>	White-veined Coyote Mint	PH	.		Lamiaceae	U
<i>Monardella linoidea</i> A. Gray ssp. <i>linoidea</i>	Flax-leaved Horsemint	PH	.		Lamiaceae	R
<i>Monardella linoidea</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint	PH	.		Lamiaceae	S, 1B.3, FS
<i>Monardella linoidea</i> ssp. <i>stricta</i> (Parish) Epling	Flax-leaved Horsemint	PH	.		Lamiaceae	R
? <i>Monardella macrantha</i> Gray ssp. <i>macrantha</i>	Coyote Mint	PH	.		Lamiaceae	X

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Monardella sinuata</i> A.C. Sanders & M.A. Elvin ssp. <i>sinuata</i>	Sinuate Monardella	AH	.		Lamiaceae	R
<i>Monardella undulata</i> Benth. ssp. <i>undulata</i>	Curly-leaved Horsemint	PH	.		Lamiaceae	R
? <i>Monardella villosa</i> ssp. <i>obispoensis</i> (Hoover) Jokerst	San Luis Obispo Coyote Mint	PH	.		Lamiaceae	X
<i>Monolepis nuttalliana</i> (Schultes) E. Greene	Nuttall Monolepis, Poverty Weed	AH	FACW		Chenopodiaceae	R
<i>Monolopia lanceolata</i> Nuttall	Lanceleaf Hilltop Daisy	AH	.		Asteraceae	R
<i>Monolopia major</i> DC.	Cupped Daisy	AH	.		Asteraceae	R
<i>Montia chamissoi</i> (Ledeb. Ex Spreng.) Greene	Toad-Lily	PH	OBL		Montiaceae	R
<i>Morella californica</i> (Chamisso & Schtdl.) Wilbur	California Wax-Myrtle, Pacific Bayberry	S	FAC+		Myricaceae	R
* <i>Morus alba</i> L.	White Mulberry	T	NI		Moraceae	R
* <i>Morus nigra</i> L.	Black Mulberry	T	.		Moraceae	R
<i>Mucronea californica</i> Benth. var. <i>californica</i>	California Spineflower	AH	.		Polygonaceae	R, 4.2
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i>	Perfoliate Spineflower	AH	.		Polygonaceae	R
<i>Muhlenbergia andina</i> (Nuttall) A. Hitchc.	Foxtail Muhly	PG	NI*		Poaceae	R
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi	Scratchgrass	PG	FACW		Poaceae	U
<i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb. var. <i>filiformis</i>	Pull-Up Muhly	AG	FACW		Poaceae	R
<i>Muhlenbergia microsperma</i> (DC.) Kunth	Littleseed Muhly	AG	.		Poaceae	S
<i>Muhlenbergia richardsonis</i> Trin.	Mat Muhly	PG	FAC		Poaceae	R
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FACW		Poaceae	S
<i>Muhlenbergia utilis</i> (Torrey) A. Hitchc.	Aparejo Grass	PG	OBL*		Poaceae	R
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla	PG	.		Themidaceae	U
* <i>Myoporum laetum</i> Forster f.	Myoporum, Wax Myrtle	S	(FAC)		Myoporaceae	S
<i>Myosurus apetalus</i> var. <i>montanus</i> Whittemore	Petaless Mousetails	PH	.		Ranunculaceae	R
<i>Myosurus minimus</i> L.	Common Mousetails	AH	OBL		Ranunculaceae	R
* <i>Myriophyllum aquaticum</i> (Vell. Conc.) Verdc.	Parrot's Feather	PH	OBL		Haloragaceae	R
<i>Myriophyllum hippuroides</i> Torrey & A. Gray	Western Milfoil	PH	OBL		Haloragaceae	R
<i>Najas guadalupensis</i> (Sprengel) Magnus	Common Water-nymph, Southern Naiad	AG	OBL		Hydrocharitaceae	R
<i>Najas marina</i> L.	Spiny Naiad	AG	OBL		Hydrocharitaceae	R
<i>Nama californicum</i> (Gray) J.D. Bacon	Lemmon California Waterleaf	AH	.		Boraginaceae	S
? <i>Nama demissum</i> var. <i>covillei</i> Brand	Coville's Nama	AH	.		Boraginaceae	X
* <i>Narcissus tazetta</i> L.	Paper White	PG	.		Amaryllidaceae	R
<i>Nassella cernua</i> (Stebbins & Love) Barkworth	Foothill Needlegrass	PG	.		Poaceae	O
<i>Nassella lepida</i> (A. Hitchc.) Barkworth	Foothill Needlegrass	PG	.		Poaceae	O
<i>Nassella pulchra</i> (A. Hitchc.) Barkworth	Purple Needlegrass	PG	.		Poaceae	C
* <i>Nassella tenuissima</i> (Trin.) Barkworth	Finestem Needlegrass	PG	.		Poaceae	R
* <i>Nasturtium officinale</i> R. Br.	Water Cress	PH	OBL		Brassicaceae	C
<i>Navarretia atractyloides</i> (Benth.) Hook. & Arn.	Navarretia	AH	.		Polemoniaceae	U
<i>Navarretia hamata</i> E. Greene ssp. <i>hamata</i>	Skunk Navarretia	AH	.		Polemoniaceae	R
<i>Navarretia mellita</i> E. Greene	Sticky Navarretia	AH	.		Polemoniaceae	R
<i>Navarretia ojaiensis</i> Elvin, J.M. Porter & L.A. Johnson	Ojai Navarretia	AH	.		Polemoniaceae	U, 1B.1
<i>Navarretia peninsularis</i> Greene	Southern California Navarretia	AH	.		Polemoniaceae	R
<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.	Downy Navarretia	AH	.		Polemoniaceae	R
<i>Nemacladus californicus</i> (A. Gray) Morin	Parishella	AH	.		Lobeliaceae	R
<i>Nemacladus capilaris</i> Greene	Common Nemacladus	AH	.		Lobeliaceae	R
<i>Nemacladus gracilis</i> Eastw.	Slender Nemacladus	AH	.		Lobeliaceae	R
<i>Nemacladus orientalis</i> (McVaugh) Morin	Western Sticky Nemacladus	AH	.		Lobeliaceae	R
<i>Nemacladus ramosissimus</i> Nuttall	Nuttall's Nemacladus	AH	.		Lobeliaceae	R
<i>Nemacladus secundiflorus</i> var. <i>robbinsii</i> Morin	Robbins' Nemacladus	AH	.		Lobeliaceae	R, 1B.2
<i>Nemacladus sigmoideus</i> G.T. Robbins	Thread Stem	AH	.		Lobeliaceae	R
<i>Nemophila menziesii</i> var. <i>integrifolia</i> Parish	Baby Blue-eyes	AH	.		Boraginaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Nemophila menziesii</i> Hook. & Arn. var. <i>menziesii</i>	Baby Blue-eyes	AH	.		Boraginaceae	S
<i>Nemophila parviflora</i> Douglas ex Benth. var. <i>parviflora</i>	Smallflower Nemophila	AH	.		Boraginaceae	R
? <i>Nemophila parviflora</i> var. <i>quercifolia</i> (Eastw.) Chandler	Oakleaf Nemophila	AH	.		Boraginaceae	X
<i>Nemophila pedunculata</i> Benth.	Little-foot or Meadow Baby Blue-eyes	AH	FAC+		Boraginaceae	S
<i>Nemophila pulchella</i> var. <i>fremontii</i> (A.D.E. Elmer) Constance	Fremont Baby Blue-eyes	AH	.		Boraginaceae	R
* <i>Nerium oleander</i> L.	Oleander	S	.		Apocynaceae	R
* <i>Nicandra physalodes</i> (L.) Gaertn. *	Apple of Peru	AH	.		Solanaceae	R
<i>Nicotiana attenuata</i> Torrey	Coyote Tobacco	AH	FAC		Solanaceae	U
<u><i>Nicotiana clevelandii</i> A. Gray</u>	<u>Cleveland Indian Tobacco</u>	AH	.		Solanaceae	R
* <i>Nicotiana glauca</i> Graham	Tree Tobacco	S	FAC		Solanaceae	C
<i>Nicotiana quadrivalis</i> Pursh var. <i>quadrivalis</i>	Indian Tobacco	AH	FAC		Solanaceae	R
<i>Nicotiana quadrivalis</i> var. <i>wallacei</i> (Gray) Mansf.	Wallace's Indian Tobacco	AH	.		Solanaceae	R
<i>Nolina cismontana</i> Dice	Chaparral Bear-grass	S	.		Agavaceae	U, 1B.2
<i>Notholaena californica</i> D.C. Eaton ssp. <i>californica</i>	California Cloak Fern	PF	.		Pteridaceae	R
<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. <i>densiflorus</i>	Tanbark Oak	S/T	.		Fagaceae	R
? <i>Nothoscordum gracile</i> (Drylander) Stearn	Slender False Garlic	PG	.		Alliaceae	X
* <i>Oenothera biennis</i> L.	Common Evening-primrose	BH	FACU		Onagraceae	R
<i>Oenothera californica</i> (S. Watson) S. Watson ssp. <i>californica</i>	California Evening-primrose	PH	.		Onagraceae	S
<i>Oenothera deltoides</i> ssp. <i>cognata</i> (Jepson) Klein	Devil's Lantern, Lion-in-a-Cage	AH	.		Onagraceae	R
<i>Oenothera elata</i> ssp. <i>hirsutissima</i> (Gray) W. Dietr.	Great Marsh Evening-primrose	BH	FACW		Onagraceae	S
<i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr.	Hooker Coast Evening-primrose	BH	FACW		Onagraceae	R
* <i>Oenothera glazionviana</i> Micheli	Redsepal Evening-primrose	BH	(FACW-)		Onagraceae	R
<i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz	Longstem Evening-primrose	PH	FACW		Onagraceae	R
? <i>Oenothera rosea</i> L'Her.	Rose Evening-primrose	PH	NI*		Onagraceae	X
* <i>Oenothera speciosa</i> Nuttall	Common Evening-primrose	PH	.		Onagraceae	R
* <i>Olea europaea</i> L.	European Olive	T	.		Oleaceae	S
<i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr.	Narrowleaf Oligomeris	AH	.		Resedaceae	U
* <i>Onopordum acanthium</i> L. ssp. <i>acanthium</i>	Scotch Thistle	BH	.		Asteraceae	R
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i>	Beavertail Cactus	S	.		Cactaceae	R
* <i>Opuntia ficus-indica</i> (L.) Miller	Indian Fig	S	.		Cactaceae	S
<i>Opuntia littoralis</i> (Engelm.) Cockerell	Coastal Prickly Pear	S	.		Cactaceae	C
<u><i>Opuntia littoralis</i> (Engelm.) Cockerell X <i>O. oricola</i> Philbr.</u>	<u>Coastal-Round-pad Prickly Pear Hybrid</u>	S	.		Cactaceae	R
<i>Opuntia oricola</i> Philbr.	Round-pad Prickly Pear	S	.		Cactaceae	U
<i>Opuntia phaeacantha</i> Engelm.	Engelmann Prickly Pear	S	.		Cactaceae	R
* <i>Opuntia stricta</i> (Haw.) Haw.	Erect Pricklypear Cactus	S	.		Cactaceae	R
<i>Opuntia Xoccidentalis</i> Engelm. & Bigelow	Western Pricklypear Cactus	S	.		Cactaceae	R
<i>Opuntia Xvaseyi</i> (J. Coulter) Britton & Rose ( <i>O. littoralis</i> X <i>phaeacantha</i> )	Mesa Prickly Pear	S	.		Cactaceae	R
<i>Orcuttia californica</i> Vasey	California Orcutt Grass	AG	OBL		Poaceae	R, 1B.2, FE, SE
* <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) Ietsw.	Oregano	PH	.		Lamiaceae	R
<i>Orobanche bulbosa</i> (Gray) G. Beck	Chamise Broom-rape	PH	.		Orobanchaceae	S
<i>Orobanche californica</i> ssp. <i>feudgei</i> (Munz) Heckard	California Sagebrush Broom-rape	PH	.		Orobanchaceae	R
<i>Orobanche californica</i> ssp. <i>grandis</i> Heckard	Coastal California Broomrape	PH	.		Orobanchaceae	R
<i>Orobanche californica</i> ssp. <i>jepsonii</i> (Munz) Heckard	Jepson Sagebrush Broom-rape	PH	.		Orobanchaceae	R
<i>Orobanche fasciculata</i> Nuttall	Clustered Broom-rape	PH	.		Orobanchaceae	O
<i>Orobanche parishii</i> ssp. <i>brachyloba</i> Heckard	Short-lobed Broom-rape	PH	.		Orobanchaceae	R, 4.2
<i>Orobanche parishii</i> (Jeps.) Heckard ssp. <i>parishii</i>	Parish Broom-rape	PH	.		Orobanchaceae	U
* <i>Orobanche ramosa</i> L.	Branched Broomrape	PH	.		Orobanchaceae	R
<i>Orobanche uniflora</i> L.	Naked Broomrape	PH	.		Orobanchaceae	R
<i>Orobanche valida</i> Jeps. ssp. <i>valida</i>	Rock Creek Broom-rape	PH	.		Orobanchaceae	R, 1B.2

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
				Status		
<i>Orobanche vallicola</i> (Jepson) Heckard	Hillside Broomrape	PH	.		Orobanchaceae	R
? <i>Orthocarpus linearilobus</i> Benth	Pallid Owl's Clover	AH	.		Orobanchaceae	X
? <sup>3</sup> <i>Oryza sativa</i> L.	Rice	AG	OBL		Poaceae	X
? <i>Osmadenia tenella</i> Nuttall	Osmadenia	AH	.		Asteraceae	X
<i>Osmorhiza brachypoda</i> Torrey	Sweet Cicely	PH	.		Apiaceae	U
<i>Osmorhiza chilensis</i> H.& A.	Mountain Sweetroot	PH	.		Apiaceae	R
* <i>Osteospermum ecklonis</i> (DC.) Norl.	African Daisy	PH	.		Asteraceae	R
* <i>Osteospermum friticosum</i> (L.) Norl.	Trailing African Daisy	PH	.		Asteraceae	R
<i>Oxalis albicans</i> Kunth ssp. <i>albicans</i>	Radishroot Woodsorrel	PH	.		Oxalidaceae	R
<i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten	California White Wood Sorrel	PH	.		Oxalidaceae	R
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel	PH	.		Oxalidaceae	U
* <i>Oxalis corniculata</i> L.	Creeping Wood Sorrel	PH	FACU		Oxalidaceae	R
* <i>Oxalis crassipes</i> Urb.	Pink Wood Sorrel or Oxalis	PH	.		Oxalidaceae	R
* <i>Oxalis incarnata</i> L.	Crimson Wood Sorrel	PH	.		Oxalidaceae	R
* <i>Oxalis latifolia</i> Kunth	Broadleaf Woodsorrel	PH	.		Oxalidaceae	R
* <i>Oxalis pes-caprae</i> L.	Bermuda Buttercup	PH	.		Oxalidaceae	O
<i>Oxytheca perfoliata</i> T. & G.	Perfoliate Oxytheca	AH	.		Polygonaceae	R
<i>Packera breweri</i> (Burt Davy) W.A. Weber & Löve	Brewer Butterweed or Groundsel	PH	.		Asteraceae	U
? <i>Packera ionophylla</i> (E. Greene) W.A. Weber & A. Löve	Tehachapi Ragwort	PH	.		Asteraceae	X
<i>Paeonia californica</i> Nuttall	California Peony	PH	.		Paoniaceae	S
* <i>Pancratium maritimum</i> L.	Sea Daffodil	PG	.		Amaryllidaceae	R
? <sup>3</sup> <i>Panicum autumnale</i> Bosc ex Spreng.	Millet	PG	.		Poaceae	X
<i>Panicum capillare</i> L. ssp. <i>capillare</i>	Witchgrass	AG	FAC		Poaceae	S
<i>Panicum capillare</i> ssp. <i>hillmanii</i> (Chase) Freckmann & Lelong	Witchgrass	AG	FAC		Poaceae	U
* <i>Panicum mileaceum</i> L. ssp. <i>miliaceum</i>	Broom Corn Millet	PG	.		Poaceae	R
? <sup>3</sup> <i>Panicum mileaceum</i> ssp. <i>ruderales</i> (Kitag.) Tzvelev	Broomcorn	PG	.		Poaceae	X
<i>Papaver californicum</i> Gray	Wind or Fire Poppy	AH	.		Papaveraceae	R
* <i>Papaver rhoeas</i> L.	Corn Poppy	AH	.		Papaveraceae	R
* <i>Papaver somniferum</i> L.	Opium Poppy	AH	.		Papaveraceae	R
* <i>Parapholis incurva</i> (L.) C.E. Hubb.	Sickle Grass	AG	OBL		Poaceae	U
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory	AH	.		Urticaceae	U
<i>Parietaria hespera</i> B.D. Hinton var. <i>hespera</i>	Southwest Pellitory	AH	.		Urticaceae	S
? <sup>3</sup> <i>Parietaria judaica</i> L.	Pellitory	AH	.		Urticaceae	X
<i>Parietaria pensylvanica</i> Muhlenberg ex Willdenow	Pennsylvania Pellitory	AH	FAC*		Urticaceae	R
* <i>Parkinsonia aculeata</i> L.	Palo Verde	T/S	FACW*		Fabaceae	R
? <i>Parnassia californica</i> (A. Gray) E. Greene	Grass-of-Parnassus	PH	.		Saxifragaceae	X
<i>Parthenocissus vitacea</i> (Knerr) Hitchcock	Woodbine	PV	.		Vitaceae	R
* <i>Paspalum dilatatum</i> Poiret	Dallis Grass	PG	FAC		Poaceae	S
<i>Paspalum distichum</i> L.	Joint Dallis Grass or Knotgrass	PG	OBL		Poaceae	R
* <i>Paspalum notatum</i> var. <i>saurae</i> Parodi	Bahiagrass	PG	NO		Poaceae	R
* <i>Passiflora caerulea</i> L.	Blue Passionflower	PV	.		Passifloraceae	R
<i>Pectocarya heterocarpa</i> I.M. Johnston	Two-faced Pectocarya	AH	.		Boraginaceae	R
<i>Pectocarya linearis</i> ssp. <i>ferocula</i> (I.M. Johnston) Thorne	Linear Pectocarya	AH	.		Boraginaceae	S
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Winged Pectocarya	AH	.		Boraginaceae	S
<i>Pectocarya setosa</i> Gray	Setose Pectocarya	AH	.		Boraginaceae	O
<i>Pedicularis densiflora</i> Hook.	Indian Warrior	PH	.		Orobanchaceae	R
<i>Pedicularis semibarbata</i> Gray	Pine-woods Lousewort	PH	.		Orobanchaceae	U
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.		Fabaceae	S
<i>Pediomelum castoreum</i> (S. Watson) Rydb.	Desert Indian Breadroot	PH	.		Fabaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Pelargonium panduriforme</i> Eckl. & Zeyher	Oak-leaved Geranium	S	.		Geraniaceae	R
* <i>Pelargonium peltatum</i> (L.) L'Her. ex Aiton	Ivy Geranium	PH	.		Geraniaceae	R
* <i>Pelargonium Xhortorium</i> L.H. Bailey	Fish Geranium	S	.		Geraniaceae	R
* <i>Pelargonium zonale</i> (L.) L'Her.	Horseshoe Geranium	S	.		Geraniaceae	R
<i>Pellaea andromedifolia</i> (Haulfuss) Fee	Coffee Fern	PF	.		Pteridaceae	C
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston	California Birdfoot Cliffbrake or Fern	PF	.		Pteridaceae	R
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdfoot Cliffbrake or Fern	PF	.		Pteridaceae	C
* <i>Pennisetum clandestinum</i> Chiov.	Kikuyu Grass	PG	FACU+		Poaceae	U
* <i>Pennisetum purpureum</i> Schum. *	Purple Fountaingrass	PG	NO		Poaceae	R
* <i>Pennisetum setaceum</i> Forskal *	African Fountain Grass	PG	.		Poaceae	C
* <i>Pennisetum villosum</i> R.Br.	Fountain Grass, Feather Top	PG	.		Poaceae	S
<i>Penstemon centranthifolius</i> Bentham	Scarlet Bugler	PH	.		Plantaginaceae	C
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue	PH	.		Plantaginaceae	U
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i> (M.E. Jones) N. Holmgren	Figwort Beardtongue	PH	.		Plantaginaceae	S
<i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston	Southern Mountain Penstemon	PH	.		Plantaginaceae	R
<i>Penstemon heterophyllus</i> Lindley var. <i>heterophyllus</i>	Mountain Penstemon	PH	.		Plantaginaceae	C
<i>Penstemon labrosus</i> (A. Gray) Hooker f.	San Gabriel Penstemon	PH	.		Plantaginaceae	S
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon	PH	.		Plantaginaceae	U
<i>Penstemon rostriflorus</i> Kellogg	Bridges Penstemon	PH	.		Plantaginaceae	S
<i>Penstemon speciosus</i> Lindley	Showy Beardtongue	S	.		Plantaginaceae	S
? <i>Penstemon spectabilis</i> Thurber var. [ssp.] <i>spectabilis</i>	Royal Penstemon	S	.		Plantaginaceae	X
? <i>Penstemon spectabilis</i> var. [ssp.] <i>subviscosis</i> (Keck) McMinn	Sticky Royal Penstemon	S	.		Plantaginaceae	X
? <i>Penstemon Xpeirsonii</i> Munz & I.M. Johnston	Peirson's Beardtongue	PH	.		Plantaginaceae	X
<i>Penstemon Xspeciosus</i> ( <i>P. centranthifolius</i> X <i>P. speciosus</i> )	Hybrid Showy Beardtongue	S	.		Plantaginaceae	R
<i>Pentachaeta fragilis</i> Brandegee	Fragile Pentachaeta	AH	.		Asteraceae	R, 4,3
<i>Pentachaeta lyonii</i> Gray	Lyon Pentachaeta	AH	.		Asteraceae	R, 1B.1, FE, SE
<i>Pentagramma triangularis</i> ssp. <i>semipallida</i> (J.T. Howell)Yatsk., Windham, & E. Wollenw	Silverback Fern	PF	.		Pteridaceae	R
<i>Pentagramma triangularis</i> (Kaulf.) Yatskievych,Windham,& E.Wollenweber ssp. <i>triangularis</i>	Goldenback Fern	PF	.		Pteridaceae	S
<i>Pentagramma triangularis</i> ssp. <i>viscosa</i> (D.C. Eaton)Yatsk., Windham, & E. Wollenw.	San Nicolas Island Fern	PF	.		Pteridaceae	R
<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i>	Gairdner Yampah	PH	FACW		Apiaceae	R, 4,2
<i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance	Parish Yampah	PH	FACW		Apiaceae	R
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah	PH	.		Apiaceae	U, 4,3
<i>Peritoma arborea</i> (Nutt.) H.H. Iltis var. <i>arborea</i>	Bladderpod	S	.		Cleomaceae	O
<i>Peritoma arborea</i> var. <i>globosa</i> (Coville) H.H. Iltis	Bladderpod	S	.		Cleomaceae	U
<i>Perityle emoryi</i> Torrey	Rock Daisy	PH	.		Asteraceae	U
* <i>Petrorhagia dubia</i> (Raf.) G. Lopez & Romo	Hairy-pink	AH	.		Caryophyllaceae	R
* <i>Petroselinum crispum</i> (Mill.) A.W. Hill	Parsley	BH	.		Apiaceae	R
* <i>Petunia parviflora</i> Juss. *	Petunia	AH	FACW		Solanaceae	R
* <i>Petunia violacea</i> Lindley *	Violet Petunia	AH	.		Solanaceae	R
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Phacelia	AH	.		Boraginaceae	R
<i>Phacelia austromontana</i> J.T. Howell	Low Phacelia	AH	.		Boraginaceae	R
<i>Phacelia bicolor</i> Torrey ex S. Watson	Bicolored Phacelia	AH	.		Boraginaceae	R
<i>Phacelia brachyloba</i> (Benth.) Gray	Short-lobed Phacelia	AH	.		Boraginaceae	O
<i>Phacelia cicutaria</i> Greene var. <i>cutaria</i>	Caterpillar Phacelia	AH	.		Boraginaceae	U
<i>Phacelia cicutaria</i> var. <i>hispida</i> (A. Gray) J.T. Howell	Hispid Caterpillar Phacelia	AH	.		Boraginaceae	C
<i>Phacelia cicutaria</i> var. <i>hubbyi</i> (J.F. Macbr.) J.T. Howell	Hubby Caterpillar Phacelia	AH	.		Boraginaceae	U, 4,2
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia	AH	.		Boraginaceae	U
? <i>Phacelia congdonii</i> Greene	Congdon Phacelia	AH	.		Boraginaceae	X
<i>Phacelia crenulata</i> var. <i>minutiflora</i> (J.W. Voss ex Munz) Jepson	Small-flowered Crenulate Phacelia	AH	.		Boraginaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Phacelia cryptantha</i> E. Greene	Forget-Me-Not Phacelia	AH	.		Boraginaceae	R
<i>Phacelia curvipes</i> S. Watson var. <i>curvipes</i>	Washoe Phacelia	AH	.		Boraginaceae	S
<i>Phacelia davidsonii</i> Gray	Davidson Phacelia	AH	.		Boraginaceae	S
<i>Phacelia distans</i> Benth.	Wild Heliotrope	AH	.		Boraginaceae	C
<i>Phacelia douglasii</i> (Benth.) Torrey var. <i>douglasii</i>	Douglas Phacelia	AH	.		Boraginaceae	S
<i>Phacelia egena</i> (Brand) J.T. Howell	Rock Phacelia	PH	.		Boraginaceae	S
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia	AH	.		Boraginaceae	R, 4.3
<i>Phacelia fremontii</i> Torrey	Fremont Phacelia	AH	.		Boraginaceae	O
<i>Phacelia grandiflora</i> (Benth.) Gray	Large-flowered Phacelia	AH	.		Boraginaceae	S
<i>Phacelia grisea</i> Gray	White-flowered Phacelia	AH	.		Boraginaceae	R
<i>Phacelia humilis</i> var. <i>dudleyi</i> J. Howell	Dudley Phacelia	AH	.		Boraginaceae	R
<i>Phacelia imbricata</i> Greene ssp. <i>imbricata</i>	Mountain Phacelia	PH	.		Boraginaceae	O
<i>Phacelia imbricata</i> ssp. <i>patula</i> (Brand) Heckard	Mountain Phacelia	PH	.		Boraginaceae	R
<i>Phacelia longipes</i> Gray	Long-stalked Phacelia	AH	.		Boraginaceae	O
<i>Phacelia minor</i> (Harvey) Thellung	Wild Canterbury Bell	AH	.		Boraginaceae	R
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia	AH	.		Boraginaceae	R, 4.3
<i>Phacelia mutabilis</i> Greene	Changeable Phacelia	AH	.		Boraginaceae	R
<i>Phacelia oreopola</i> Heckard ssp. <i>oreopola</i>	Mountain Phacelia	PH	.		Boraginaceae	R
<i>Phacelia parryi</i> Torrey	Parry Phacelia	AH	.		Boraginaceae	S
<i>Phacelia platyloba</i> A. Gray	Phacelia	AH	.		Boraginaceae	R
<i>Phacelia ramosissima</i> var. <i>austrolittoralis</i> Munz	South Coast Branching Phacelia	PH	.		Boraginaceae	R, 3.2
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia	PH	.		Boraginaceae	U
<i>Phacelia ramosissima</i> Lehm. var. <i>ramosissima</i>	Branching Phacelia	PH	.		Boraginaceae	S
<i>Phacelia rattanii</i> A. Gray	Brand Phacelia	AH	.		Boraginaceae	R
<i>Phacelia tanacetifolia</i> Benth.	Tansy Phacelia	AH	.		Boraginaceae	S
<i>Phacelia viscida</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia	AH	.		Boraginaceae	R
<i>Phacelia viscida</i> (Bentham) Torrey var. <i>viscida</i>	Viscid Phacelia	AH	.		Boraginaceae	S
* <i>Phalaris aquatica</i> L.	Harding Canarygrass	PG	FACW		Poaceae	R
* <i>Phalaris canariensis</i> L.	Canarygrass	AG	FACU		Poaceae	U
* <i>Phalaris caroliniana</i> Vasey	Carolina Canarygrass	AG	FACW		Poaceae	R
<i>Phalaris lemmonii</i> Walter	Lemmon Canarygrass	AG	FACW-		Poaceae	R
* <i>Phalaris minor</i> Retz	Littleseed or Mediterranean Canarygrass	AG	.		Poaceae	R
* <i>Phalaris paradoxa</i> L.	Hood Canarygrass	AG	.		Poaceae	R
* <i>Phaseolus vulgaris</i> L.	Kidney Bean	AV	.		Fabaceae	R
* <i>Phleum pratense</i> L.	Cultivated Timothy Grass	PG	FACU		Poaceae	R
<i>Phlox austromontana</i> Coville	Spreading Phlox	PH	.		Polemoniaceae	R
<i>Phlox caespitosa</i> Nuttall	Rigid Mat Phlox	PH	.		Polemoniaceae	R
<i>Phlox diffusa</i> Benth.	Mat Phlox	PH	.		Polemoniaceae	R
<i>Phlox gracilis</i> Greene	Slender Phlox	AH	FACU*		Polemoniaceae	S
<i>Phlox hoodii</i> ssp. <i>canescens</i> (T. & G.) Wherry	Fuzzy Hood Phlox	PH	.		Polemoniaceae	R
* <i>Phoenix canariensis</i> Chabaud	Canary Island Date Palm	T	(FAC)		Arecaceae	U
? <sup>3</sup> <i>Phoenix dactylifera</i> L.	Date Palm	T	.		Arecaceae	X
<i>Pholistoma auritum</i> (Lindley) Lilja var. <i>auritum</i>	Blue Fiesta Flower	AH	.		Boraginaceae	S
<i>Pholistoma membranaceum</i> (Benth.) Constance	White Fiesta Flower	AH	.		Boraginaceae	R
<i>Pholistoma racemosum</i> (Nutt. ex Gray) Constance	South Coast Fiesta Flower	B/PH	.		Boraginaceae	R
<i>Phoradendron densum</i> Trel.	Fir Mistletoe	PH	.		Viscaceae	S
? <i>Phoradendron libocedri</i> (Engelm.) Howell	Incense-cedar Mistletoe	PH	.		Viscaceae	X
<i>Phoradendron macrophyllum</i> (Engelm.) Cockerell	Bigleaf Mistletoe	PH	.		Viscaceae	S
<i>Phoradendron pauciflorum</i> Torrey	Few-flowered Mistletoe	PH	.		Viscaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Phoradendron villosum</i> (Nutt.) Nutt.	Oak or Hairy Mistletoe	PH	.		Viscaceae	O
<i>Phragmites australis</i> (Cav.) Steudel	Common Reed	PG	FACW		Poaceae	R
<i>Phyla nodiflora</i> (L.) E. Greene var. <i>nodiflora</i>	Common Frog-fruit	PH	FACW		Verbenaceae	R
<i>Phyllospadix scouleri</i> Hook.	Scouler Surf-grass	PH	OBL		Zosteraceae	R
<i>Phyllospadix torreyi</i> S. Watson	Torrey Surf-grass	PH	OBL		Zosteraceae	U
* <i>Phyllostachys aurea</i> A. & C. Riviere *	Golden Bamboo	PG	.		Poaceae	R
? <i>Physalis acutifolia</i> (Miers) Sandwith	Ground-cherry	AH	.		Solanaceae	X
* <i>Physalis philadelphica</i> Lam.	Tomatillo	AH	.		Solanaceae	R
* <i>Physalis viscosa</i> var. <i>cinerascens</i> (Dunal) Waterfall	Grape Ground-cherry	PH	.		Solanaceae	R
* <i>Phytolacca amaricana</i> L.	Pokeweed, Pokeberry	PH	NI		Phytolaccaceae	R
<i>Pickeringia montana</i> Nutt. var. <i>montana</i>	Chaparral Pea	S	.		Fabaceae	U
<i>Pilularia americana</i> A. Braun	American Pillwort	PF	OBL		Marsiliaceae	R
* <i>Pinus canariensis</i> C. Smith	Canary Island Pine	T	.		Pinaceae	R
<i>Pinus contorta</i> ssp. <i>murrayana</i> (Grev. & Balf.) Critchf.	Lodgepole Pine	T	FAC		Pinaceae	R
<i>Pinus coulteri</i> D. Don	Coulter Pine	T	.		Pinaceae	R
<i>Pinus flexilis</i> E. James	Limber Pine	T	.		Pinaceae	R
* <i>Pinus halepensis</i> Miller	Allepo Pine	T	.		Pinaceae	U
<i>Pinus jeffreyi</i> Greville & Balfour	Jeffrey Pine	T	.		Pinaceae	C
<i>Pinus lambertiana</i> Douglas	Sugar Pine	T	.		Pinaceae	O
<i>Pinus monophylla</i> Torrey & Frémont	Singleleaf Pinyon Pine	T	.		Pinaceae	C
* <i>Pinus muricata</i> D. Don	Bishop Pine	T	.		Pinaceae	R
<i>Pinus ponderosa</i> C. Lawson var. <i>ponderosa</i>	Pacific Ponderosa Pine	T	.		Pinaceae	S
* <i>Pinus radiata</i> D. Don	Monterey Pine	T	.		Pinaceae	R
<i>Pinus sabiniana</i> Douglas	Foothill or Gray Pine	T	.		Pinaceae	R
* <i>Pinus torreyana</i> Carrière ssp. <i>torreyana</i>	Torrey Pine	T	.		Pinaceae	R
<i>Piperia cooperi</i> (S. Watson) Rydb.	Chaparral Rein Orchid	PG	.		Orchidaceae	R, 4.2
<i>Piperia elegans</i> (Lindl.) Rydb. ssp. <i>elegans</i>	Elegant Rein-orchid	PG	.		Orchidaceae	R
<i>Piperia elongata</i> Rydb.	Dense-flowered Rein Orchid	PG	.		Orchidaceae	R
<i>Piperia michaelii</i> (Greene) Rydb.	Michael Piperia	PG	.		Orchidaceae	R, 4.2
<i>Piperia unalascensis</i> (Spreng.) Rydb	Slender-spire Orchid	PG	.		Orchidaceae	R
* <i>Piptatherum miliaceum</i> (L.) Cosson	Smilo Grass	PG	(FACU-)		Poaceae	C
* <i>Pistacia chinensis</i> Bunge	Chinese Pistachio	T	.		Anacardiaceae	R
* <i>Pisum sativum</i> L.	Garden or Sugar Pea	AV	.		Fabaceae	R
* <i>Pittosporum crassifolium</i> Banks & Sol. Ex A. Cunn.	Stiffleaf Cheesewood	T/S	.		Pittosporaceae	R
* <i>Pittosporum undulatum</i> Vent.	Victorian Box	T/S	.		Pittosporaceae	R
* <i>Pittosporum viridiflorum</i> Sims	Cape Cheesewood	T/S	.		Pittosporaceae	R
<i>Plagiobothrys acanthocarpus</i> (Piper) I.M. Johnston	Adobe Popcornflower	AH	OBL		Boraginaceae	R
<i>Plagiobothrys arizonicus</i> (Gray) Gray	Arizona Popcornflower	AH	.		Boraginaceae	R
<i>Plagiobothrys canescens</i> Benth.	Valley or Bracted Popcornflower	AH	.		Boraginaceae	R
? <i>Plagiobothrys collinus</i> var. <i>californicus</i> (A. Gray) Higgins	California Popcornflower	AH	.		Boraginaceae	X
<i>Plagiobothrys collinus</i> var. <i>fulvescens</i> (I.M. Johnston) Higgins	Popcornflower	AH	.		Boraginaceae	R
<u><i>Plagiobothrys collinus</i> var. <i>gracilis</i> (A. Gray) Higgins</u>	<u>Slender California Popcornflower</u>	AH	.		Boraginaceae	R
<i>Plagiobothrys hispidulus</i> (E. Greene) I.M. Johnston	Hispid Popcornflower	AH	.		Boraginaceae	R
<i>Plagiobothrys leptocladus</i> (E. Greene) I.M. Johnston	Alkali Popcornflower	AH	OBL		Boraginaceae	R
<i>Plagiobothrys nothofulvus</i> (A. Gray) A. Gray	Rusty Popcornflower	AH	FAC		Boraginaceae	S
<i>Plagiobothrys tenellus</i> (Nuttall) A. Gray	Slender Popcornflower	AH	FAC*		Boraginaceae	R
<i>Plagiobothrys undulatus</i> (Piper) I.M. Johnston	Undulate Popcornflower	AH	FACW+		Boraginaceae	R
* <i>Plantago coronopus</i> L.	Cut-leaved Plantain	A/BH	FAC		Plantaginaceae	R
<i>Plantago elongata</i> Pursh	Coastal Plantain	AH	FACW*		Plantaginaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Plantago erecta</i> E. Morris	California Plantain	AH	.		Plantaginaceae	S
* <i>Plantago lanceolata</i> L.	Narrowleaf or English Plantain, Ribgrass	PH	FAC-		Plantaginaceae	C
* <i>Plantago major</i> L.	Broadleaf Plantain	PH	FACW-		Plantaginaceae	C
<i>Plantago ovata</i> var. <i>fastigiata</i> (Morris) S.C. Meyers & A. Liston	Ovate Plantain	AH	FACU		Plantaginaceae	U
<i>Plantago ovata</i> var. <i>insularis</i> (Eastw.) S.C. Meyers & A. Liston	Ovate Plantain	AH	FACU		Plantaginaceae	U
<i>Plantago patagonica</i> Jacq.	Patagonia Plantain	AH	UPL		Plantaginaceae	R
<i>Plantago pusilla</i> Nuttall	Plantain	AH	FAC		Plantaginaceae	R
<i>Platanthera leucostachys</i> Lindley	White-flowered Bog-Orchid	PG	.		Orchidaceae	R
<i>Platanthera sparsiflora</i> (S. Watson) Schltr.	Few-flowered Rein Orchid	PG	FACW		Orchidaceae	R
<i>Platanus racemosa</i> Nuttall var. <i>racemosa</i>	California or Western Sycamore	T	FACW		Platanaceae	C
<i>Platystemon californicus</i> Benth. [var. <i>californicus</i> ]	Cream Cups	AH	.		Papaveraceae	O
? <i>Plectritis brachystemon</i> Fischer & C. Meyer	Small-flowered Pink Plectritis	AH	.		Valerianaceae	X
<i>Plectritis ciliosa</i> ssp. <i>insignis</i> (Suksd.) D. Morey	Petite Long-spurred Plectritis	AH	FACU		Valerianaceae	R
? <i>Plectritis congesta</i> ssp. <i>nitida</i> (A. Heller) Morey	Short-spur Seablush	AH	FACU		Valerianaceae	X
<i>Plectritis macrocera</i> Torrey & A. Gray	White Plectritis	AH	FACU*		Valerianaceae	R
<i>Pluchea odorata</i> (L.) Cass.	Saltmarsh Fleabane	P/AH	OBL		Asteraceae	U
<i>Pluchea sericea</i> (Nutt.) Coville	Arrow Weed	S	FACW		Asteraceae	R
* <i>Poa annua</i> L.	Annual Bluegrass	AG	FACW-		Poaceae	S
* <i>Poa bulbosa</i> ssp. <i>vivipara</i> (Koeler) Arcang.	Bulbose Bluegrass	PG	.		Poaceae	R
? <i>Poa douglasii</i> Nees	Sanddune Bluegrass	PG	UPL		Poaceae	X
<i>Poa howellii</i> Vasey & Scribn.	Howell's Bluegrass	AG	.		Poaceae	R
* <i>Poa palustris</i> L.	Palustrine Bluegrass	PG	FACW		Poaceae	R
* <i>Poa pratensis</i> L. ssp. <i>pratensis</i>	Kentucky Bluegrass	PG	FACU		Poaceae	R
<i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribner) R. Soreng	Rush Bluegrass	PG	FACU		Poaceae	R
<i>Poa secunda</i> J.S. Presl ssp. <i>secunda</i>	One-sided Bluegrass	PG	.		Poaceae	C
<i>Poa tenerrima</i> Scribn.	Delicate Bluegrass	PG	.		Poaceae	R
? <i>Pogogyne zizyphoroides</i> Bentham	Sacramento Mesamint	AH	OBL		Lamiaceae	X
<i>Polemonium micranthum</i> Benth.	Tiny Phlox	AH	.		Polemoniaceae	U
<i>Polycarpon depressum</i> Nutt.	California Allseed	AH	.		Caryophyllaceae	R
* <i>Polycarpon tetraphyllum</i> (L.) L.	Four-leaved Allseed	AH	.		Caryophyllaceae	U
<i>Polygala cornuta</i> var. <i>fishiae</i> (C. Parry) Jeps.	Fish Milkwort	S	(FAC)		Polygalaceae	C, 4.3
<i>Polygonum amphibium</i> var. <i>emersum</i> Michx.	Kelp, Water-Smartweed	PH	OBL		Polygonaceae	R
? <i>Polygonum amphibium</i> var. <i>stipulaceum</i> Coleman	Stipuled Water-Smartweed	PH	OBL		Polygonaceae	X
* <i>Polygonum argyrocoleon</i> Steudel ex Kunze	Silver-sheathed Knotweed	AH	FAC+		Polygonaceae	R
* <i>Polygonum aviculare</i> L. ssp. <i>aviculare</i>	Common Knotweed, Doorweed	AH	FAC		Polygonaceae	S
* <i>Polygonum aviculare</i> ssp. <i>depressum</i> Meisner in A.P. DC. & A.L.P.P. DC.	Common Knotweed, Doorweed	AH	FAC		Polygonaceae	C
* <i>Polygonum aviculare</i> ssp. <i>neglectum</i> (Besser) Arcangeli	Neglected Common Knotweed	AH	FAC		Polygonaceae	R
* <i>Polygonum balschuanicum</i> Regel *	Bukhara Fleeceflower	PV	.		Polygonaceae	X
* <i>Polygonum capitatum</i> D. Don	Capitate Knotweed	A/PH	.		Polygonaceae	R
* <i>Polygonum convolvulus</i> L.	Black Bindweed	AV	NI*		Polygonaceae	R
? <i>Polygonum douglasii</i> E. Greene ssp. <i>douglasii</i>	Douglas Knotweed	AH	FACU		Polygonaceae	X
<i>Polygonum douglasii</i> ssp. <i>johnstonii</i> (Munz) J. Hickman	Douglas Knotweed	AH	FACU		Polygonaceae	R
<i>Polygonum hydropiperoides</i> Michaux	Mild Water Pepper, Water Smartweed	PH	OBL		Polygonaceae	R
<i>Polygonum lapathifolium</i> L.	Willow Weed	AH	OBL		Polygonaceae	U
* <i>Polygonum persicaria</i> L.	Lady's Thumb, Spotted Persicaria	AH	FACW		Polygonaceae	R
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J. Hickman	Kellogg Knotweed	AH	NI		Polygonaceae	R
<i>Polygonum punctatum</i> Elliott	Dotted Smartweed	A/PH	OBL		Polygonaceae	U
* <i>Polygonum ramosissimum</i> Michaux	Yellow-flowered or Bush Knotweed	AH	FACU*		Polygonaceae	R
<i>Polygonum sawatchense</i> Small ssp. <i>sawatchense</i>	Sawatch Knotweed	AH	FACU		Polygonaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Polypodium californicum</i> Kaulfuss	California Polypody	PF	.		Polypodiaceae	S
<i>Polypodium hesperium</i> Maxon	Western Polypody	PF	.		Polypodiaceae	R
* <i>Polypogon australis</i> Brongn.	Chilean Beardgrass	PG	(OBL)		Poaceae	U
* <i>Polypogon interruptus</i> Kunth	Ditch Beardgrass	PG	OBL		Poaceae	R
* <i>Polypogon maritimus</i> Willd. var. <i>maritimus</i> *	Mediterranean Beardgrass	AG	OBL		Poaceae	R
* <i>Polypogon monspeliensis</i> (L.) Desf.	Rabbitsfoot or Annual Beardgrass	AG	FACW+		Poaceae	C
* <i>Polypogon viridis</i> (Gouan) Breistr. *	Green Bentgrass	PG	OBL		Poaceae	S
<i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner	Imbricate Sword Fern	PF	.		Dryopteridaceae	U
<i>Polystichum imbricans</i> (D.C. Eaton) D.H. Wagner ssp. <i>imbricans</i>	Imbricate Sword Fern	PF	.		Dryopteridaceae	R
* <i>Populus alba</i> L.	White Poplar	T	(FAC-)		Salicaceae	U
<i>Populus fremontii</i> Wats. ssp. <i>fremontii</i>	Fremont Cottonwood	T	FACW		Salicaceae	C
* <i>Populus nigra</i> L. var. <i>italica</i> Moench	Italian Poplar	T	.		Salicaceae	R
<i>Populus trichocarpa</i> Torrey & A. Gray	Black Cottonwood	T	FACW		Salicaceae	O
<i>Populus Xparryi</i> Sargent	Parry Cottonwood	T	FACW		Salicaceae	R
* <i>Portulaca oleracea</i> L.	Common Purslane	AH	FAC		Portulacaceae	O
* <i>Portulacaria afra</i> (L.) Jacq.	Elephant Bush	S	.		Portulacaceae	R
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed	PH	OBL		Potamogetonaceae	U
<i>Potamogeton nodosus</i> Poiret	Long-leaved Pondweed	PH	OBL		Potamogetonaceae	R
<i>Potentilla biennis</i> Greene	Biennial Cinquifol	BH	FACW		Rosaceae	R
<i>Potentilla gracilis</i> var. <i>elmeri</i> (Rydb.) Jepson	Elmer Slender Cinquifol	PH	FACW		Rosaceae	U
* <i>Potentilla norvegica</i> (L.) Scop.	Rough Cinquifol	A/BH	FAC*		Rosaceae	R
?* <i>Proboscidea lousianica</i> (Miller) Thell. ssp. <i>lousianica</i>	Common Unicorn-plant	AH	FAC*		Martyniaceae	X
* <i>Prosopis glandulosa</i> var. <i>torreyana</i> (L. Benson) M.C. Johnston	Western Honey Mesquite	T/S	FACU		Fabaceae	R
* <i>Prosopis pubescens</i> Benth.	Screwbean Mesquite	T/S	FAC		Fabaceae	R
* <i>Prunus armeniaca</i> L.	Plum	T	.		Rosaceae	R
* <i>Prunus caroliniana</i> (Mill.) Aiton	Carolina Cherry	S	.		Rosaceae	R
<i>Prunus emarginata</i> (Hooker) Walp.	Bitter Cherry	S	.		Rosaceae	R
<i>Prunus ilicifolia</i> (Nutt.) Walp. ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	.		Rosaceae	C
<i>Prunus ilicifolia</i> ssp. <i>lyonii</i> (Eastw.) P. Raven	<u>Catalina Cherry</u>	S	.		Rosaceae	R
<i>Prunus virginiana</i> var. <i>demissa</i> (Nuttall) Torrey	Western Choke Cherry	S	.		Rosaceae	S
<i>Pseudognaphalium beneolens</i> (A. Davidson) Anderberg	Coastal Everlasting	B/PH	.		Asteraceae	U
<i>Pseudognaphalium bioletti</i> Anderberg	Bicolored Everlasting	A/BH	.		Asteraceae	O
<i>Pseudognaphalium californicum</i> (DC.) Anderberg	Green Everlasting	A/BH	.		Asteraceae	C
? <i>Pseudognaphalium canescens</i> (de Candolle) Anderberg	Wright's Rabbit-tobacco	A/PH	.		Asteraceae	X
<i>Pseudognaphalium leucocephalum</i> (A.Gray) Anderberg	White or Sonora Everlasting	A/BH	(FACU-)		Asteraceae	S, 2,2
* <i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L. Burt	Cudweed Everlasting	AH	FACW-		Asteraceae	O
<i>Pseudognaphalium microcephalum</i> (Nuttall) Anderberg	White Everlasting	AH	.		Asteraceae	C
<i>Pseudognaphalium ramosissimum</i> (Nutt.) Anderberg	Pink Everlasting	BH	.		Asteraceae	U
* <i>Pseudognaphalium roseum</i> (Kunth) Anderberg	Rosy Rabbit-tobacco	PH	.		Asteraceae	R
<i>Pseudognaphalium stramineum</i> (Kunth) Anderberg	Western Everlasting, Cotton-batting Plant	A/BH	FAC-		Asteraceae	O
<i>Pseudognaphalium thermale</i> (E.E. Nelson) G.L. Nesom	Wright's Cudweed-everlasting	PH	.		Asteraceae	R
<i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman	False Chickweed	PH	.		Caryophyllaceae	R
<i>Pseudotsuga macrocarpa</i> (Vasey) Mayr	Bigcone Spruce or False Hemlock	T	.		Pinaceae	S
<i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i>	Woolly Marbles	AH	OBL		Asteraceae	R
<i>Psilocarphus chilensis</i> A. Gray	Round Woolly Marbles	AH	FAC		Asteraceae	R
<i>Psilocarphus tenellus</i> Nutt.	Slender Woolly Marbles	AH	FAC		Asteraceae	S
<i>Pteridium aquilinum</i> var. <i>pubescens</i> L. Underw.	Western Bracken [Fern]	PF	FACU		Dennstaedtiaceae	S
<i>Pterospora andromedea</i> Nuttall	Woodland Pinedrops	PH	.		Monotropaceae	R
<i>Pterostegia drymarioides</i> Fischer & C. Meyer	Fairy Mist	AH	.		Polygonaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Pulicaria paludosa</i> Link	Spanish Sunflower	PH	(FACW)	Asteraceae	R	
* <i>Punica granatum</i> L.	Pomegranate	S/T	.	Punicaceae	R	
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Bush	S	.	Rosaceae	U	
* <i>Pyracantha fortuneana</i> (Maxim.) Li	Chinese Firethorn	S	.	Rosaceae	R	
* <i>Pyracantha koidzumii</i> (Hayata) Rehder	Formosa Firethorn	S	.	Rosaceae	R	
<i>Pyrola asarifolia</i> Michx. ssp. <i>asarifolia</i>	Bog Wintergreen	PH	FACU	Pyrolaceae	R	
<i>Pyrola picta</i> Smith	White-veined Wintergreen	PH	.	Pyrolaceae	R	
? <i>Pyrrocoma racemosa</i> var. <i>paniculata</i> (Nutt.) J. Kartesz & K. Gandhi	Pyrocoma	S	.	Asteraceae	X	
<i>Pyrrocoma racemosa</i> var. <i>sessiliflora</i> (Greene) G.K. Br. & D.J. Keil	Clustered Goldenweed	S	FAC+	Asteraceae	R	
* <i>Pyrus communis</i> L.	Pear	T	.	Rosaceae	R	
<i>Quercus agrifolia</i> Nee var. <i>agrifolia</i>	Coast Live Oak	T	.	Fagaceae	C	
<i>Quercus berberidifolia</i> Leibm.	California Scrub Oak	S	.	Fagaceae	C	
<i>Quercus chrysolepis</i> Liebm.	Canyon Live or Goldencup Oak	T	.	Fagaceae	C	
<i>Quercus douglasii</i> H. & A.	Blue Oak	T	.	Fagaceae	R	
<i>Quercus douglasii</i> H. & A. X <i>Quercus lobata</i> Nee	White Oak Hybrid	T	.	Fagaceae	R	
<i>Quercus dumosa</i> Nutt.	Nuttall or Coastal Sage Scrub Oak	S	.	Fagaceae	R, 1B.1	
? <i>Quercus garryana</i> var. <i>breweri</i> (Engelm.) Jeps.	Brewer Oregon Oak	S	.	Fagaceae	X	
* <i>Quercus ilex</i> L.	Holly Oak	T	.	Fagaceae	R	
<i>Quercus john-tuckeri</i> K. Nixon & C.H. Muller	Tucker Oak, Desert Scrub Oak	S	.	Fagaceae	C	
<i>Quercus kelloggii</i> Newberry	Black Oak	T	.	Fagaceae	S	
<i>Quercus lobata</i> Nee	Valley Oak	T	FAC*	Fagaceae	O	
* <i>Quercus macrocarpa</i> Michaux	Burr Oak	T	FAC-	Fagaceae	R	
<i>Quercus palmeri</i> Engelm.	Palmer Oak	T	.	Fagaceae	R	
<u><i>Quercus tomentella</i> Engelm.</u>	<u>Channel Island Oak</u>	S	.	Fagaceae	R	
<i>Quercus turbinella</i> E. Greene ssp. <i>turbinella</i>	Desert Oak	S	.	Fagaceae	R	
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak	S	.	Fagaceae	S	
<i>Quercus wislizenii</i> A. de Candolle ssp. <i>wislizenii</i>	Interior Live Oak	T	.	Fagaceae	S	
<i>Quercus Xalvordiana</i> Eastwood	Alvord Oak	S/T	.	Fagaceae	R	
<i>Quercus Xmacdonaldii</i> Greene	MacDonald Oak	T	.	Fagaceae	R	
<i>Quercus Xmoreha</i> Kellogg	Oracle Oak	T	.	Fagaceae	R	
<i>Rafinesquia californica</i> Nutt.	California Rafinesquia or Chicory	AH	.	Asteraceae	C	
? <i>Ranunculus alismifolius</i> Geyer ex Benth. var. <i>alismellus</i> A. Gray	Water-plantain Buttercup	AH	FACW	Ranunculaceae	X	
<i>Ranunculus aquatilis</i> var. <i>capillaceus</i> (Thuill.) DC.	Slender White Water Crowfoot	AH	OBL	Ranunculaceae	R	
? <i>Ranunculus aquatilis</i> var. <i>diffusus</i> Withering	White Water Crowfoot	AH	OBL	Ranunculaceae	X	
<i>Ranunculus californicus</i> Bentham var. <i>californicus</i>	California Buttercup	PH	FAC	Ranunculaceae	U	
<i>Ranunculus canus</i> var. <i>ludovicianus</i> (E. Greene) L.D. Benson	Transverse Ranges Buttercup	PH	FAC*	Ranunculaceae	R	
<i>Ranunculus cymbalaria</i> Pursh	Desert Buttercup	PH	OBL	Ranunculaceae	S	
? <i>Ranunculus flammula</i> var. <i>ovalis</i> (J.M. Bigelow) L.D. Benson	Spearwort Buttercup	AH	FACW	Ranunculaceae	X	
<i>Ranunculus hebecarpus</i> Hooker & Arnott	Hebe-fruited Buttercup	AH	.	Ranunculaceae	R	
* <i>Raphanus raphanistrum</i> L.	Wild Radish	AH	.	Brassicaceae	R	
* <i>Raphanus sativus</i> L.	Wild Radish	AH	.	Brassicaceae	C	
* <i>Reseda alba</i> L.	White Mignonette	PH	.	Resedaceae	R	
<i>Rhamnus californica</i> Eschsch. ssp. <i>californica</i>	California Coffeeberry	S	.	Rhamnaceae	S	
<i>Rhamnus corcea</i> Nuttall	Spiny Redberry	S	.	Rhamnaceae	O	
<i>Rhamnus ilicifolia</i> Kellogg	Hollyleaf Redberry, Buckthorn	S	.	Rhamnaceae	C	
<i>Rhamnus tomentella</i> ssp. <i>cuspidata</i> (Greene) Sawyer	Cuspid Hoary Coffeeberry	S	.	Rhamnaceae	R	
<i>Rhamnus tomentella</i> Benth. ssp. <i>tomentella</i>	Hoary Coffeeberry	S	.	Rhamnaceae	C	
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson	Lemonade Berry	S	.	Anacardiaceae	C	
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson X <i>R. ovata</i> S. Watson	Lemonade Berry-Sugar Bush Hybrid	S	.	Anacardiaceae	R	

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
* <i>Rhus lancea</i> L.f.	African Sumac	S/T	.	.	Anacardiaceae	R
<i>Rhus ovata</i> S. Watson	Sugar Bush	S	.	.	Anacardiaceae	S
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush	S	NI	.	Anacardiaceae	U
<i>Rhus trilobata</i> var. <i>quinata</i> Jepson	Skunkbrush	S	NI	.	Anacardiaceae	S
<i>Ribes amarum</i> McClatchie var. <i>amarum</i>	Bitter Gooseberry	S	.	.	Grossulariaceae	R
<i>Ribes amarum</i> var. <i>hoffmannii</i> Munz	Hoffmann's Gooseberry	S	.	.	Grossulariaceae	R, 3
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	<u>Slender Golden Currant</u>	S	FACW	.	Grossulariaceae	R
<i>Ribes californicum</i> Hook. & Arn. var. <i>californicum</i>	California Gooseberry	S	.	.	Grossulariaceae	U
<i>Ribes californicum</i> var. <i>hesperium</i> (McClatchie) Jeps.	Southern Calif. Gooseberry	S	.	.	Grossulariaceae	S
<i>Ribes cereum</i> Douglas var. <i>cereum</i>	Wax Currant	S	NI	.	Grossulariaceae	U
<i>Ribes indecorum</i> Eastw.	White-flowered Currant	S	.	.	Grossulariaceae	R
<i>Ribes malvaceum</i> Sm. var. <i>malvaceum</i>	Chaparral Currant	S	.	.	Grossulariaceae	C
<i>Ribes malvaceum</i> var. <i>viridifolium</i> Abrams	Sticky Chaparral Currant	S	.	.	Grossulariaceae	S
<i>Ribes montigenum</i> McClatchie	Mountain Gooseberry	S	.	.	Grossulariaceae	R
<i>Ribes nevadense</i> Kellogg	Mountain Pink Currant	S	.	.	Grossulariaceae	R
<i>Ribes quercetorum</i> Greene	Oak Gooseberry	S	.	.	Grossulariaceae	U
<i>Ribes roezlii</i> Regel var. <i>roezlii</i>	Sierra Gooseberry	S	.	.	Grossulariaceae	U
<i>Ribes speciosum</i> Pursh	Fuchia-flowered Gooseberry	S	.	.	Grossulariaceae	S
<i>Ribes velutinum</i> Greene	Plateau Gooseberry	S	.	.	Grossulariaceae	R
* <i>Ricinus communis</i> L.	Castor Bean	S	FACU	.	Euphorbiaceae	C
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.	.	Asteraceae	U
* <i>Robinia pseudo-acacia</i> L.	Black Locust	T	FAC*	.	Fabaceae	U
<i>Romneya coulteri</i> Harvey	Coulter Matilija Poppy	S	.	.	Papaveraceae	U, 4, 2
<i>Romneya trichocalyx</i> Eastwood	Hairy Matilija Poppy	S	.	.	Papaveraceae	S
<i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton	Curved-pod Watercress	AH	OBL	.	Brassicaceae	R
<i>Rorippa palustris</i> (L.) Besser var. <i>palustris</i>	Western Riparian Yellow-cress	A/BH	OBL	.	Brassicaceae	R
* <i>Rorippa sylvestris</i> (L.) Besser	Creeping Yellowcress	PH	OBL	.	Brassicaceae	R
<i>Rosa californica</i> Cham. & Schldl.	California Wild Rose	S	FAC+	.	Rosaceae	S
<i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Ertter	Mojave Wild Rose	S	FAC-	.	Rosaceae	R
<i>Rosa woodsii</i> ssp. <i>ultramontana</i> (S. Watson) Roy L. Taylor & MacBryde	Interior Wild Rose	S	FAC-	.	Rosaceae	R
* <i>Rosmarinus officinalis</i> L.	Rosemary	S	.	.	Lamiaceae	R
<i>Rotala ramosoif</i> (L.) Koehne	Lowland Toothcup	AH	OBL	.	Lythraceae	R
* <i>Rubus armeniacus</i> Focke	Himalayan Blackberry	PV	FACW	.	Rosaceae	R
<i>Rubus leucodermis</i> Torrey & A. Gray	Whitebark or Western Raspberry	PV	.	.	Rosaceae	R
<i>Rubus parviflorus</i> Nuttall	Thimbleberry	S	FAC+	.	Rosaceae	R
* <i>Rubus pensilvanicus</i> Poirer	Pennsylvania Blackberry	PV	(FACW)	.	Rosaceae	R
<i>Rubus ursinus</i> Cham. & Schldl.	Pacific Blackberry	PV	FACW*	.	Rosaceae	C
* <i>Rumex acetosella</i> L.	Sheep Sorrel	PH	FAC-	.	Polygonaceae	R
* <i>Rumex conglomerates</i> Murray	Green, Clustered, or Whorled Dock	PH	FACW	.	Polygonaceae	U
* <i>Rumex crispus</i> L.	Curly Dock	PH	FACW-	.	Polygonaceae	C
<i>Rumex fueginus</i> var. <i>ovato-cordatus</i> Rech.f.	Oxnard Dock	PH	FACW	.	Polygonaceae	R, Type
<i>Rumex hymenosepalus</i> Torrey	Wild Rhubarb, Canaigre	PH	.	.	Polygonaceae	R
* <i>Rumex kernerii</i> Borbas	Kerner's Dock	PH	(FACW)	.	Polygonaceae	R
<i>Rumex maritimus</i> L.	Golden Dock	A/BH	OBL	.	Polygonaceae	R
* <i>Rumex obtusifolius</i> L. *	Bitter Dock	PH	FACW	.	Polygonaceae	X
<i>Rumex pulcher</i> L.	Fiddle dock	PH	FAC+	.	Polygonaceae	R
<i>Rumex salicifolius</i> var. <i>crassus</i> (Rech. f.) J. Howell	Willow Dock	PH	OBL	.	Polygonaceae	R
<i>Rumex salicifolius</i> var. <i>denticulatus</i> Torrey	Willow Dock	PH	OBL	.	Polygonaceae	R
<i>Rumex salicifolius</i> J.A. Weinm. var. <i>salicifolius</i>	Willow Dock	PH	OBL	.	Polygonaceae	S

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
				Status		
<i>Rupertia physodes</i> (Hook.) Grimes	Scurf-pea	PH	.		Fabaceae	R
<i>Ruppia cirrhosa</i> (Petagna) Grande	Spiral Wigeon-grass or Ditch-grass	PH	OBL		Potamogetonaceae	R
<i>Ruppia maritima</i> L.	Wigeon-grass, Ditch-grass	PH	OBL		Potamogetonaceae	R
* <i>Sagina apetala</i> L. ssp. <i>apetala</i>	Dwarf Pearlwort	AH	FAC		Caryophyllaceae	R
<i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow	Western Pearlwort	AH	FAC*		Caryophyllaceae	R
<i>Sagina saginoides</i> (L.) H. Karst.	Sagina, Arctic Pearlwort	AH	OBL		Caryophyllaceae	R
? <i>Sagittaria calycina</i> Engelmann var. <i>calycina</i>	Hooded Arrowhead	PH	OBL		Alismataceae	X
? <i>Sagittaria latifolia</i> Willd.	Broadleaf Arrow-head	PH	OBL		Alismataceae	X
<i>Sagittaria sanfordii</i> Greene	Sanford Arrow-head	PH	OBL		Alismataceae	R, 1B.2
<i>Salicornia bigelovii</i> Torrey	Bigelow Pickleweed	AH	OBL		Chenopodiaceae	R
<i>Salicornia depressa</i> Standley	Pickleweed	AH	OBL		Chenopodiaceae	R
? <sup>3</sup> <i>Salix babylonica</i> L.	Weeping Willow	T	FACW-		Salicaceae	X
<i>Salix exigua</i> Nuttall var. <i>exigua</i>	Narrowleaf Willow	S	OBL		Salicaceae	C
<i>Salix exigua</i> var. <i>hindsiana</i> (Bentham) Dorn	Hind's Willow	S	OBL		Salicaceae	C
<i>Salix gooddingii</i> C. Ball	Goodding Black Willow	T	OBL		Salicaceae	R
<i>Salix laevigata</i> Bebb.	Red Willow	T	FACW		Salicaceae	C
<i>Salix lasiandra</i> Benth. var. <i>lasiandra</i>	Shining [Yellow] Willow	T	OBL		Salicaceae	S
<u><i>Salix lasiolepis</i> var. <i>bigelovii</i> (Torrey) Bebb.</u>	<u>Bigelow Arroyo Willow</u>	T/S	FACW		Salicaceae	R
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae	C
<i>Salix melanopsis</i> Nuttall	Dusky Willow	S	FACW		Salicaceae	R
? <i>Salix sitchensis</i> Bong.	Sitka Willow	S/T	FACW+		Salicaceae	X
* <i>Salpichroa origanifolia</i> (Lam.) Baill. *	Salpichroa	PH	.		Solanaceae	R
* <i>Salsola australis</i> R. Br.	Australian Thistle	AH	FACU+		Chenopodiaceae	R
* <i>Salsola gobicola</i> Iljin	Gobi Thistle	AH	.		Chenopodiaceae	R
* <i>Salsola paulsenii</i> Litv.	Barbwire Thistle	AH	.		Chenopodiaceae	R
* <i>Salsola tragus</i> L.	Russian Thistle, Tumbleweed	AH	FACU+		Chenopodiaceae	C
<i>Saltugilia australis</i> (Mason & A. Grant) L.A. Johnson	Southern Gilia	AH	.		Polemoniaceae	R
<i>Saltugilia splendens</i> (H. Mason & A. Grant) L.A. Johnson ssp. <i>splendens</i>	Splendid Gilia	AH	.		Polemoniaceae	C
<i>Salvia apiana</i> Jeps. X <i>Salvia leucophylla</i> E. Greene	Hybrid White Sage	S	.		Lamiaceae	R
<i>Salvia apiana</i> Jepson	White Sage	S	.		Lamiaceae	C
* <i>Salvia azurea</i> var. <i>grandiflora</i> Bentham	Prairie Sage	PH	.		Lamiaceae	R
<i>Salvia carduacea</i> Benth.	Thistle Sage	PH	.		Lamiaceae	R
<i>Salvia columbariae</i> Benth.	Chia	AH	.		Lamiaceae	C
<i>Salvia dorrii</i> (Kellogg) Abrams var. <i>dorrii</i>	Desert Sage	S	.		Lamiaceae	R
<i>Salvia dorrii</i> var. <i>pilosa</i> (Gray) Strachan & Reveal	Pilose Desert Sage	S	.		Lamiaceae	R
<i>Salvia leucophylla</i> Greene	Purple Sage	S	.		Lamiaceae	C
<i>Salvia mellifera</i> Greene	Black Sage	S	.		Lamiaceae	C
<i>Salvia spathacea</i> Greene	Hummingbird Sage	PH	.		Lamiaceae	S
<i>Salvia Xbernardina</i> Parish ex Greene	Bernard's Sage	S	.		Lamiaceae	R
<i>Sambucus mexicana</i> C. Prsel	Blue Elderberry	S	FAC		Caprifoliaceae	C
<i>Sanicula arguta</i> J. Coulter & Rose	Southern California Sanicle	PH	.		Apiaceae	O
<i>Sanicula bipinnata</i> Hooker & Arnott	Poison Sanicle	PH	.		Apiaceae	S
<i>Sanicula bipinnatifida</i> Hooker	Purple Sanicle, Shoe Buttons	PH	.		Apiaceae	R
<i>Sanicula crassicaulis</i> Poepp. ex DC. var. <i>crassicaulis</i>	Pacific Sanicle, Snakeroot	PH	.		Apiaceae	S
<i>Sanicula graveolens</i> Peopp. ex DC.	Sanicle	PH	.		Apiaceae	R
? <i>Sanicula hoffmannii</i> (Munz) Shan & Constance	Hoffmann's Sanicle	PH	.		Apiaceae	X
<i>Sanicula tuberosa</i> Torrey	Tuberose Sanicle	PH	.		Apiaceae	R
<i>Sarcocornia</i> [ <i>Salicornia</i> ] <i>pacifica</i> (Standley) A.J. Scott	Virginia Pickleweed or Swampfire	S	OBL		Chenopodiaceae	S
<i>Sarcodes sanguinea</i> Torrey	Snow Plant	PH	.		Monotropaceae	U

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Saussurea americana</i> D. Eaton	American Sawwort	PH	(FACW)		Asteraceae	R, 2, 2
* <i>Scabiosa atropurpurea</i> L.	Pincushion Flower, Mourningbride	AH	.		Dipsacaceae	R
* <i>Scandix pecten-veneris</i> L.	Venus' Needle	AH	.		Apiaceae	R
* <i>Schinus molle</i> L.	Peruvian Pepper Tree	T	.		Anacardiaceae	C
* <i>Schinus terebenthifolius</i> Raddi	Brazilian Pepper Tree	T	.		Anacardiaceae	O
* <i>Schismus arabicus</i> Nees	Arabian Grass, Abu Mashi	AG	.		Poaceae	U
* <i>Schismus barbatus</i> (L.) Thell.	Mediterranean Grass	AG	.		Poaceae	S
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i> (S. Watson) S.G. Smith	Viscid Tule	PG	OBL		Cyperaceae	U
<i>Schoenoplectus americanus</i> (Pers.) Volkart ex Schinz & R. Keller	American Bulrush	PG	OBL		Cyperaceae	O
<i>Schoenoplectus californicus</i> (C. Meyer) Soják, Čas. Nár.	California Bulrush	PG	OBL		Cyperaceae	U
<i>Schoenoplectus pungens</i> var. <i>badius</i> (J. Presl & C. Presl) S.G. Smith	Common Threesquare	PG	OBL		Cyperaceae	U
<i>Schoenoplectus pungens</i> var. <i>longispicatus</i> (Britton) S.G. Smith	Common Threesquare	PG	OBL		Cyperaceae	U
<i>Schoenoplectus saximontanus</i> (Fern.) J. Raynal	Rocky Mountain Bulrush	AG	OBL*		Cyperaceae	R
<i>Schoenoplectus tabernaemontani</i> (C. Gmelin) Palla	Soft-stem Bulrush	PG	OBL		Cyperaceae	R
<i>Scirpus microcarpus</i> J. Presl & C. Presl	Small-fruited Bulrush	PG	OBL		Cyperaceae	U
<i>Scrophularia californica</i> Cham. & Schldl. ssp. <i>californica</i>	California Figwort	PH	FAC		Scrophulariaceae	S
<i>Scrophularia californica</i> ssp. <i>floribunda</i> (E. Greene) Shaw	Many-flowered Figwort	PH	FAC		Scrophulariaceae	R
? <i>Scutellaria bolanderi</i> ssp. <i>austromontana</i> Epling	Southern Skullcap	PH	FACW		Lamiaceae	X
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap	PH	.		Lamiaceae	U
<i>Scutellaria tuberosa</i> Benth.	Danny Skullcap	PH	.		Lamiaceae	U
* <i>Sedum praealtum</i> A. DC.	Green Cockscomb	S	.		Crassulaceae	R
<i>Selaginella bigelovii</i> Underwood	Bigelow Spike-moss, Bigelow Little Clubmoss	PF	.		Selaginellaceae	S
<i>Senecio aphanactis</i> Greene	California Groundsel, Rayless Ragwort	AH	.		Asteraceae	R, 2, 2
? <i>Senecio californicus</i> DC.	California Ragwort	AH	.		Asteraceae	X
<i>Senecio flaccidus</i> var. <i>douglasii</i> (DC.) B.L.Turner & T.M.Barkley	Shrubby Butterweed	S	.		Asteraceae	C
<i>Senecio flaccidus</i> var. <i>monoensis</i> (Greene) B.L.Turner & T.M.Barkley	Mono Butterweed	S	.		Asteraceae	R
* <i>Senecio mikanioides</i> Walp.	Cape or German Ivy	PV	(FACW)		Asteraceae	S
* <i>Senecio vulgaris</i> L.	Common Groundsel, Old Man-in-the-Spring	AH	NI*		Asteraceae	C
* <i>Senna artemisioides</i> (Gaudich. ex DC.) Randell	Silver Senna	S	.		Fabaceae	R
* <i>Setaria adhaerens</i> (Forssk.) Chiov. *	Bur Bristlegrass	AG	(FAC+)		Poaceae	R
<i>Setaria parviflora</i> (Poir.) Kerguelen	Knotroot Bristlegrass	PG	(FACW)		Poaceae	R
* <i>Setaria pumila</i> (Poir.) Roem. & Schult. ssp. <i>pumila</i>	Yellow Foxtail	AG	.		Poaceae	R
* <i>Setaria verticillata</i> (L.) Beauv. *	Hooked Beardgrass	AG	NI*		Poaceae	R
* <i>Setaria viridis</i> (L.) P. Beauv. var. <i>viridis</i>	Green Foxtail	AG	.		Poaceae	S
<i>Shepherdia argentea</i> Nutt.	Buffalo Berry, Silver Buffaloberry	S	.		Elaeagnaceae	U
* <i>Sherardia arvensis</i> L.	Field Madder	AH	.		Rubiaceae	R
<i>Sidalcea malviflora</i> ssp. <i>californica</i> (T. & G.) C.L. Hitchc.	California Globemallow	S	.		Malvaceae	S
<i>Sidalcea malviflora</i> ssp. <i>dolosa</i> C.L. Hitchcock	Dwarf Globemallow	PH	.		Malvaceae	R
<i>Sidalcea neomexicana</i> Gray	Salt Spring Checkermallow	PH	FACW		Malvaceae	R, 2, 2
<i>Sidalcea pedata</i> Gray	Bird-footed Checkerbloom	PH	OBL		Malvaceae	R
<i>Sidalcea sparsifolia</i> (C.L. Hitchc.) S.R. Hill	Few-leaved Globemallow	S	.		Malvaceae	O
<i>Sidoeca trilobata</i> (A. Gray) Reveal	Three-lobed Spineflower	AH	.		Polygonaceae	R
<i>Sidotheca caryophylloides</i> (C. Parry) Reveal	Chickweed Oxytheca	AH	.		Polygonaceae	R, 4, 3
<i>Silene antirrhina</i> L.	Snapdragon Campion, Catchfly	AH	.		Caryophyllaceae	U
<i>Silene bernardina</i> S. Watson	Palmer Campion	PH	.		Caryophyllaceae	R
* <i>Silene coniflora</i> Nees ex Oth	Many-veined Campion	AH	.		Caryophyllaceae	U
* <i>Silene dichotoma</i> Ehrh. ssp. <i>dichotoma</i>	Catchfly	AH	.		Caryophyllaceae	R
* <i>Silene gallica</i> L.	Windmill Pink	AH	.		Caryophyllaceae	O
<i>Silene laciniata</i> ssp. <i>californica</i> (Durand) J.K. Morton	California Indian Pink	PH	.		Caryophyllaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Silene laciniata</i> Cav. ssp. <i>laciniata</i>	Mexican or Indian Pink	PH	.		Caryophyllaceae	C
<i>Silene lemmonii</i> S. Watson	Lemmon Campion or Catchfly	PH	.		Caryophyllaceae	R
<i>Silene verecunda</i> ssp. <i>platyota</i> (S. Watson) C. Hitchc. & Maguire	Cuyamaca Campion	PH	.		Caryophyllaceae	S
* <i>Silybum marianum</i> (L.) Gaertner	Milk Thistle	AH	.		Asteraceae	C
* <i>Sinapis alba</i> L.	White Charlock	AH	OBL		Brassicaceae	R
* <i>Sinapis arvensis</i> L.	Charlock	AH	.		Brassicaceae	R
* <i>Sisymbrium altissimum</i> L.	Tumble Mustard	AH	FACU		Brassicaceae	S
* <i>Sisymbrium irio</i> L.	London Rocket	AH	.		Brassicaceae	S
* <i>Sisymbrium officinale</i> L.	Hedge Mustard	AH	.		Brassicaceae	S
* <i>Sisymbrium orientale</i> L.	Eastern Mustard, Hare's Ear Cabbage	AH	.		Brassicaceae	C
<i>Sisyrinchium bellum</i> S. Watson	Blue-eyed Grass	PH	FAC		Iridaceae	S
* <i>Solanum americanum</i> Miller	White Nightshade	A/PH	FAC		Solanaceae	S
* <i>Solanum carolinense</i> L. *	Carolina Horse Nettle	PH	NI		Solanaceae	R
* <i>Solanum dimidiatum</i> Raf. *	Torrey's Nightshade	PH	.		Solanaceae	R
<i>Solanum douglasii</i> Dunal	Douglas Nightshade	PH	FAC		Solanaceae	C
* <i>Solanum elaeagnifolium</i> Cav.	Silverleaf Horse-nettle	PH	.		Solanaceae	U
* <i>Solanum lanceolatum</i> Cav.	Lanceleaf Nightshade	S	.		Solanaceae	R
* <i>Solanum mauritianum</i> Scop. *	Earleaf Nightshade	PH	.		Solanaceae	R
* <i>Solanum nigrum</i> L.	Black Nightshade	AH	FACU		Solanaceae	R
<i>Solanum parishii</i> A.A. Heller	Parish Nightshade	S	.		Solanaceae	R
* <i>Solanum physalifolium</i> var. <i>nitidibaccatum</i> (Bitter) Edmonds *]	xxxx Nightshade	PH	.		Solanaceae	R
* <i>Solanum pseudocapsicum</i> L. *	Jerusalem Cherry	AH	.		Solanaceae	R
* <i>Solanum rantonnetii</i> Carriere ex Lescuy.	Blue Potatobush	S	.		Solanaceae	R
* <i>Solanum rostratum</i> Dunal	Buffalo-bur	AH	.		Solanaceae	R
* <i>Solanum sarrachoides</i> Sendtner	Hairy Nightshade	AH	.		Solanaceae	R
<i>Solanum umbelliferum</i> Eschsch.	Blue Witch	S	.		Solanaceae	U
<i>Solanum xanti</i> A. Gray var. <i>xanti</i>	Chaparral Nightshade	S	.		Solanaceae	C
* <i>Soleirolia soleirolii</i> (Requien) Dandy	Baby-tears	AH	(FACW)		Urticaceae	R
* <i>Solidago altissima</i> L. var. <i>altissima</i>	Late Goldenrod	PH	FACU		Asteraceae	R
* <i>Solidago altissima</i> var. <i>gilvosanescens</i> (Rydb.) Semple	Great Plains Late Goldenrod	PH	FACU		Asteraceae	R
<i>Solidago confinis</i> Gray	Southern Goldenrod	PH	FAC		Asteraceae	S
<i>Solidago guiradonis</i> Gray	Guirado Goldenrod	PH	(FACW)		Asteraceae	R, 4.2
<i>Solidago velutina</i> ssp. <i>californica</i> (Nutt.) Semple	California Goldenrod	PH	.		Asteraceae	S
<i>Solidago velutina</i> ssp. <i>sparsiflora</i> (A. Gray) Semple	Few-flowered Goldenrod	PH	.		Asteraceae	R
* <i>Soliva sessilis</i> Ruiz Lopez & Ravon	Common Soliva	AH	FAC*		Asteraceae	R
* <i>Sonchus asper</i> (L.) Hill ssp. <i>asper</i>	Prickly Sow-thistle	AH	FAC		Asteraceae	C
* <i>Sonchus oleraceus</i> L.	Common Sow-thistle	AH	NI*		Asteraceae	C
* <i>Sonchus tenerrimus</i> L.	<u>Sow-thistle</u>	A/BH	.		Asteraceae	U
* <i>Sorghum bicolor</i> (L.) Moench var. <i>bicolor</i>	Sorghum	AG	FAC*		Poaceae	U
* <i>Sorghum bicolor</i> ssp. <i>drummondii</i> (Nees ex Steud.) de Wet & Harlan	Sudangrass	PG	FAC*		Poaceae	R
* <i>Sorghum halapense</i> (L.) Pers.	Johnson Grass	PG	FACU		Poaceae	R
<i>Spartina foliosa</i> Trin.	California Cordgrass	PG	OBL		Poaceae	R
* <i>Spartium junceum</i> L.	Spanish Broom	S	.		Fabaceae	S
* <i>Spergula arvensis</i> L. ssp. <i>arvensis</i>	Stickwort, Starwort	AH	.		Caryophyllaceae	U
* <i>Spergularia bocconii</i> (Scheele) Merino	Sandspurrey	AH	.		Caryophyllaceae	S
<i>Spergularia macrotheca</i> (Hornem.) Heynh. var. <i>macrotheca</i>	Large[-flowered] Sandspurrey	AH	FAC+		Caryophyllaceae	S
<i>Spergularia macrotheca</i> var. <i>leucantha</i> (E. Greene) Robinson	White Large[-flowered] Sandspurrey	AH	FAC+		Caryophyllaceae	R
<i>Spergularia marina</i> (L.) Griseb.	Saltmarsh Sandspurrey	AH	OBL		Caryophyllaceae	S
* <i>Spergularia rubra</i> (L.) J.S. Presl & C. Presl	Purple or Red Sandspurrey	A/PH	FAC-		Caryophyllaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
* <i>Spergularia salina</i> (Pers.) Cambess.	Hairy Sandspurrey	AH	.		Caryophyllaceae	S
* <i>Spergularia villosa</i> (Pers.) Cambess.	Hairy Sandspurrey	AH	.		Caryophyllaceae	R
<i>Sphaeralcea ambigua</i> A. Gray var. <i>ambigua</i>	Apricot Mallow	S	.		Malvaceae	R
<i>Sphenosciadium capitellatum</i> Gray	Ranger Buttons, Swamp White Heads	PH	OBL		Apiaceae	R
? <sup>3</sup> <i>Spinacia oleracea</i> L.	Spinach	BH	.		Chenopodiaceae	X
? <i>Spirodela polyrrhiza</i> (L.) Schlied.	Duckmeat	AG	OBL		Araceae	X
? <i>Spirodela punctata</i> C. Thompson	Duckmeat	AH	OBL		Lemnaceae	X
<i>Sporobolus airoides</i> Torrey	Alkali Sacaton	PG	FAC+		Poaceae	R
<i>Sporobolus cryptandrus</i> (Torrey) A. Gray	Sand Dropseed	PG	UPL		Poaceae	R
? <sup>3</sup> <i>Sporobolus indicus</i> (L.) R. Br. var. <i>indicus</i> *	Smitgrass	PG	NI		Poaceae	X
<i>Stachys albens</i> A. Gray	Woolly or Whitestem Hedge Nettle	PH	OBL		Lamiaceae	O
<i>Stachys bullata</i> Benth.	Pink Hedge Nettle, Common Woodmint	PH	.		Lamiaceae	C
<i>Stachys rigida</i> Benth. var. <i>rigida</i>	Rigid Hedge Nettle	PH	FACW+		Lamiaceae	R
<i>Stanleya pinnata</i> (Pursh) Britton var. <i>pinnata</i>	Prince's Plume	S	.		Brassicaceae	S
<i>Stebbinsoseris heterocarpa</i> (Nuttall) Chambers	Chicory Microseris	AH	.		Asteraceae	U
* <i>Stellaria media</i> (L.) Vill.	Common Chickweed	AH	FACU		Caryophyllaceae	S
<i>Stellaria nitens</i> Nuttall	Shining Chickweed	AH	.		Caryophyllaceae	U
* <i>Stellaria pallida</i> (Dumort.) Piré	Pallid Chickweed	AH	FACU		Caryophyllaceae	R
<i>Stephanomeria cichoriacea</i> A. Gray	Fort Tejon Milk-aster, Chicory-leaved Milk-aster	PH	.		Asteraceae	S
? <i>Stephanomeria diegensis</i> Gottlieb	Diego Wirelettuce	AH	.		Asteraceae	X
<i>Stephanomeria exigua</i> ssp. <i>carotifera</i> (Hoover) Gottlieb	Carot Stephanomeria	AH	.		Asteraceae	S
<i>Stephanomeria exigua</i> ssp. <i>coronaria</i> (Greene) Gottlieb	Small Stephanomeria	AH	.		Asteraceae	S
<i>Stephanomeria exigua</i> Nuttall ssp. <i>exigua</i>	Small Stephanomeria	AH	.		Asteraceae	R
<i>Stephanomeria pauciflora</i> (Nutt.) Nelson var. <i>pauciflora</i>	Wire-lettuce	PH	.		Asteraceae	S
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i> (Greene) Gottlieb	Two-fruited Wreath Plant	AH	.		Asteraceae	R
<i>Stephanomeria virgata</i> Benth. ssp. <i>virgata</i>	Twiggy Wreath Plant, Tall Stephanomeria	AH	.		Asteraceae	C
<i>Stillingia linearifolia</i> S. Watson	Narrowleaf Stillingia	PH	(FAC-)		Euphorbiaceae	R
<i>Stillingia spinulosa</i> Torrey	Annual Toothleaf	PH	.		Euphorbiaceae	R
<i>Stipa speciosa</i> Trin. & Rupr.	Desert Needlegrass	PG	.		Poaceae	S
? <i>Streptanthella longirostris</i> Rydb.	Dwarf Jewelflower	AH	.		Brassicaceae	X
<i>Streptanthus campestris</i> S. Watson	Southern Jewelflower	B/PH	.		Brassicaceae	R, 1B.3
<i>Stuckenia pectinata</i> (L.) Börner	Fennel-leaf Pondweed	PH	OBL		Potamogetonaceae	R
<i>Stylocline gnaphaloides</i> Nuttall	Everlasting Nest Straw	AH	.		Asteraceae	U
<i>Stylomecon heterophylla</i> (Benth.) G.C. Taylor	Wind Poppy	AH	.		Papaveraceae	U
<i>Suaeda calceoliformis</i> (Hook.) Moq.	Horned Seablite	AH	FACW+		Chenopodiaceae	R
<i>Suaeda californica</i> S. Watson var. <i>californica</i>	California Seablite	PH	FACW+		Chenopodiaceae	R, FE, 1B.1
<i>Suaeda esteroa</i> Ferren & Whitmore	Estuary Seablite	S	(FACW)		Chenopodiaceae	R, 1B.2
<i>Suaeda nigra</i> (Rafinesque) J.F. Macbride	Bush Seepweed	S	FACW+		Chenopodiaceae	R
<i>Suaeda taxifolia</i> (Standley) Standley	Woolly Seablite	S	FACW+		Chenopodiaceae	O, 4.2
<i>Swertia neglecta</i> (H.M. Hall) Jeps.	Pine Green Gentian	PH	.		Gentianaceae	S, 4.3
<i>Symphoricarpos albus</i> var. <i>laevigatus</i> (Fern.) S.F. Blake	Snowberry	S	FACU		Caprifoliaceae	R
<i>Symphoricarpos mollis</i> Nuttall	Creeping or Trailing Snowberry	S	.		Caprifoliaceae	S
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i> (Rydb.) Dempster	Parish Snowberry	S	.		Caprifoliaceae	S
<i>Symphyotrichum ascendens</i> (Lindl.) G.L. Nesom	Long-leaved Aster	PH	.		Asteraceae	R
<i>Symphyotrichum chilense</i> (Nees) G.L. Nesom	Common California Aster	AH	FAC		Asteraceae	S
<i>Symphyotrichum greatae</i> (Parish) G.L. Nesom	Greata's Aster	PH	(FACW+)		Asteraceae	R, 1B.3
<i>Symphyotrichum lanceolatum</i> var. <i>hesperium</i> (A.Gray) G.L. Nesom	Siskiyou Aster	PH	OBL		Asteraceae	R
<i>Symphyotrichum lentum</i> (E. Greene) G.L. Nesom	Suisun Marsh Aster	PH	FAC		Asteraceae	R, 4.3
<i>Symphyotrichum spathulatum</i> (Lindl.) G.L. Nesom var. <i>spathulatum</i>	Western Mountain Aster	PH	FAC		Asteraceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Symphytotrichum subspicatum</i> (Nees) G.L. Nesom var. <i>subspicatum</i>	Douglas Aster	PH	FAC	Asteraceae	R	
? <sup>3</sup> <i>Symphytotrichum subulatum</i> var. <i>elongatum</i> (A.G. Jones & Lowry) S.D. Sundb.	Annual Saltmarsh Aster	AH	FACW	Asteraceae	X	
<i>Symphytotrichum subulatum</i> var. <i>parviflorum</i> (Nees) S.D. Sundb.	Annual Saltmarsh Aster	AH	FACW	Asteraceae	S	
<i>Syntrichopappus lemmonii</i> (A. Gray) A. Gray	Lemmon's Xerasid	AH	.	Asteraceae	R, 4.3	
* <i>Taeniantherum caput-medusae</i> (L.) Nevski *	Medusa Head	PG	.	Poaceae	R	
* <i>Tagetes erecta</i> L.	African or French Marigold	AH	.	Asteraceae	R	
? <sup>3</sup> <i>Tamarix chinensis</i> Lour.	Fivestamen Tamarisk	S	FACW	Tamaricaceae	X	
* <i>Tamarix gallica</i> L.	French Tamarisk	S/T	FACW	Tamaricaceae	R	
* <i>Tamarix parviflora</i> DC.	Smallflower Tamarisk	S/T	FAC	Tamaricaceae	R	
* <i>Tamarix ramosissima</i> Ledeb.	Tamarisk	T/S	FAC	Tamaricaceae	S	
* <i>Tanacetum parthenium</i> (L.) Sch. Bip.	Feverfew	PH	.	Asteraceae	R	
* <i>Taraxacum officinale</i> F.H. Wigg.	Common Dandelion	AH	FACU	Asteraceae	U	
<i>Tauschia arguta</i> (Torrey & Gray) J.F. Macbr.	Southern Tauschia	PH	.	Apiaceae	O	
<i>Tauschia hartwegii</i> (A.Gray) J.F. Macbr.	Hartweg Tauschia	PH	.	Apiaceae	U	
<i>Tauschia parishii</i> (Coulter & Rose) Macbr.	Parish Tauschia	PH	.	Apiaceae	S	
<i>Tetradymia canescens</i> DC.	Cottonthorn, Horsebush	S	.	Asteraceae	R	
<i>Tetradymia comosa</i> Gray	Cottonthorn, Horsebush	S	.	Asteraceae	R	
* <i>Tetragonia tetragonoides</i> (Pallas) Kuntze	New Zealand Spinach	AH	.	Aizoaceae	S	
<i>Thalictrum fendleri</i> Engelm ex Gray	Fendler Meadow-rue	PH	FACU	Ranunculaceae	R	
<i>Thalictrum polycarpum</i> (Torrey) S. Watson	Tall Western Meadow-rue	PH	.	Ranunculaceae	R	
? <i>Thelypteris puberula</i> var. <i>sonorensis</i> A.R. Smith	Sonoran Maiden Fern	PF	(FAC)	Thelypteridaceae	X	
<i>Thermopsis californica</i> var. <i>argentata</i> (Greene) Chen & Turner	Silvery False-Lupine	AH	.	Fabaceae	U, 4.3	
<i>Thermopsis macrophylla</i> Hook. & Arn. var. <i>macrophylla</i>	False-Lupine	PH	.	Fabaceae	R, SR, 1B.3	
<i>Thermopsis macrophylla</i> var. <i>venosa</i> (Eastwood) Isely	Slender Santa Ynez False-lupine	PH	.	Fabaceae	R	
* <i>Thinopyrum ponticum</i> (Podp.) Z.-W. Liu & R.-C. Wang *	Tall Wheatgrass	PG	.	Poaceae	R	
<i>Thysanocarpus conchuliferus</i> E. Greene	Santa Cruz Island Fringepod	AH	.	Brassicaceae	R	
<i>Thysanocarpus curvipes</i> Hooker var. <i>curvipes</i>	Fringe or Hairy Lace Pod	AH	.	Brassicaceae	S	
<i>Thysanocarpus laciniatus</i> Torrey & Gray var. <i>laciniatus</i>	Lace Pod	AH	.	Brassicaceae	C	
* <i>Torilis arvensis</i> (Hudson) Link	Hedge-parsley	AH	.	Apiaceae	R	
* <i>Torilis nodosa</i> (L.) Gaertner	Rattlesnake Weed	AH	.	Apiaceae	U	
<i>Toxicodendron diversilobum</i> (T. & G.) Greene	Western Poison Oak	S/V	(FACU)	Anacardiaceae	C	
* <i>Tragopogon porrifolius</i> L.	Salsify	PH	.	Asteraceae	R	
* <i>Tribulus terrestris</i> L.	Puncture Vine, Caltrop	AH	.	Zygophyllaceae	U	
<i>Trichostema austromontanum</i> Harlan Lewis ssp. <i>austromontanum</i>	San Jacinto Bluecurls	AH	OBL*	Lamiaceae	R	
<i>Trichostema lanatum</i> Bentham	Woolly Bluecurls, Romero	S	.	Lamiaceae	O	
<i>Trichostema lanceolatum</i> Benth.	Vinegar Weed	AH	.	Lamiaceae	S	
<i>Trichostema micranthum</i> Gray	Bluecurls	AH	FACW*	Lamiaceae	R	
<i>Trichostema ovatum</i> Curran	Ovate Bluecurls	AH	.	Lamiaceae	R	
? <i>Trichostema parishii</i> Vasey	Parish Bluecurls	S	.	Lamiaceae	X	
<i>Trifolium albopurpureum</i> T. & G. var. <i>albopurpureum</i>	Rancheria Clover	AH	.	Fabaceae	S	
<i>Trifolium bifidum</i> var. <i>decipiens</i> E. Greene	Pinole Clover	AH	.	Fabaceae	R	
<i>Trifolium ciliolatum</i> Benth.	Ciliate or Tree Clover	AH	.	Fabaceae	U	
<i>Trifolium cyathiferum</i> Lindley	Mountain Clover	AH	FACW	Fabaceae	R	
<i>Trifolium depauperatum</i> var. <i>amplectens</i> (T. & G.) L.F. McDermott	Dwarf Sack Clover	AH	FAC-	Fabaceae	R	
<i>Trifolium depauperatum</i> var. <i>truncatum</i> (Greene) Islay	Truncate Dwarf Sack Clover	AH	FAC-	Fabaceae	U	
<i>Trifolium dichotomum</i> Hook. & Arn.	Branched Indian Clover	AH	.	Fabaceae	R	
* <i>Trifolium dubium</i> Sibth.	Little Hop Clover	AH	FACU*	Fabaceae	R	
* <i>Trifolium fragiferum</i> L.	Strawberry Clover	PH	NI*	Fabaceae	R	
<i>Trifolium fucatum</i> Lindley	Bull Clover	AH	FAC	Fabaceae	U	

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Trifolium gracilentum</i> T. & G. var. <i>gracilentum</i>	Pin-point Clover	AH	.		Fabaceae	O
<i>Trifolium hirtum</i> All.	Rose Clover	AH	.		Fabaceae	U
<i>Trifolium longipes</i> ssp. <i>atrorubens</i> (Greene) J.M. Gillett	Purple Clover	AH	FACU*		Fabaceae	R
<i>Trifolium microcephalum</i> Pursh	Tiny-head Clover	AH	FACU*		Fabaceae	S
<u><i>Trifolium microdon</i> Hook. &amp; Arn.</u>	<u>Tiny-head Clover</u>	AH	(FAC-)		Fabaceae	R
<i>Trifolium monanthum</i> var. <i>grantianum</i> (A.A. Heller) Parish	Carpet Clover	PH	FACW		Fabaceae	R
<i>Trifolium monanthum</i> Gray var. <i>monanthum</i>	Carpet Clover	PH	FACW		Fabaceae	R
<i>Trifolium obtusiflorum</i> Hooker & Arnott	Creek Clover	PH	FAC*		Fabaceae	U
<u><i>Trifolium palmeri</i> S. Watson</u>	<u>Palmer Pinpoint Clover</u>	AH	.		Fabaceae	R
* <i>Trifolium repens</i> L.	White Clover	AH	FACU+		Fabaceae	U
* <i>Trifolium resupinatum</i> L.	Reversed Clover	AH	.		Fabaceae	R
<i>Trifolium</i> species nova	new Clover	AH	.		Fabaceae	R
<i>Trifolium variegatum</i> Nutt. var. <i>variegatum</i>	Whitetip Clover	AH	FACW-		Fabaceae	R
<i>Trifolium willdenovii</i> Sprengel	Tomcat Clover	AH	.		Fabaceae	S
<i>Trifolium wormskioldii</i> Lehm.	Cows Clover	PH	FACW		Fabaceae	R
<i>Triglochin concinna</i> Davy var. <i>concinna</i>	Utah Arrow-grass	PG	OBL		Juncaginaceae	R
<i>Triglochin maritima</i> L.	Seaside Arrow-grass	PG	OBL		Juncaginaceae	R
? <i>Triglochin scilloides</i> (Poir.) Mering & Kadereit	Flowering Quillwort	AH	OBL		Juncaginaceae	X
<i>Triglochin striata</i> R. & P.	Three-ribbed Arrow-grass	PG	OBL		Juncaginaceae	R
? <i>Triodanis biflora</i> (Ruiz Lopez & Pavon) Greene	Venus Looking-glass	AH	.		Campanulaceae	X
? <i>Triteleia dudleyi</i> Hoover	Dudley Triteleia	PH	.		Themidaceae	X
? <i>Triteleia hyacinthina</i> (Lindley) E. Greene	White Triteleia	PH	FACW*		Themidaceae	X
<i>Triteleia ixioides</i> (Aif. F.) Greene ssp. <i>ixioides</i>	Golden Brodiaea	PH	.		Themidaceae	R
? <i>Triteleia ixioides</i> ssp. <i>scabra</i> (E. Greene) L. Lenz	Golden Brodiaea	PH	.		Themidaceae	X
? <i>Triteleia laxa</i> Bentham	Ithuriel's Spear	PH	.		Themidaceae	X
* <i>Triticum aestivum</i> L.	Cultivated Wheat	AG	.		Poaceae	S
* <i>Tropaeolum majus</i> L.	Garden Nasturtium	PH	(FAC-)		Tropaeolaceae	R
<i>Tropidocarpum gracile</i> Hook.	Slender Tropidocarpum	AH	.		Brassicaceae	R
<i>Turricula parryi</i> (A. Gray) J.F. Macbr.	Poodle-dog Bush	S	.		Boraginaceae	O
<i>Turritis glabra</i> L.	Tower Mustard	BH	.		Brassicaceae	S
<i>Typha angustifolia</i> L.	Slender Cattail	PH	OBL		Typhaceae	R
<i>Typha domingensis</i> Pers.	Southern Cattail	PH	OBL		Typhaceae	S
<i>Typha latifolia</i> L.	Broad-leaved Cattail, Soft Flag	PH	OBL		Typhaceae	U
<i>Typha Xdomingensis</i> Pers.	Southern Cattail Hybrid	PH	OBL		Typhaceae	R
* <i>Ulmus minor</i> Mill.	English Elm	T	.		Ulmaceae	R
* <i>Ulmus parvifolia</i> Jacquin	Chinese Elm, Lacebark Elm	T	.		Ulmaceae	R
* <i>Ulmus pumila</i> L.	Siberian Elm	T	.		Ulmaceae	R
<i>Umbellularia californica</i> (Hook. & Arn.) Nutt. var. <i>californica</i>	California Bay	T	FAC		Lauraceae	C
<i>Uropappus lindleyi</i> (DC.) Nutt.	Silver Puffs	AH	.		Asteraceae	C
* <i>Urospermum picroides</i> (L.) Scop. ex Schmidt	Prickly Goldenfleece	A/PH	.		Asteraceae	R
<i>Urtica dioica</i> L. ssp. <i>holosericea</i> (Nutt.) Thorne	Hoary or Giant Stinging Nettle	PH	FACW		Urticaceae	O
* <i>Urtica urens</i> L.	Dwarf or Dog Nettle	AH	.		Urticaceae	S
? <i>Utricularia vulgaris</i> L.	Bladderwort	PH	(OBL)		Lentibulariaceae	X
? <i>Vaccinium ovatum</i> Pursh	California Huckleberry	S	.		Ericaceae	X
<i>Venegasia carpesioides</i> DC.	Canyon Sunflower	PH/S	.		Asteraceae	C
<i>Veratrum californicum</i> Durand var. <i>californicum</i>	California False Hellebore	PG	OBL		Melanthiaceae	R
* <i>Verbascum blattaria</i> L.	Moth Mullein	BH	FACW		Scrophulariaceae	R
? <i>Verbascum thapsus</i> L.	Woolly Mullein	BH	.		Scrophulariaceae	X
* <i>Verbascum virgatum</i> Stokes	Wand Mullein	BH	(FACW)		Scrophulariaceae	R

**Checklist of Vascular Plant Flora of Ventura County, California**  
**By David L. Magney**

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Habit	Status		
<i>Verbena bracteata</i> Lagasca & J.D. Rodriguez	Prostrate Verbena	A/BH	FACW	Verbenaceae	R	
<i>Verbena lasiostachys</i> Link. var. <i>lasiostachys</i>	Western Verbena	AH	FAC-	Verbenaceae	C	
<i>Verbena lasiostachys</i> var. <i>scabrida</i> Mold.	Rough Western Verbena	AH	FACW	Verbenaceae	R	
* <i>Verbena tenuisecta</i> Briq.	Paraguay Verbena	PH	(FAC-)	Verbenaceae	R	
* <i>Verbesina encelioides</i> (Cav.) A.Gray ssp. <i>encelioides</i>	Big-leaved Crownbeard	AH	FAC	Asteraceae	R	
* <i>Verbesina encelioides</i> ssp. <i>exauriculata</i> Robinson & Greenman	Golden Crownbeard	AH	FAC	Asteraceae	S	
<i>Veronica americana</i> (Raf.) Schwiene	American Brooklime	PH	OBL	Plantaginaceae	S	
* <i>Veronica anagallis-aquatica</i> L.	Water or Common Speedwell	PH	OBL	Plantaginaceae	C	
* <i>Veronica arvensis</i> L.	Common Speedwell	AH	NI	Plantaginaceae	R	
<i>Veronica peregrina</i> ssp. <i>xalapensis</i> (Kunth) Pennell	Purslane Speedwell	AH	OBL	Plantaginaceae	U	
* <i>Veronica persica</i> Poiret	Persian Speedwell	AH	.	Plantaginaceae	R	
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i> (Dickson) Syme	Tyme-leaved Speedwell	AH	NI*	Plantaginaceae	R	
<i>Vicia americana</i> Willd. var. <i>americana</i>	American Vetch	PH	NI	Fabaceae	U	
* <i>Vicia benghalensis</i> L.	Mediterranean Vetch	AH	.	Fabaceae	S	
* <i>Vicia faba</i> L.	Broad or Horse Bean	AH	.	Fabaceae	R	
<i>Vicia hassei</i> S. Watson	Hasse Vetch	AH	.	Fabaceae	R	
? <sup>3</sup> <i>Vicia hirsuta</i> (L.) S.F. Gray	Hirsute Vetch	AH	.	Fabaceae	X	
<i>Vicia ludoviciana</i> Nutt. var. <i>ludoviciana</i>	Vetch	AH	NI	Fabaceae	R	
* <i>Vicia sativa</i> ssp. <i>nigra</i> (L.) Erhart	Narrow-leaved Vetch	AH	FACU	Fabaceae	R	
* <i>Vicia sativa</i> L. ssp. <i>sativa</i>	Common or Spring Vetch	AH	FACU	Fabaceae	R	
* <i>Vicia tetrasperma</i> (L.) Schreb.	Sparrow Vetch	AV	.	Fabaceae	R	
* <i>Vicia villosa</i> ssp. <i>varia</i> (Host) Corbière	Hairy or Winter Vetch	AH	.	Fabaceae	U	
* <i>Vicia villosa</i> Roth ssp. <i>villosa</i>	Hairy or Winter Vetch	AH	.	Fabaceae	R	
* <i>Vinca major</i> L.	Greater Periwinkle	PV	(FAC)	Apocynaceae	S	
* <i>Vinca minor</i> L.	Lesser Periwinkle	PV	.	Apocynaceae	R	
<i>Viola aurea</i> Kellogg	Golden Violet	PH	.	Violaceae	R	
<i>Viola macloskeyi</i> F.E. Lloyd ssp. <i>macloskeyi</i>	Small White Violet	PH	OBL	Violaceae	R	
<i>Viola pedunculata</i> T. & G. ssp. <i>pedunculata</i>	Johnny-Jump-Up	PH	.	Violaceae	S	
<i>Viola pedunculata</i> ssp. <i>tenuifolia</i> M.S. Baker & J.C. Clausen	Johnny-Jump-Up	PH	.	Violaceae	R	
<i>Viola pinetorum</i> ssp. <i>grisea</i> (Jeps.) R.J. Little	Gray-leaved Violet	PH	.	Violaceae	R, 1B,3	
<i>Viola pinetorum</i> Greene ssp. <i>pinetorum</i>	Mountain Violet	PH	.	Violaceae	U	
<i>Viola purpurea</i> ssp. <i>mohavensis</i> (M. Baker & J. Clausen) J. Clausen	Mojave Yellow Violet	PH	.	Violaceae	U	
<i>Viola purpurea</i> Kellogg ssp. <i>purpurea</i>	Purple or Mountain Violet	PH	.	Violaceae	U	
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.	Violaceae	U	
<i>Viola purpurea</i> ssp. <i>venosa</i> (S. Watson) M.S. Baker & J.C. Clausen	Mountain Violet	PH	.	Violaceae	R	
? <i>Viola sheltonii</i> Torrey	Shelton Violet	PH	.	Violaceae	X	
* <i>Viola tricolor</i> L.	Wild Pansy	PH	.	Violaceae	R	
* <i>Vitis aestivalis</i> Michx. var. <i>aestivalis</i> *	Summer Grape	PV	NO	Vitaceae	R	
<i>Vitis californica</i> Benth.	California Wild Grape	PV	FACW	Vitaceae	R	
<i>Vitis girdiana</i> Munson	Desert Wild Grape	PV	(FACW)	Vitaceae	R	
* <i>Vitis labrusca</i> L. *	Grape	PV	NO	Vitaceae	R	
* <i>Vitis vinifera</i> L. *	Wine Grape	PV	.	Vitaceae	R	
* <i>Vulpia bromoides</i> (L.) S.F. Gray	Slender Fescue	AG	FACW	Poaceae	S	
<i>Vulpia microstachys</i> var. <i>ciliata</i> (Beal) Lonard & Gould	Ciliate Fescue	AG	.	Poaceae	S	
<i>Vulpia microstachys</i> var. <i>confusa</i> (Piper) Lonard & Gould	Fescue	AG	.	Poaceae	R	
? <i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>microstachys</i>	Small Fescue	AG	.	Poaceae	S	
<i>Vulpia microstachys</i> var. <i>pauciflora</i> (Beal) Lonard & Gould	Few-flowered Side-oats	AG	.	Poaceae	O	
* <i>Vulpia myuros</i> forma <i>megalura</i> (Nutt.) Stace & R. Cotton *	Foxtail Fescue	AG	FACU*	Poaceae	S	
* <i>Vulpia myuros</i> (L.) C. Gnelin forma <i>myuros</i> *	Rattail Fescue	AG	FACU*	Poaceae	C	

# Checklist of Vascular Plant Flora of Ventura County, California

## By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance Status
			Status			
<i>Vulpia octoflora</i> var. <i>hirtella</i> (Piper) Henrard	Sixweeks Fescue	AG	.		Poaceae	R
<i>Vulpia octoflora</i> (Walter) Rydb. var. <i>octoflora</i>	Sixweeks Fescue	AG	.		Poaceae	S
* <i>Washingtonia filifera</i> (André) de Bary	California Fan Palm	T	FACW		Arecaceae	R
* <i>Washingtonia robusta</i> H. Wendl.	Mexican Fan Palm	T	(FACW)		Arecaceae	S
? <i>Wolffia borealis</i> Landolt & O. Wildi	Water-meal	AG	OBL		Araceae	X
? <i>Wolffia columbiana</i> Karsten	Coastal Water-meal	AG	OBL		Araceae	X
? <i>Wolffia globosa</i> Hartog & Plas	Globe Water-meal	AG	OBL		Araceae	X
? <i>Wolffiella lingulata</i> Hegelm.	Mud-midget	AG	OBL		Araceae	X
? <i>Wolffiella oblonga</i> (Phil.) Hegelm.	Oblong Water-meal	AG	OBL		Araceae	X
<i>Woodwardia fimbriata</i> Smith in Rees	Giant Chain Fern	PF	FACW+		Blechnaceae	S
? <i>Wyethia ovata</i> T. & G.	Mule-ears	PH	.		Asteraceae	X
<i>Xanthium spinosum</i> L.	Spiny or Spring Clotbur	AH	FAC+		Asteraceae	O
<i>Xanthium strumarium</i> L.	Cocklebur	AH	FAC+		Asteraceae	O
<i>Yabea microcarpa</i> (Hooker & Arnott) Koso-Pol.	Yabea	AH	.		Apiaceae	R
? <i>Yucca brevifolia</i> var. <i>herbertii</i> (J.M. Webber) Munz	Herbert Joshua Tree	S	.		Agavaceae	X
<i>Zannichellia palustris</i> L.	Horned-Pondweed	PG	OBL		Potamogetonaceae	R
* <i>Zantedeschia aethiopica</i> (L.) Springel	Calla Lily	PG	OBL		Araceae	R
<i>Zeltnera exaltata</i> (Griseb.) G. Mans.	Great Basin Centaury	AH	FACW		Gentianaceae	U
? <i>Zeltnera muhlenbergii</i> (Griseb.) G. Mans	Monterey Centaury	AH	FAC		Gentianaceae	X
<i>Zeltnera venusta</i> (A. Gray) G. Mans	Beautiful Centaury, Canchalagua	AH	.		Gentianaceae	R
<i>Zigadenus brevibracteatus</i> (M.E. Jones) H.M. Hall	Desert Zigadene	PH	.		Melanthiaceae	S
<i>Zigadenus fremontii</i> (Torrey) S. Watson	Star Lily	PH	.		Melanthiaceae	O
<i>Zostera marina</i> L.	<u>Eel-grass</u>	PH	OBL		Zosteraceae	R

Notes: Scientific nomenclature follows the Flora of North America (1993-2011), Hickman (1993), The Jepson Manual (2011), Gordon-Reedy (1990), and Broich (1987).

Most current taxonomy is followed when changed have occurred since publication of the above listed references.

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

Underlined names indicate those found only on the Channel Islands.

An "\*" indicates non-native taxa that have become naturalized or persist without cultivation.

A ? indicates taxa that are expected to occur in the County but have not been seen.

#### Habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Reed 1988): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

\* = a tentative assignment to that indicator status by Reed (1988).

A period "." indicates that no wetland indicator status has been given in Reed (1988).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

# Checklist of Vascular Plant Flora of Ventura County, California

## By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family	Abundance Status
Abundance status definitions:					
R = Rare (1-5 extant populations known)	FE = Federally listed Endangered		1A = CNPS 1A		
U = Uncommon (6-10 extant populations known)	FT = Federally listed Threatened		1B.x = CNPS 1B		
S = Scattered (11-20 extant populations known)	SE = California listed Endangered		2.x = CNPS 2		
O = Occasional (21-30 extant populations known)	ST = California listed Threatened		3.x = CNPS 3		
C = Common (>30 extant populations known)	SR = California listed Rare		4.x = CNPS 4		
X = Expected but not yet found					
Developed by David L. Magney 2011. Checklist may be used for educational and nonprofit purposes only. Based on voucher specimens at one or more California public herbaria and direct observations by author.					