

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Abies lowiana</i> (Gordon & Glendinning) A. Murray bis	California White Fir	T	.		Pinaceae
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst	Heartleaf Thornmint	AH	.		Lamiaceae
<i>Achillea millefolium</i> L. var. <i>millefolium</i>	White Yarrow	PH	FACU		Asteraceae
<i>Achillea millefolium</i> var. <i>occidentale</i> DC.	Woolly White Yarrow	PH	FACU		Asteraceae
<i>Acmispon americanus</i> (Nuttall) Rydb. var. <i>americanus</i>	American Birds-foot Trefoil	AH	UPL		Fabaceae
<i>Acmispon glaber</i> (Vogel) Brouillet var. <i>glaber</i>	Deerweed, California Broom	PH	.		Fabaceae
<i>Acmispon procumbens</i> (E. Greene) Brouillet var. <i>procumbens</i>	Silky California Broom	PH	.		Fabaceae
<i>Acmispon wrangelianus</i> (Fischer & C. Meyer) D.D. Sokoloff	Chile Lotus or Hosackia	AH	.		Fabaceae
<i>Adenostoma fasciculatum</i> Hook. & Arn. var. <i>fasciculatum</i>	Chamise	S	.		Rosaceae
<i>Agoseris grandiflora</i> (Nutt.) Greene var. <i>leptophylla</i>	Bigflower Mountain Dandelion	PH	.		Asteraceae
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i> Greene	Mountain Dandelion	AH	.		Asteraceae
<i>Agoseris heterophylla</i> (Nutt.) Greene var. <i>heterophylla</i>	Mountain Dandelion	AH	.		Asteraceae
<i>Agoseris retrorsa</i> (Benth) E. Greene	Spear-leaved Mountain Dandelion	PH	.		Asteraceae
<i>Agrostis exarata</i> Trin.	Western or Spike Bentgrass	PG	FACW		Poaceae
<i>Allium burlewii</i> A. Davidson	Burlew Onion	PG	.		Alliaceae
<i>Allium campanulatum</i> S. Watson	Sierra Onion	PG	.		Alliaceae
<i>Allium cratericola</i> Eastw.	Cratered Onion	PG	.		Alliaceae
<i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i>	Fringed Onion	PG	.		Alliaceae
<i>Allium howellii</i> var. <i>howellii</i>	Howell's Onion	PG	.		Alliaceae
<i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i>	Pitted Onion	PG	.		Alliaceae
<i>Allophylllum gilioides</i> ssp. <i>violaceum</i> (A.A. Heller) Day	Violet Phlox	AH	FAC		Polemoniaceae
<i>Amelanchier utahensis</i> Koehne	Utah Serviceberry	S	FACU		Rosaceae
<i>Aphyllon californicum</i> ssp. <i>feudgei</i> (Munz) A.C. Schneid.	California Sagebrush Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon franciscanum</i> (Achey) A.C. Schneid [<i>A. fasciculatum</i>]	Clustered Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon parishii</i> (Jeps.) A.C. Schneid. ssp. <i>parishii</i>	Parish Broom-rape	PH	.		Orobanchaceae
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine	PH	FAC		Ranunculaceae
<i>Arceuthobium campylopodum</i> Engelm.	Western Dwarf Mistletoe	PH	.		Viscaceae
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.		Ericaceae
<i>Arctostaphylos glauca</i> Lindley	Bigberry Manzanita	S	.		Ericaceae
<i>Arctostaphylos parryana</i> Lemmon ssp. <i>parryana</i>	Parry Manzanita	S	.		Ericaceae
<i>Argemone munita</i> Durand & Hilgard ssp. <i>munita</i>	Prickly Poppy, Chicalote	AH	.		Papaveraceae
<i>Argemone munita</i> ssp. <i>rotundata</i> (Rydb) G.B. Ownbey	Prickly Poppy, Chicalote	AH	.		Papaveraceae
<i>Artemisia douglasiana</i> Besser	Mugwort	PH	FAC		Asteraceae
<i>Artemisia dracunculus</i> L.	Tarragon, Dragon Tarragon	PH	(FACW)		Asteraceae
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements	Parish Great Basin Sagebrush	S	.		Asteraceae
<i>Artemisia tridentata</i> Nuttall ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.		Asteraceae
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Mountain Sagebrush	S	.		Asteraceae
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.		Apocynaceae
<i>Asclepias eriocarpa</i> Benth	Kotolo, Indian Milkweed	PH	.		Apocynaceae
<i>Asclepias fascicularis</i> Decne.	Narrowleaf Milkweed	PH	FAC		Apocynaceae
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch	PH	.		Fabaceae
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed	PH	.		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>frémontii</i> (A.Gray) S. Watson	Fremont Spotted Locoweed	PH	UPL		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i> M.E. Jones	Idria Freckled Locoweed	PH	UPL		Fabaceae
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch	PH	UPL		Fabaceae
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod	PH	.		Fabaceae
<i>Astragalus pachypus</i> E. Greene var. <i>pachypus</i>	Thickpod Milkvetch	PH	.		Fabaceae
<i>Astragalus purshii</i> var. <i>tinctus</i> M.E. Jones	Pursh Woollypod	PH	.		Fabaceae
<i>Balsamorhiza deltoidea</i> Nuttall	Balsamroot, Chuchupate	PH	.		Asteraceae
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH	FACW		Brassicaceae
<i>Bloomeria crocea</i> (Torrey) Cov. var. <i>crocea</i>	Goldenstars	PG	.		Themidaceae
<i>Bloomeria crocea</i> var. <i>montana</i> (E. Greene) Ingram	Mountain Goldenstars	PG	.		Themidaceae
<i>Boechera pulchra</i> (M.E. Jones ex S. Watson) W.A. Weber	Desert Rock Cress	PH	.		Brassicaceae
<i>Brickellia californica</i> (T. & G.) Gray	California Brickellbush	S	FACU		Asteraceae
<i>Bromus carinatus</i> Hooker & Arnott var. <i>carinatus</i> [<i>B. sitchensis</i> var. <i>c.</i>]	California Brome	PG	.		Poaceae
* <i>Bromus madritensis</i> ssp. <i>rubens</i> (L.) Husnot [<i>B. rubens</i>]*	Red Brome	AG	UPL		Poaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
* <i>Bromus tectorum</i> L. var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.		Poaceae
<i>Calochortus invenustus</i> E. Greene	Plain Mariposa Lily	PG	.		Liliaceae
<i>Calochortus kennedyi</i> Porter var. <i>kennedyi</i>	Red Mariposa Lily	PG	.		Liliaceae
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily	PG	FACW		Liliaceae
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.		Liliaceae
<i>Calyptridium monandrum</i> Nuttall	Common Calyptridium, Sand Cress	AH	.		Montiaceae
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium	AH	.		Montiaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.		Convolvulaceae
<i>Camissonia campestris</i> (E. Greene) Raven cf. ssp. <i>campestris</i>	Mojave Sun-cup	AH	.		Onagraceae
<i>Carex alma</i> L. Bailey	Sturdy Sedge	PG	OBL		Cyperaceae
<i>Carex douglasii</i> Boott	Douglas Sedge	PG	FAC		Cyperaceae
<i>Carex subfusca</i> W. Boott	Brown Sedge	PG	FAC		Cyperaceae
<i>Castilleja affinis</i> Hooker & Arnott ssp. <i>affinis</i>	Lay-and-Collie's Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i> (Abrams) Chuang & Heckard	Martin Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja subinclusa</i> E. Greene ssp. <i>subinclusa</i>	Long-leaved or Jepson Indian Paintbrush	PH	.		Orobanchaceae
<i>Ceanothus cordulatus</i> Kellogg	Mountain Whitethorn, Snow Bush	S	.		Rhamnaceae
<i>Ceanothus cuneatus</i> (Hooker) Nuttall ex Torr. & Gray var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.		Rhamnaceae
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus	S	.		Rhamnaceae
<i>Ceanothus pauciflorus</i> DC.	Few-flowered Ceanothus	S	.		Rhamnaceae
<i>Ceanothus perplexans</i> Trel.	Mojave Ceanothus	S	.		Rhamnaceae
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.		Rosaceae
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.		Asteraceae
<i>Chaenactis santolinoides</i> E. Greene	Perennial Pincushion	PH	.		Asteraceae
<i>Chaenactis stevioides</i> Hook. & Arn.	Desert Pincushion	AH	.		Asteraceae
<i>Chamaesyce albomarginata</i> (Torrey & A. Gray) Small	Rattlesnake Spurge	AH	.		Euphorbiaceae
* <i>Chenopodium album</i> L. *	Lamb's Quarters, Pigweed	AH	FACU		Chenopodiaceae
<i>Chenopodium californicum</i> (S. Watson) S. Watson	California Goosefoot, Soap Plant	PH	.		Chenopodiaceae
<i>Chorizanthe watsonii</i> T. & G.	Watson Spineflower	AH	.		Polygonaceae
<i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller ssp. <i>claviformis</i>	Browneyes	PH	.		Onagraceae
<i>Cirsium occidentale</i> var. <i>californicum</i> (Gray) Keil & C. Turner	California Thistle	BH	.		Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.		Asteraceae
<i>Clarkia rhomboidea</i> Douglas	Rhomboid Clarkia	AH	.		Onagraceae
<i>Clarkia xantiana</i> Gray ssp. <i>xantiana</i>	Xantus Clarkia	AH	.		Onagraceae
<i>Claytonia parviflora</i> Hook. ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FACU		Montiaceae
<i>Claytonia perfoliata</i> Donn ex Willd. ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC		Montiaceae
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	.		Montiaceae
<i>Collinsia callosa</i> Parish	Large-fruited Blue-eyed Mary	AH	.		Plantaginaceae
<i>Collinsia torreyi</i> var. <i>wrightii</i> (S. Watson) I.M. Johnston	Wright Blue-eyed Mary	AH	.		Plantaginaceae
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Birds-beak	AH	.		Orobanchaceae
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae
<i>Crepis acuminata</i> Nuttall	Long-leaved Hawksbeard	PH	.		Asteraceae
<i>Crepis occidentalis</i> Nuttall ssp. <i>occidentalis</i>	Western Hawksbeard	PH	.		Asteraceae
<i>Crepis occidentalis</i> ssp. <i>pumila</i> (Rydb.) Babcock & Stebbins	Western Hawksbeard	PH	.		Asteraceae
<i>Cryptantha echinella</i> E. Greene	Prickly Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha intermedia</i> (A. Gray) E. Greene var. <i>intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha microstachys</i> (A. Gray) E. Greene	Tejon Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>nevadensis</i>	Nevada Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha oxygona</i> (A. Gray) E. Greene	Sharp-not Forget-Me-Not	AH	.		Boraginaceae
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern	PF	FACU		Dryopteridaceae
<i>Delphinium gracilentum</i> Greene	Coast Larkspur	PH	.		Ranunculaceae
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.		Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i> (Munz) M.J. Warnock	Pale-flowered Larkspur	PH	.		Ranunculaceae
<i>Delphinium patens</i> ssp. <i>montanum</i> (Munz) Ewan	Mountain Spreading Larkspur	PH	.		Ranunculaceae
<i>Deschampsia danthanoides</i> (Trin.) Munro ex Bentham	Annual Hairgrass	AG	FACW		Poaceae
<i>Descurainia pinnata</i> (Walter) Britton	Western Tansy Mustard	AH	.		Brassicaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Descurainia pinnata</i> ssp. <i>halictorum</i> (Cockerell) Detl.	Western Tansy Mustard	AH	.		Brassicaceae
<i>Dieteria canescens</i> (Pursh) Torr. var. <i>canescens</i>	Hoary-Aster	BH	.		Asteraceae
<i>Diplacus bigelovii</i> (Gray) Nesom var. <i>bigelovii</i>	Bigelow Monkeyflower	AH	.		Phrymaceae
<i>Diplacus calycinus</i> Eastw.	Fuzzy Bush Monkeyflower	S	.		Phrymaceae
<i>Diplacus constrictus</i> (A.L. Grant) Nesom	Narrow-throated Monkeyflower	AH	.		Phrymaceae
<i>Drymocallis lactea</i> (Greene) Rydb. var. <i>lactea</i>	Sierra Nevada Sticky Cinquifol	PH	FAC		Rosaceae
<i>Dudleya cymosa</i> (Lem.) Britton & Rose ssp. <i>cymosa</i>	Canyon Live-forever	PH	.		Crassulaceae
<i>Ehrendorferia chrysantha</i> (Hooker & Arnott) Rylander	Golden Eardrops	PH	.		Fumariaceae
<i>Eleocharis macrostachya</i> Britt.	Common Spikerush	PG	OBL		Cyperaceae
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU		Poaceae
<i>Elymus elymoides</i> (Raf.) Swezey var. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU		Poaceae
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae
<i>Elymus Xgouldii</i> J.P. Sm. & Columbus	Gould's Wildrye	PG	(FACU)		Poaceae
<i>Emmenanthe penduliflora</i> Bentham var. <i>penduliflora</i>	Whispering Bells	AH	.		Hydrophyllaceae
<i>Encelia actoni</i> Elmer	Acton Brittlebush	S	.		Asteraceae
<i>Ephedra californica</i> S. Watson	California Desert Tea, Cañatillo	S	.		Ephedraceae
<i>Ephedra viridis</i> Coville	Green Ephedra or Mormon-tea	S	.		Ephedraceae
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb	AH	.		Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia	PH	.		Onagraceae
<i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven	Dense-flowered Spike-primrose	AH	FACW		Onagraceae
<i>Epilobium torreyi</i> (S. Watson) P. Hoch & Raven [<i>Bousduvalia stricta</i>]	Brook Spike-primrose	AH	FACW		Onagraceae
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i> (Craig) H. Mason	Mountain Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i> (Benth.) H. Mason	Elongate Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum hooveri</i> (Jepson) H. Mason	Hoover Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum signatum</i> D. Gowen	Moroon-spotted Woolly Star	AH	.		Polemoniaceae
<i>Ericameria linearifolia</i> (DC.) Urb. & Wussow	Interior Goldenbush, Stenotopsis	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>mohavensis</i> (Greene) G.L. Nesom & G.I. Baird	Mojave Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>oreophila</i> (A. Nelson) G.L. Nesom & G.I. Baird	Common Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria parryi</i> var. <i>aspera</i> (Greene) G.L. Nesom & G.I. Baird	Parry Rabbitbrush	S	.		Asteraceae
<i>Erigeron foliosus</i> Nuttall var. <i>foliosus</i>	Slender Fleabane or Daisy	PH	.		Asteraceae
<i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey	California Yerba Santa	S	.		Namaceae
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.		Namaceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Sticky Thickleaf Yerba Santa	S	.		Namaceae
<i>Eriogonum angulosum</i> Benth.	Angle-stemmed Buckwheat	AH	.		Polygonaceae
<i>Eriogonum baileyi</i> S. Watson var. <i>baileyi</i>	Bailey Buckwheat	AH	.		Polygonaceae
<i>Eriogonum brachyanthum</i> Coville	Shortflower Wild Buckwheat	AH	.		Polygonaceae
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.		Polygonaceae
<i>Eriogonum clavatum</i> Small	Hoover Little Trumpet	AH	.		Polygonaceae
<i>Eriogonum davidsonii</i> E. Green	Davidson Buckwheat	AH	.		Polygonaceae
<i>Eriogonum elongatum</i> Bentham var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	.		Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> (Nuttall) Abrams	Leafy California Buckwheat	S	.		Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i> (A. DC.) Torrey & A. Gray	Hoary California Buckwheat	S	.		Polygonaceae
<i>Eriogonum gracile</i> Bentham var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.		Polygonaceae
<i>Eriogonum heermannii</i> Durand & Hilg. var. <i>heermanni</i>	Heerman Buckwheat	S	.		Polygonaceae
<i>Eriogonum inerme</i> (S. Watson) Jeps. var. <i>imerme</i>	Unarmed Buckwheat	AH	.		Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat	PH	.		Polygonaceae
<i>Eriogonum kennedyi</i> Porter ex S. Watson var. <i>kennedyi</i>	Kennedy Buckwheat	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i> S. Watson	Tibinagua	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.	Hairy-flowered Barestem Buckwheat	PH	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal	Sulphur Buckwheat	S	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>munzii</i> Reveal	Munz Yellow Buckwheat	S	.		Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i> S. Watson	Short-stemmed Bastardsage	S	.		Polygonaceae
<i>Eriogonum wrightii</i> Benth. var. <i>wrightii</i>	Wright's Bastardsage	S	.		Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (Greene) Jeps.	Tansyleaf Golden Yarrow	PH	.		Asteraceae
<i>Eriophyllum pringlei</i> A. Gray	Pringle Golden Yarrow	AH	.		Asteraceae
* <i>Erodium cicutarium</i> (L.) L'Her. *	Redstem Filaree	AH	.		Geraniaceae
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.		Brassicaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Erythranthe guttata</i> (Fischer ex DC.) Nesom [<i>Mimulus guttatus</i> DC.]	Common Streamside Monkeyflower	A/PH	OBL		Phrymaceae
<i>Erythranthe suksdorfii</i> (A. Gray) N.S. Fraga	Suksdorf Monkeyflower	AH	FACU		Phrymaceae
<i>Eulobus californicus</i> Torrey & A. Gray	Mustard Primrose	AH	.		Onagraceae
<i>Euthamia occidentalis</i> Nuttall	Western Goldenrod	PH	FACW		Asteraceae
* <i>Festuca perennis</i> (L.) Columbus & J.P. Sm. [<i>Lolium perenne</i> , <i>L. multiflorum</i>] *	Italian Rye Grass	PG	FAC		Poaceae
<i>Frangula californica</i> (Eschsch.) A. Gray ssp. <i>californica</i>	California Coffeeberry	S	.		Rhamnaceae
<i>Frangula californica</i> ssp. <i>tomentella</i> (Benth.) Kartesz & Gandhi	Hoary Coffeeberry	S	.		Rhamnaceae
<i>Fremontodendron californicum</i> (Torrey) Coville ssp. <i>californicum</i>	California Flannel Bush	S	.		Malvaceae
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary	PH	.		Liliaceae
<i>Galium andrewsii</i> A. Gray ssp. <i>andrewsii</i>	Pine Mat, Phlox-leaved Bedstraw	PH	.		Rubiaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Phlox-leaved Pine Mat	PH	.		Rubiaceae
<i>Galium angustifolium</i> Nuttall ssp. <i>angustifolium</i>	Chaparral or Narrow-leaved Bedstraw	S	.		Rubiaceae
<i>Galium aparine</i> L.	Goose Grass, Cleavers	AH	FACU		Rubiaceae
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw	AH	.		Rubiaceae
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw	PH	.		Rubiaceae
<i>Garrya flavescens</i> S. Watson ssp. <i>flavescens</i>	Silk-tassel Bush	S	.		Garryaceae
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szwedkowski	Diffuse Gayophytum	AH	.		Onagraceae
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium	PH	FAC		Geraniaceae
* <i>Geranium rotundifolium</i> L. *	Rotund Geranium	AH	.		Geraniaceae
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill	AH	FAC		Geraniaceae
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia	AH	.		Polemoniaceae
<i>Gilia jacens</i> A. Grant & V. Grant	Purple-flowered Breccia Gilia	AH	.		Polemoniaceae
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	American Licorice	PH	FAC		Fabaceae
<i>Gnaphalium palustre</i> Nuttall	Lowland Cudweed	AH	FACW		Asteraceae
<i>Greenocharis circumsissa</i> (Hook. & Arn.) Ryd. var. <i>circumsissa</i>	Greenocharis	AH	.		Boraginaceae
<i>Hesperoyucca whipplei</i> Torrey ssp. <i>whipplei</i>	Our Lord's Candle	S	.		Agavaceae
* <i>Hirschfeldia incana</i> (L.) Lagr.-Fossat *	Summer Mustard	PH	(FACU)		Brassicaceae
<i>Hosackia crassifolia</i> Bentham var. <i>crassifolia</i>	Buck Lotus	PH	.		Fabaceae
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea	PH	.		Asteraceae
<i>Hulsea vestita</i> ssp. <i>parryi</i> (A. Gray) Wilken	Parry's Sunflower	PH	.		Asteraceae
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris]	PG	FACW		Iridaceae
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed	PH	.		Rosaceae
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush	PG	OBL		Juncaceae
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW		Juncaceae
<i>Juniperus californica</i> Carrière	California Juniper	S	.		Cupressaceae
<i>Juniperus occidentalis</i> Hook.	Western Juniper	T	.		Cupressaceae
* <i>Lactuca serriola</i> L. *	Prickly Wild Lettuce	AH	FACU		Asteraceae
<i>Lasthenia californica</i> Lindley ssp. <i>californica</i>	California Goldfields	AH	FACU		Asteraceae
<i>Lasthenia gracilis</i> (DC.) Greene	Common Goldfields	AH	(FACU)		Asteraceae
<i>Layia glandulosa</i> (Hook.) Hook. & Arn. ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae
* <i>Lepidium latifolium</i> L. *	Broadleaf Peppergrass	PH	FAC		Brassicaceae
<i>Lepidospartum squamatum</i> (A. Gray) A. Gray	Scalebroom	S	FACU		Asteraceae
<i>Leptosiphon chrysanthus</i> J.M. Porter & R. Patt. ssp. <i>chrysanthus</i>	Desert Gold	AH	.		Polemoniaceae
<i>Leptosyne bigelovii</i> (A.Gray) A.Gray	Bigelow Coreopsis	AH	.		Asteraceae
<i>Lessingia nemaclada</i> Greene	Slenderstem Lessingia	AH	.		Asteraceae
<i>Lessingia tenuis</i> (Gray) Cov.	Tenuous Lessingia	AH	.		Asteraceae
<i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz	Small Bitterroot	PH	.		Montiaceae
* <i>Linaria dalmatica</i> (L.) Mill. ssp. <i>dalmatica</i> *	Dalmatian Toadflax	PH	.		Plantaginaceae
<i>Lithophragma bolanderi</i> Gray	Bolander Star	PH	.		Saxifragaceae
<i>Lithophragma cymbalaria</i> T. & G.	Mission Star	PH	.		Saxifragaceae
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium	PH	.		Apiaceae
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium	PH	.		Apiaceae
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium	PH	.		Apiaceae
<i>Lonicera subspicata</i> var. <i>denudata</i> Rehder	Southern or San Diego Honeysuckle	S	.		Caprifoliaceae
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	Silky Lupine	PH	.		Fabaceae
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	Wavyleaf Silky Lupine	PH	.		Fabaceae
<i>Lupinus albicaulis</i> Hooker	Whitestem Lupine	PH	.		Fabaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Lupinus albifrons</i> var. <i>austromontanus</i> (A. Heller) Jeps. [<i>L. excubitus</i> var. <i>a.</i>]	Southern Mountain Bush Lupine	S	.		Fabaceae
<i>Lupinus andersonii</i> S. Watson	Anderson Lupine	PH	.		Fabaceae
<i>Lupinus arbustus</i> Douglas	Spur Lupine	PH	.		Fabaceae
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine	PH	.		Fabaceae
<i>Lupinus concinnus</i> J. Agardh spp. <i>concinnus</i>	Bajada Lupine	AH	.		Fabaceae
<i>Lupinus elatus</i> I.M. Johnston	Johnston Silky Lupine	PH	.		Fabaceae
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	Grape Soda Lupine	S	.		Fabaceae
<i>Lupinus excubitus</i> var. <i>hallii</i> (Abrams) C.P. Smith	Hall Bush Lupine	S	.		Fabaceae
<i>Lupinus luteolus</i> Kellogg	Butter Lupine	AH	.		Fabaceae
<i>Lupinus microcarpus</i> Sims var. <i>microcarpus</i>	Red-flowered Lupine	AH	.		Fabaceae
<i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc.	Burke's Large-leaved Lupine	PH	FAC		Fabaceae
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.		Asteraceae
<i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck	Wheeler Tarplant or Madia	AH	.		Asteraceae
<i>Malacothamnus fasciculatus</i> (Nutt.ex T.& G.) Greene var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.		Malvaceae
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	Fremont Bushmallow	S	.		Malvaceae
<i>Malacothamnus marrubioides</i> (D. & H.) Greene	Pink-flowered Bushmallow	S	.		Malvaceae
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow	S	.		Malvaceae
<i>Melica stricta</i> Bolander var. <i>stricta</i>	Nodding Melic Grass	PG	.		Poaceae
* <i>Melilotus albus</i> Medikus *	White Sweetclover	A/BH	(FACU)		Fabaceae
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitstem Stickleaf	AH	.		Loasaceae
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>	Congested Stickleaf	AH	.		Loasaceae
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf	AH	.		Loasaceae
<i>Mentzelia montana</i> (Davidson) Davidson ssp. <i>montana</i>	Mountain Stickleaf	AH	.		Loasaceae
<i>Mentzelia pectinata</i> Kellogg	Stickleaf	AH	.		Loasaceae
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf	AH	.		Loasaceae
<i>Microsteris gracilis</i> (Hook.) Greene [<i>Phlox gracilis</i> Greene]	Slender Phlox	AH	FACU		Polemoniaceae
<i>Mirabilis laevis</i> var. <i>crassifolia</i> A. Gray (Choisy) Spellenberg	California Wishbone Bush	PH	.		Nyctaginaceae
<i>Monardella australis</i> Abrams ssp. <i>australis</i>	Southern Coyote Mint	PH	.		Lamiaceae
<i>Monardella breweri</i> Gray ssp. <i>breweri</i>	Brewer Coyote Mint	AH	.		Lamiaceae
<i>Monardella breweri</i> ssp. <i>lanceolata</i> (Gray) A.C. Sanders & Elvin	Mustang Mint	AH	.		Lamiaceae
<i>Monardella linoides</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint	PH	FACU		Lamiaceae
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FAC		Poaceae
<i>Myriopteris covillei</i> (Maxon) A. Löve & D. Löve	Coville Lip-fern	PF	.		Pteridaceae
<i>Navarretia mellita</i> E. Greene	Sticky Navarretia	AH	FAC		Polemoniaceae
<i>Navarretia peninsularis</i> Greene	Southern California Navarretia	AH	FAC		Polemoniaceae
<i>Nemacladus ramosissimus</i> Nuttall	Nuttall's Nemacladus	AH	.		Campanulaceae
<i>Nemacladus sigmoideus</i> G.T. Robbins	Thread Stem	AH	.		Campanulaceae
<i>Nemophila parviflora</i> Douglas ex Bentham var. <i>parviflora</i>	Smallflower Nemophila	AH	.		Hydrophyllaceae
<i>Nicotiana attenuata</i> Torrey	Coyote Tobacco	AH	FACU		Solanaceae
<i>Oenothera californica</i> (S. Watson) S. Watson ssp. <i>californica</i>	California Evening-primrose	PH	.		Onagraceae
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i>	Beavertail Cactus	S	.		Cactaceae
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Winged Pectocarya	AH	.		Boraginaceae
<i>Pectocarya setosa</i> Gray	Setose Pectocarya	AH	.		Boraginaceae
<i>Pedicularis densiflora</i> Hook.	Indian Warrior	PH	.		Orobanchaceae
<i>Pedicularis semibarbata</i> Gray	Pine-woods Lousewort	PH	.		Orobanchaceae
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.		Fabaceae
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnst.	California Birdsfoot Cliffbrake	PF	.		Pteridaceae
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF	.		Pteridaceae
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i> (M.E. Jones) N. Holmgren	Figwort Beardtongue	PH	.		Plantaginaceae
<i>Penstemon labrosus</i> (A. Gray) Hooker f.	San Gabriel Penstemon	PH	.		Plantaginaceae
<i>Penstemon rostriflorus</i> Kellogg	Bridges Penstemon	PH	.		Plantaginaceae
<i>Penstemon speciosus</i> Lindley	Showy Beardtongue	S	.		Plantaginaceae
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah	PH	.		Apiaceae
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Limestone Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia curvipes</i> S. Watson var. <i>curvipes</i>	Washoe Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia davidsonii</i> Gray	Davidson Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia distans</i> Benth.	Wild Heliotrope	AH	OBL		Hydrophyllaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Phacelia egena</i> (Brand) J.T. Howell	Rock Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia fremontii</i> Torrey	Fremont Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia imbricata</i> Greene ssp. <i>imbricata</i>	Mountain Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia ramosissima</i> Lehm. var. <i>ramosissima</i>	Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia viscida</i> (Bentham) Torrey var. <i>viscida</i>	Viscid Phacelia	AH	.		Hydrophyllaceae
* <i>Phleum pratense</i> L. *	Cultivated Timothy Grass	PG	?		Poaceae
<i>Phlox austromontana</i> Coville	Spreading Phlox	PH	.		Polemoniaceae
<i>Phlox diffusa</i> Benth.	Mat Phlox	PH	.		Polemoniaceae
<i>Phlox hoodii</i> ssp. <i>canescens</i> (T. & G.) Wherry	Fuzzy Hood Phlox	PH	.		Polemoniaceae
<i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> (DC.) J.R. Abbott & R.L. Thomps.	Oak or Hairy Mistletoe	PH	.		Viscaceae
<i>Pinus flexilis</i> E. James	Limber Pine	T	.		Pinaceae
<i>Pinus jeffreyi</i> Greville & Balfour	Jeffrey Pine	T	.		Pinaceae
<i>Pinus lambertiana</i> Douglas	Sugar Pine	T	.		Pinaceae
<i>Pinus monophylla</i> Torrey & Frémont	Singleleaf Pinyon Pine	T	.		Pinaceae
<i>Pinus ponderosa</i> var. <i>pacifica</i> J.R. Haller & N.J. Vivrette	Pacific Ponderosa Pine	T	FACU		Pinaceae
<i>Plagiobothrys hispidulus</i> (E. Greene) I.M. Johnston	Hispid Popcornflower	AH	FACW		Boraginaceae
* <i>Poa pratensis</i> L. ssp. <i>pratensis</i> *	Kentucky Bluegrass	PG	FAC		Poaceae
<i>Poa secunda</i> J.S. Presl ssp. <i>secunda</i>	One-sided Bluegrass	PG	FACU		Poaceae
<i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribner) R. Soreng	Rush Bluegrass	PG	FACU		Poaceae
<i>Potentilla biennis</i> Greene	Biennial Cinquifol	BH	FACW		Rosaceae
<i>Prunus emarginata</i> (Hooker) Walp.	Bitter Cherry	S	FACU		Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i> (Nuttall) Torrey	Western Choke Cherry	S	FAC		Rosaceae
<i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman	False Chickweed	PH	.		Caryophyllaceae
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Brush	S	.		Rosaceae
<i>Quercus berberidifolia</i> Leibm.	California Scrub Oak	S	.		Fagaceae
<i>Quercus chrysolepis</i> Liebm.	Canyon Live or Goldencup Oak	T	.		Fagaceae
<i>Quercus douglasii</i> H. & A.	Blue Oak	T	.		Fagaceae
<i>Quercus john-tuckeri</i> K. Nixon & C.H. Muller	Tucker Oak, Desert Scrub Oak	S	.		Fagaceae
<i>Quercus kelloggii</i> Newberry	Black Oak	T	.		Fagaceae
<i>Quercus wislizeni</i> var. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak	S	.		Fagaceae
<i>Rafinesquia californica</i> Nutt.	California Rafinesquia or Chicory	AH	.		Asteraceae
<i>Ranunculus cymbalaria</i> Pursh	Desert Buttercup	PH	(OBL)		Ranunculaceae
<i>Rhamnus ilicifolia</i> Kellogg	Hollyleaf Redberry, Buckthorn	S	.		Rhamnaceae
<i>Ribes nevadense</i> Kellogg	Mountain Pink Currant	S	FAC		Grossulariaceae
<i>Ribes quercetorum</i> Greene	Oak Gooseberry	S	.		Grossulariaceae
<i>Ribes roezlii</i> Regel var. <i>roezlii</i>	Sierra Gooseberry	S	.		Grossulariaceae
<i>Ribes velutinum</i> Greene	Plateau Gooseberry	S	.		Grossulariaceae
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.		Asteraceae
<i>Rosa californica</i> Cham. & Schltdl.	California Wild Rose	S	FAC		Rosaceae
<i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Ertter var. <i>gratissima</i>	Mojave Wild Rose	S	FACU		Rosaceae
<i>Rumex californicus</i> Rech. F.	California Dock	PH	FACW		Polygonaceae
<i>Rumex salicifolius</i> J.A. Weinm. [var. <i>salicifolius</i>]	Willow Dock	PH	FACW		Polygonaceae
<i>Salix exigua</i> Nuttall var. <i>exigua</i>	Narrowleaf Willow	S	FACW		Salicaceae
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae
* <i>Salvia azurea</i> var. <i>grandiflora</i> Bentham *	Prairie Sage	PH	.		Lamiaceae
<i>Salvia columbariae</i> Benth.	Chia	AH	.		Lamiaceae
<i>Sambucus mexicana</i> C. Presl ex DC.	Blue Elderberry	S	FAC		Adoxaceae
<i>Sanicula graveolens</i> Peopp. ex DC.	Sanicle	PH	.		Apiaceae
* <i>Schismus barbatus</i> (L.) Thell. *	Mediterranean Grass	AG	.		Poaceae
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap	PH	FACU		Lamiaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i> (DC.) B.L. Turner & T.M. Barkley	Shrubby Butterweed	S	.		Asteraceae
<i>Sidalcea sparsifolia</i> (C.L. Hitchc.) S.R. Hill	Few-leaved Globemallow	S	.		Malvaceae
<i>Silene verecunda</i> S. Watson	Cuyamaca or San Francisco Campion	PH	.		Caryophyllaceae
* <i>Sisymbrium orientale</i> L. *	Eastern Mustard, Hare's Ear Cabbage	AH	.		Brassicaceae

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Checklist of Vascular Plants of Frazier Mountain, Ventura County

By David L. Magney ©2010, 2023

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Solanum umbelliferum</i> Eschsch.	Blue Witch	S	.		Solanaceae
<i>Solanum xanti</i> A. Gray var. <i>xanti</i>	Chaparral Nightshade	S	.		Solanaceae
<i>Stachys albens</i> A. Gray	Woolly or Whitestem Hedge Nettle	PH	OBL		Lamiaceae
<i>Stephanomeria exigua</i> ssp. <i>coronaria</i> (Greene) Gottlieb	Small Stephanomeria	AH	.		Asteraceae
<i>Stephanomeria paniculata</i> Nutt.	Paniculate Wire Lettuce	AH	.		Asteraceae
<i>Stipa speciosa</i> Trin. & Rupr.	Desert Needlegrass	PG	.		Poaceae
<i>Symphoricarpos albus</i> var. <i>laevigatus</i> (Fern.) S.F. Blake	Common Snowberry	S	FACU		Caprifoliaceae
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i> (Rydb.) Dempster	Parish Snowberry	S	.		Caprifoliaceae
<i>Tauschia hartwegii</i> (A.Gray) J.F. Macbr.	Hartweg Tauschia	PH	.		Apiaceae
<i>Tauschia parishii</i> (Coulter & Rose) Macbr.	Parish Tauschia	PH	.		Apiaceae
<i>Tetradymia canescens</i> DC.	Cottonthorn, Horsebush	S	.		Asteraceae
<i>Thalictrum fendleri</i> Engelmann ex Gray var. <i>fendleri</i>	Fendler Meadow-rue	PH	FAC		Ranunculaceae
<i>Thermopsis californica</i> var. <i>argentata</i> (Greene) Chen & Turner	Silvery False-Lupine	AH	.		Fabaceae
* <i>Tragopogon dubius</i> Scop. *	Yellow Salsify	A/BH	.		Asteraceae
<i>Trifolium variegatum</i> var. <i>major</i> Lojac.	Large Whitetip Clover	AH	FAC		Fabaceae
<i>Trifolium variegatum</i> Nutt. var. <i>variegatum</i>	Whitetip Clover	AH	FAC		Fabaceae
<i>Trifolium willdenovii</i> Sprengel	Tomcat Clover	AH	FACW		Fabaceae
<i>Veronica americana</i> Schwein. ex Benth.	American Brooklime	PH	OBL		Plantaginaceae
<i>Veronica peregrina</i> ssp. <i>xalapensis</i> (Kunth) Pennell	Purslane Speedwell	AH	OBL		Plantaginaceae
* <i>Vicia villosa</i> ssp. <i>varia</i> (Host) Corbière *	Hairy or Winter Vetch	AH	.		Fabaceae
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.		Violaceae
<i>Yosemitea repanda</i> (S. Watson) P.J. Alexander & Windham	Yosemite Rock Cress	PH	.		Brassicaceae

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-2018), *The Jepson Manual* (Baldwin et al. 2012), Baker et al. (2012 for *Phrymaceae*), Nesom (2012a & 2012b for *Erythranthe*, 2013 for *Diplacus*), Tulig & Nesom (2012 for *Diplacus*), Hasenstab-Lehman & Simpson (2012 for *Cryptantha*), Burge & Zhukovsky (2013 for *Ceanothus vestitus* complex), Schneider (2016 for *Aphyllon*), Colwell et al. (2017 for *Aphyllon*), and Broich (1987 for *Lathyrus vestitus*).

Most current taxonomy is followed when changed have occurred since publication of the above listed references.

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native taxa that have become naturalized or persist without cultivation.

A ? indicates taxa that are expected to occur in the County but have not been seen.

Habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Lichvar et al. 2016): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

References Cited:

- Abrams, L., and R. S. Ferris. 1960. *Illustrated Flora of the Pacific States*. Volumes I-IV. Stanford University Press, Stanford, California
- Baldwin, B., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, D.H. Wilken, editors. 2012. *The Jepson Manual, Vascular Plants of California* Second Edition. University of California Press, Berkeley, California.
- DeGarmo, H.C. 1980. California List of Scientific and Common Plant Names. U.S. Soil Conservation Service. University of California, Davis.
- Flora of North America Editorial Committee, eds. 1993-2010. *Flora of North America North of Mexico*. 14+ vols. Oxford Press, New York
- Niehaus, T.F., and C.L. Ripper. 1976. *A Field Guide to Pacific States Wildflowers*. Houghton Mifflin Company. Boston, MA.
- Reed, P.B., Jr. 1988. National List of Plant Species that Occur in Wetlands: California (Region 0). (Biological Report 88[26.10].) U.S. Fish and Wildlife Service, Ft. Collins, Colorado.
- Weeden, N.F. 1986. *A Sierra Nevada Flora*. Third Edition. Wilderness Press, Berkeley, California.

Developed by David L. Magney 2011, updated February 2023. Checklist may be used for educational and nonprofit purposes only.

Based on voucher specimens at one or more California public herbaria and direct observations by author.