

Plants of Howard Creek Trail, Nordhoff Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	WIS	Family
<i>Acer macrophyllum</i>	Bigleaf Maple	T	FAC	Sapindaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	.	Asteraceae
<i>Adenostoma fasciculatum</i>	Chamise	S	.	Rosaceae
<i>Arabis</i> cf. <i>sparsiflora</i>	Few-flowered Rock Cress	PH	.	Brassicaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> ?	Cushing's Eastwood Manzanita	S	.	Ericaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	.	Ericaceae
<i>Artemisia tridentata</i> var. <i>tridentata</i>	Great Basin Sagebrush	S	.	Asteraceae
<i>Avena barbata</i> *	Slender Wild Oats	AG	.	Poaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	(FACU)	Asteraceae
<i>Calochortus</i> cf. <i>venustus</i>	Mariposa Lily	PG	.	Liliaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Nevada Morning-glory	PV	.	Convolvulaceae
<i>Camissonia californica</i>	California Primrose	AH	.	Onagraceae
<i>Camissonia</i> sp.	Camissonia	AH	.	Onagraceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	.	Rhamnaceae
<i>Ceanothus leucodermis</i>	Whitethorn Ceanothus	S	.	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	.	Rhamnaceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae
<i>Cheilanthes covillei</i>	Coville's Lip-fern	PF	.	Pteridaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	.	Liliaceae
<i>Chrysothamnus nauseosus</i> var. <i>hololeucus</i> ?	White Rabbitbrush	S	.	Asteraceae
<i>Cirsium occidentale</i> var. <i>californicum</i> or <i>occidentale</i>	Cobweb Thistle	BH	.	Asteraceae
<i>Clarkia</i> sp.	Clarkia	AH	.	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>viridis</i>	Green Small-flowered Miner's Lettuce	AH	FAC	Portulacaceae
<i>Claytonia perfoliata</i> var. <i>mexicana</i>	Mexican Miner's Lettuce	AH	FAC	Portulacaceae
<i>Clematis lasiantha</i>	Virgin's Bower	PV	.	Ranunculaceae
<i>Cordylanthus rigidus</i> ssp. <i>rigidus</i>	Rigid Bird's-beak	AH	.	Orobanchaceae
<i>Cryptantha</i> sp.	Forget-Me-Not	AH	.	Boraginaceae
<i>Datisca glomerata</i>	Durango Root	PH	FACW	Datiscaceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	.	Ranunculaceae
<i>Delphinium</i> sp.	Larkspur	PH	.	Ranunculaceae
<i>Dendromecon rigida</i>	Bush Poppy	S	.	Papaveraceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PG	.	Themidaceae
<i>Dryopteris arguta</i>	Coastal Wood Fern	PF	.	Dryopteridaceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Slender Fleabane	PH	.	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	.	Boraginaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	.	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	.	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	.	Geraniaceae
<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	Common Eucrypta	AH	.	Boraginaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i> or <i>intermedium</i>	Pine Mat	PH	.	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	.	Rubiaceae
<i>Garrya</i> sp.	Silk-tassle Bush	S	.	Garryaceae
<i>Hesperoyucca whipplei</i>	Our Lord's Candle	S	.	Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S	.	Rosaceae
<i>Holodiscus discolor</i>	Ocean Spray	S	.	Rosaceae
<i>Keckiella cordifolia</i>	Heartleaf Penstemon	S	.	Veronicaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Bluestem Bush Penstemon	S	.	Veronicaceae
<i>Lathyrus vestitus</i> ssp. <i>vestitus</i> ?	Pacific Peavine	PV	.	Fabaceae
<i>Leymus condensatus</i>	Giant Wildrye	PG	.	Poaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	PV	.	Caprifoliaceae
<i>Lupinus</i> sp.	Lupine	AH	.	Fabaceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	.	Cucurbitaceae

Plants of Howard Creek Trail, Nordhoff Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	WIS	Family
<i>Marrubium vulgare</i> *	White Horehound	PH	.	Lamiaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	.	Poaceae
<i>Mimulus longiflorus</i> var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	.	Phrymaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF	.	Pteridaceae
<i>Penstemon heterophyllus</i> ssp. <i>heterophyllus</i>	Foothill Penstemon	PH	.	Veronicaceae
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldenback Fern	PF	.	Pteridaceae
<i>Phacelia cicutaria</i> ssp. ?	Caterpillar Phacelia	PH	.	Boraginaceae
<i>Phacelia egena/imbricata</i>	Rock Phacelia	PH	.	Boraginaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH	.	Boraginaceae
<i>Phalaris canariensis</i> *	Canary Grass	PG	FACU	Poaceae
<i>Phoradendron villosum</i>	Hairy Mistletoe	PH	.	Viscaceae
<i>Pinus attenuata</i> +	Knobcone Pine	T	.	Pinaceae
<i>Pinus coulteri</i> +	Coulter Pine	T	.	Pinaceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	(FACU-)	Poaceae
<i>Polystichum imbricans</i> ssp. <i>curtum</i>	Narrowleaf Sword Fern	PF	.	Dryopteridaceae
<i>Potentilla glandulosa</i> ssp. ?	Sticky Cinquifol	PH	FAC	Rosaceae
<i>Prunus ilicifolia</i>	Hollyleaf Cherry	S	.	Rosaceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	PH	.	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	.	Pinaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	.	Polygonaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	.	Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live Oak	T	.	Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live Oak	S	.	Fagaceae
<i>Rafinesquia californica</i>	California Chicory	PH	.	Asteraceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	.	Rhamnaceae
<i>Rhamnus tomentella</i> var. <i>tomentella</i>	Hoary Coffeeberry	S	.	Rhamnaceae
<i>Ribes californicum</i> var. <i>hesperium</i> ?	Southern California Gooseberry	S	.	Grossulariaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	.	Grossulariaceae
<i>Rosa californica</i>	California Wild Rose	S	FAC+	Rosaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S	FACW	Salicaceae
<i>Salvia columbariae</i>	Chia	AH	.	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	FAC	Caprifoliaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Snakeroot	PH	.	Apiaceae
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF	.	Selaginellaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	.	Solanaceae
<i>Spartium junceum</i> *	Spanish Broom	S	.	Fabaceae
<i>Symphoricarpos mollis</i>	Snow Berry	S	.	Caprifoliaceae
<i>Tauschia arguta</i>	Southern Tauschia	PH	.	Apiaceae
<i>Toxicodendron diversilobum</i>	Western Poison-oak	PV	.	Anacardiaceae
<i>Trichostema lanceolata</i>	Woolly Bluecurls	S	.	Lamiaceae
<i>Umbellularia californica</i>	California Bay	T	.	Lauraceae
<i>Verbena lasiostachys</i>	Verbena	PH	.	Verbenaceae
Mosses				
<i>Anacolia</i> cf <i>menziesii</i>	Anacolia moss	PM	?	Bartramiaceae
<i>Grimmia</i> sp.	Grimmia moss	PM	?	Grimmiaceae
<i>Syntrichia montana</i> or <i>princeps</i>	Syntrichia moss	PM	?	Pottiaceae

Plants of Howard Creek Trail, Nordhoff Ridge, Ventura County, California

By David L. Magney

Botanical Name	Common Name	Habit	Family
<i>Acer macrophyllum</i>	Bigleaf Maple	T	Sapindaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	Asteraceae
<i>Adenostoma fasciculatum</i>	Chamise	S	Rosaceae
<i>Arabis</i> cf. <i>sparsiflora</i>	Few-flowered Rock Cress	PH	Brassicaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> ?	Cushing's Eastwood Manzanita	S	Ericaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	Ericaceae
<i>Artemisia tridentata</i> var. <i>tridentata</i>	Great Basin Sagebrush	S	Asteraceae
<i>Avena barbata</i> *	Slender Wild Oats	AG	Poaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	Asteraceae
<i>Calochortus</i> cf. <i>venustus</i>	Mariposa Lily	PG	Liliaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Nevada Morning-glory	PV	Convolvulaceae
<i>Camissonia californica</i>	California Primrose	AH	Onagraceae
<i>Camissonia</i> sp.	Camissonia	AH	Onagraceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	Rhamnaceae
<i>Ceanothus leucodermis</i>	Whitethorn Ceanothus	S	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	Rhamnaceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<i>Cheilanthes covillei</i>	Coville's Lip-fern	PF	Pteridaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Liliaceae
<i>Chrysothamnus nauseosus</i> var. <i>hololeucus</i> ?	White Rabbitbrush	S	Asteraceae
<i>Cirsium occidentale</i> var. <i>californicum</i> or <i>occidentale</i>	Cobweb Thistle	BH	Asteraceae
<i>Clarkia</i> sp.	Clarkia	AH	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>viridis</i>	Green Small-flowered Miner's Lettuce	AH	Portulacaceae
<i>Claytonia perfoliata</i> var. <i>mexicana</i>	Mexican Miner's Lettuce	AH	Portulacaceae
<i>Clematis lasiantha</i>	Virgin's Bower	PV	Ranunculaceae
<i>Cordylanthus rigidus</i> ssp. <i>rigidus</i>	Rigid Bird's-beak	AH	Orobanchaceae
<i>Cryptantha</i> sp.	Forget-Me-Not	AH	Boraginaceae
<i>Datisca glomerata</i>	Durango Root	PH	Datisceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	Ranunculaceae
<i>Delphinium</i> sp.	Larkspur	PH	Ranunculaceae
<i>Dendromecon rigida</i>	Bush Poppy	S	Papaveraceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PG	Themidaceae
<i>Dryopteris arguta</i>	Coastal Wood Fern	PF	Dryopteridaceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Slender Fleabane	PH	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	Boraginaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	Geraniaceae
<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	Common Eucrypta	AH	Boraginaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i> or <i>intermedium</i>	Pine Mat	PH	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	Rubiaceae
<i>Garrya</i> sp.	Silk-tassel Bush	S	Garryaceae
<i>Hesperoyucca whipplei</i>	Our Lord's Candle	S	Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S	Rosaceae
<i>Holodiscus discolor</i>	Ocean Spray	S	Rosaceae
<i>Keckiella cordifolia</i>	Heartleaf Penstemon	S	Veronicaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Bluestem Bush Penstemon	S	Veronicaceae
<i>Lathyrus vestitus</i> ssp. <i>vestitus</i> ?	Pacific Peavine	PV	Fabaceae
<i>Leymus condensatus</i>	Giant Wildrye	PG	Poaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	PV	Caprifoliaceae
<i>Lupinus</i> sp.	Lupine	AH	Fabaceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	Cucurbitaceae

Plants of Howard Creek Trail, Nordhoff Ridge, Ventura County, California

By David L. Magney

<i>Marrubium vulgare</i> *	White Horehound	PH	Lamiaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	Poaceae
<i>Mimulus longiflorus</i> var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	Phrymaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF	Pteridaceae
<i>Penstemon heterophyllus</i> ssp. <i>heterophyllus</i>	Foothill Penstemon	PH	Veronicaceae
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldenback Fern	PF	Pteridaceae
<i>Phacelia cicutaria</i> ssp. ?	Caterpillar Phacelia	PH	Boraginaceae
<i>Phacelia egena/imbricata</i>	Rock Phacelia	PH	Boraginaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH	Boraginaceae
<i>Phalaris canariensis</i> *	Canary Grass	PG	Poaceae
<i>Phoradendron villosum</i>	Hairy Mistletoe	PH	Viscaceae
<i>Pinus attenuata</i> +	Knobcone Pine	T	Pinaceae
<i>Pinus coulteri</i> +	Coulter Pine	T	Pinaceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	Poaceae
<i>Polystichum imbricans</i> ssp. <i>curtum</i>	Narrowleaf Sword Fern	PF	Dryopteridaceae
<i>Potentilla glandulosa</i> ssp. ?	Sticky Cinquifol	PH	Rosaceae
<i>Prunus ilicifolia</i>	Hollyleaf Cherry	S	Rosaceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	PH	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	Pinaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	Polygonaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live Oak	T	Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live Oak	S	Fagaceae
<i>Rafinesquia californica</i>	California Chicory	PH	Asteraceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	Rhamnaceae
<i>Rhamnus tomentella</i> var. <i>tomentella</i>	Hoary Coffeeberry	S	Rhamnaceae
<i>Ribes californicum</i> var. <i>hesperium</i> ?	Southern California Gooseberry	S	Grossulariaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	Grossulariaceae
<i>Rosa californica</i>	California Wild Rose	S	Rosaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S	Salicaceae
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	Caprifoliaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Snakeroot	PH	Apiaceae
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF	Selaginellaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	Solanaceae
<i>Spartium junceum</i> *	Spanish Broom	S	Fabaceae
<i>Symphoricarpos mollis</i>	Snow Berry	S	Caprifoliaceae
<i>Tauschia arguta</i>	Southern Tauschia	PH	Apiaceae
<i>Toxicodendron diversilobum</i>	Western Poison-oak	PV	Anacardiaceae
<i>Trichostema lanceolata</i>	Woolly Bluecurls	S	Lamiaceae
<i>Umbellularia californica</i>	California Bay	T	Lauraceae
<i>Verbena lasiostachys</i>	Verbena	PH	Verbenaceae
Mosses			
<i>Anacolia</i> cf <i>menziesii</i>	Anacolia moss	PM	Bartramiaceae
<i>Grimmia</i> sp.	Grimmia moss	PM	Grimmiaceae
<i>Syntrichia montana</i> or <i>princeps</i>	Syntrichia moss	PM	Pottiaceae