

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|---|---------------------------------|-------|-------------------|----|----------------|
| | | | Status | | |
| <i>Abies lowiana</i> | California White Fir | T | . | | Pinaceae |
| <i>Abronia turbinata</i> | Transmontane Sand-verbena | PH | . | | Nyctaginaceae |
| <i>Acanthomintha obovata</i> var. <i>cordata</i> | Heartleaf Thormint | AH | . | | Lamiaceae |
| <i>Acanthomintha obovata</i> var. <i>obovata</i> | San Benito Thormint | AH | . | | Lamiaceae |
| <i>Acanthoscyphus parishii</i> var. <i>abramsii</i> | Abrams Spineflower | AH | . | | Polygonaceae |
| <i>Achillea millefolium</i> var. <i>lanulosa</i> | Mountain White Yarrow | PH | FACU | | Asteraceae |
| <i>Achillea millefolium</i> var. <i>millefolium</i> | Common Yarrow | PH | FACU | | Asteraceae |
| <i>Achillea millefolium</i> var. <i>pacifica</i> | Pacific White Yarrow | PH | FACU | | Asteraceae |
| <i>Acmispon argophyllus</i> ssp. <i>argophyllus</i> | Silver Deervetch | PH | . | | Fabaceae |
| <i>Acmispon brachycarpus</i> | Hill Lotus | AH | . | | Fabaceae |
| <i>Acmispon junceus</i> var. <i>junceus</i> | Rush Hosackia | AH | . | | Fabaceae |
| <i>Acmispon nevadensis</i> var. <i>davidsonii</i> | Davidson Lotus | PH | . | | Fabaceae |
| <i>Acmispon nevadensis</i> var. <i>nevadensis</i> | Sierra Nevada Hosackia | PH | . | | Fabaceae |
| <i>Acmispon procumbens</i> var. <i>procumbens</i> | Silky California Broom | PH | . | | Fabaceae |
| <i>Acmispon wrangelianus</i> | Chile Lotus | AH | . | | Fabaceae |
| <i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i> | Chamise | S | . | | Rosaceae |
| <i>Agoseris elata</i> | Tall Mountain Dandelion | PH | FAC | | Asteraceae |
| <i>Agoseris grandiflora</i> | Bigflower Mountain Dandelion | PH | . | | Asteraceae |
| <i>Agoseris heterophylla</i> var. <i>cryptopheura</i> | Mountain Dandelion | AH | . | | Asteraceae |
| <i>Agoseris heterophylla</i> var. <i>heterophylla</i> | Annual Mountain Dandelion | AH | . | | Asteraceae |
| <i>Agoseris retrorsa</i> | Spear-leaved Mountain Dandelion | PH | . | | Asteraceae |
| <i>Agrostis exarata</i> | Western Bentgrass | PG | FACW | | Poaceae |
| <i>Agrostis pallens</i> | Thinggrass | PG | | | Poaceae |
| <i>Allium burlewii</i> | Burlew Onion | PG | . | | Alliaceae |
| <i>Allium campanulatum</i> | Sierra Onion | PG | | | Alliaceae |
| <i>Allium denticulatum</i> | Dentate Fringed Onion | PG | . | | Alliaceae |
| <i>Allium fimbriatum</i> var. <i>fimbriatum</i> | Fringed Onion | PG | . | | Alliaceae |
| <i>Allium howellii</i> var. <i>clokeyi</i> | Mt. Pinos Onion | PG | . | | Alliaceae |
| <i>Allium parryi</i> | Parry Fringed Onion | PG | . | | Alliaceae |
| <i>Allophylum divaricatum</i> | Divaricate Allophylum | AH | . | | Polemoniaceae |
| <i>Allophylum gilioides</i> ssp. <i>gilioides</i> | Straggling Gilia | AH | FACU | | Polemoniaceae |
| <i>Allophylum gilioides</i> ssp. <i>violaceum</i> | Violet Allophylum | AH | . | | Polemoniaceae |
| <i>Ambrosia acanthicarpa</i> | Burweed | AH | . | | Asteraceae |
| <i>Amelanchier utahensis</i> | Utah Serviceberry | S | . | | Rosaceae |
| <i>Angelica capitellata</i> | Ranger Buttons | PH | OBL | | Apiaceae |
| <i>Anisocoma acaulis</i> | Scale Bud | AH | . | | Asteraceae |
| <i>Antennaria dimorpha</i> | Low Everlasting | PH | . | | Asteraceae |
| <i>Apocynum cannabinum</i> | Indian Hemp | PH | FAC | | Asclepiadaceae |
| <i>Arceuthobium campylopodum</i> | Western Dwarf Mistletoe | PH | . | | Viscaceae |
| <i>Arceuthobium divaricatum</i> | Pinyon Dwarf Mistletoe | PH | . | | Viscaceae |
| <i>Arctostaphylos glauca</i> | Bigberry Manzanita | S | . | | Ericaceae |
| <i>Arctostaphylos parryana</i> ssp. <i>parryana</i> | Parry Manzanita | S | . | | Ericaceae |
| <i>Arctostaphylos patula</i> | Greenleaf Manzanita | S | . | | Ericaceae |
| <i>Arctostaphylos pungens</i> | Pungent Manzanita | S | . | | Ericaceae |
| <i>Argemone munita</i> ssp. <i>munita</i> | Prickly Poppy | AH | . | | Papaveraceae |
| <i>Artemisia douglasiana</i> | Mugwort | PH | FACW | | Asteraceae |
| <i>Artemisia dracunculus</i> | Tarragon | AH | . | | Asteraceae |
| <i>Artemisia tridentata</i> ssp. <i>tridentata</i> | Great Basin Sagebrush | S | . | | Asteraceae |
| <i>Asclepias californica</i> ssp. <i>californica</i> | California Milkweed | AH | . | | Asclepiadaceae |
| <i>Asclepias erosa</i> | Desert Milkweed | PH | . | | Asclepiadaceae |
| <i>Astragalus didymocarpus</i> var. <i>dispermus</i> | Dispersed Two-seeded Milkvetch | AH | . | | Fabaceae |
| <i>Astragalus filipes</i> | Thread-leaved Locoweed | PH | . | | Fabaceae |
| <i>Astragalus lentiginosus</i> var. <i>diphysus</i> | Freckled Locoweed | PH | | NI | Fabaceae |
| <i>Astragalus lentiginosus</i> var. <i>idriensis</i> | Spotted Locoweed | PH | | NI | Fabaceae |
| <i>Astragalus lentiginosus</i> var. <i>nigricalyx</i> | Black-sealed Freckled Locoweed | PH | | NI | Fabaceae |
| <i>Astragalus pachypus</i> var. <i>pachypus</i> | Thickpod Milkvetch | PH | . | | Fabaceae |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|---|---|-------|-------------------|--|-----------------|
| | | | Status | | |
| <i>Astragalus purshii</i> var. <i>tinctus</i> | Pursh Woolly Pod | PH | . | | Fabaceae |
| <i>Astragalus trichopus</i> var. <i>phoxus</i> | Antisell Three-pod Milkvetch | PH | . | | Fabaceae |
| <i>Astragalus whitneyi</i> var. <i>pinosus</i> | Mount Pinos Locoweed | PH | . | | Fabaceae |
| <i>Astragalus whitneyi</i> var. <i>whitneyi</i> | Whitney Locoweed | PH | . | | Fabaceae |
| <i>Balsamorhiza deltoidea</i> | Balsamroot, Chuchupate | PH | . | | Asteraceae |
| <i>Barbarea orthoceras</i> | American Wintercress | BH | FACW | | Brassicaceae |
| <i>Bloomeria crocea</i> var. <i>montana</i> | Mountain Goldenstars | PH | . | | Themidaceae |
| <i>Botrychium simplex</i> var. <i>simplex</i> | Little Grapefern | PF | FACU | | Ophioglossaceae |
| <i>Bouechera retrofracta</i> | Holboell Rockcress | PH | FACU | | Brassicaceae |
| <i>Brickellia californica</i> | California Brickellbush | S | FACU | | Asteraceae |
| <i>Brickellia nevinii</i> | Nevin Brickellbush | S | . | | Asteraceae |
| <i>Bromus carinatus</i> var. <i>carinatus</i> | California Brome | PG | . | | Poaceae |
| <i>Bromus catharticus</i> * | Rescue Grass | AG | | | Poaceae |
| <i>Bromus diandrus</i> ssp. <i>diandrus</i> * | Ripgut Brome | AG | (FACU) | | Poaceae |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> * | Red Brome | AG | NI | | Poaceae |
| <i>Bromus tectorum</i> var. <i>tectorum</i> * | Downy Brome, Cheat Grass | AG | . | | Poaceae |
| <i>Calocedrus decurrens</i> | Incense Cedar | T | . | | Cupressaceae |
| <i>Calochortus clavatus</i> var. <i>clavatus</i> | Yellow Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus clavatus</i> var. <i>pallidus</i> | Pale Yellow Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus fimbriatus</i> [<i>C. weedii</i> var. <i>vestus</i>] | Weed Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus invenustus</i> | Plain Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus kennedyi</i> var. <i>kennedyi</i> | Red Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus splendens</i> | Splendid Mariposa Lily | PG | . | | Liliaceae |
| <i>Calochortus venustus</i> | Butterfly Lily | PG | . | | Liliaceae |
| <i>Calyptodium monandrum</i> | Common Calyptodium | AH | . | | Portulacaceae |
| <i>Calyptodium monospermum</i> | One-seeded Pussy Paws | AH | . | | Portulacaceae |
| <i>Calyptodium parryi</i> | Parry Calyptodium | AH | . | | Portulacaceae |
| <i>Calyptodium umbellatum</i> | Pussy Paws | AH | . | | Portulacaceae |
| <i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> | Sierra Morning-glory | PV | . | | Convolvulaceae |
| <i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoidea</i> | Tehachapi Morning-glory | PV | . | | Convolvulaceae |
| <i>Calystegia occidentalis</i> ssp. <i>fulcrata</i> | Western Morning-glory | PV | . | | Convolvulaceae |
| <i>Calystegia occidentalis</i> ssp. <i>tomentella</i> | Woolly Western Morning-glory | PV | . | | Convolvulaceae |
| <i>Camissonia campestris</i> ssp. <i>campestris</i> | Mojave Sun-cup | AH | . | | Onagraceae |
| <i>Cardaria pubescens</i> * | White-top | PH | . | | Brassicaceae |
| <i>Carex abrupta</i> | Abrupt Sedge | PG | (FACW) | | Cyperaceae |
| <i>Carex alma</i> | Sturdy Sedge | PG | FACW | | Cyperaceae |
| <i>Carex athrostachya</i> | Slender-beaked Sedge | PG | FACW | | Cyperaceae |
| <i>Carex aurea</i> | Golden-fruited Sedge | PG | OBL | | Cyperaceae |
| <i>Carex bolanderi</i> | Bolander Sedge | PG | FACW | | Cyperaceae |
| <i>Carex douglasii</i> | Douglas Sedge | PG | FACU | | Cyperaceae |
| <i>Carex fracta</i> | Fragile-sheathed Sedge | PG | . | | Cyperaceae |
| <i>Carex lanuginosa</i> | Woolly Sedge | PG | OBL | | Cyperaceae |
| <i>Carex nebrascensis</i> | Nebraska Sedge | PG | OBL | | Cyperaceae |
| <i>Carex praegracilis</i> | Clustered Field Sedge | PG | FACW | | Cyperaceae |
| <i>Carex schottii</i> | Schott Sedge | PG | OBL | | Cyperaceae |
| <i>Carex subfusca</i> | Brown Sedge | PG | FAC | | Cyperaceae |
| <i>Castilleja angustifolia</i> | Desert Indian Paintbrush | PH | . | | Orobanchaceae |
| <i>Castilleja applegatei</i> ssp. <i>disticha</i> | Eastwood Indian Paintbrush | PH | . | | Orobanchaceae |
| <i>Castilleja applegatei</i> ssp. <i>martinii</i> | Martin Indian Paintbrush | PH | . | | Orobanchaceae |
| <i>Castilleja miniata</i> var. <i>miniata</i> | Great Red Indian Paintbrush | PH | FACW | | Orobanchaceae |
| <i>Castilleja minor</i> ssp. <i>spiralis</i> | Large-flowered Annual Indian Paintbrush | AH | OBL | | Orobanchaceae |
| <i>Castilleja subinclusa</i> ssp. <i>subinclusa</i> | Long-leaved Indian Paintbrush | PH | . | | Orobanchaceae |
| <i>Caulanthus amplexicaulis</i> var. <i>amplexicaulis</i> | Clasping-leaved Jewelflower | AH | . | | Brassicaceae |
| <i>Caulanthus lasiophyllum</i> | California Mustard | AH | . | | Brassicaceae |
| <i>Caulanthus lemmonii</i> | Lemmon Jewelflower | AH | . | | Brassicaceae |
| <i>Ceanothus cordulatus</i> | Mountain Whitethorn | S | . | | Rhamnaceae |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|-------------------------------|-------|-------------------|--|----------------|
| | | | Status | | |
| <i>Ceanothus leucodermis</i> | Chaparral Whitethorn | S | . | | Rhamnaceae |
| <i>Ceanothus palmeri</i> | Palmer Ceanothus | S | . | | Rhamnaceae |
| <i>Centrostegia thurberi</i> var. <i>thurberi</i> | Thurber Spineflower | AH | . | | Polygonaceae |
| <i>Cercocarpus betuloides</i> var. <i>betuloides</i> | Birchleaf Mountain Mahogany | S | . | | Rosaceae |
| <i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> | Curlleaf Mountain Mahogany | S | . | | Rosaceae |
| <i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i> | Common Yellow Pincushion | AH | . | | Asteraceae |
| <i>Chaenactis santolinoides</i> | Perennial Pin-cushion | PH | . | | Asteraceae |
| <i>Chaenactis stevioides</i> | Desert Pincushion | AH | . | | Asteraceae |
| <i>Chaenactis xantiana</i> | Xantu's Pincushion | AH | . | | Asteraceae |
| <i>Chenopodium album</i> * | Lambsquarters | AH | . | | Chenopodiaceae |
| <i>Chenopodium fremontii</i> | Fremont Goosefoot | AH | FAC | | Chenopodiaceae |
| <i>Chenopodium pratericola</i> | Narrow-leaved Goosefoot | PH | . | | Chenopodiaceae |
| <i>Chrysothamnus viscidiflorus</i> ssp. <i>viscidiflorus</i> | Stickly Leaved Rabbitbrush | S | . | | Asteraceae |
| <i>Circaea alpina</i> ssp. <i>pacifica</i> | Enchanter's Nightshade | PH | FACW | | Onagraceae |
| <i>Cirsium occidentale</i> var. <i>californicum</i> | California Thistle | BH | . | | Asteraceae |
| <i>Cirsium occidentale</i> var. <i>venustum</i> | Red Thistle | BH | . | | Asteraceae |
| <i>Cirsium scariosum</i> | Elk Thistle | BH | . | | Asteraceae |
| <i>Clarkia xantiana</i> | Xantu's Clarkia | AH | . | | Onagraceae |
| <i>Claytonia rubra</i> ssp. <i>rubra</i> | Red Miner's Lettuce | AH | FAC | | Portulacaceae |
| <i>Clematis ligusticifolia</i> | Virgin's Bower | PV | FAC | | Ranunculaceae |
| <i>Collinsia parviflora</i> | Small-flowered Blue-eyed Mary | AH | . | | Plantaginaceae |
| <i>Collinsia torreyi</i> var. <i>wrightii</i> | Wright Blue-eyed Mary | AH | . | | Plantaginaceae |
| <i>Cordylanthus nevinii</i> | Nevin Bird's Beak | AH | . | | Orobanchaceae |
| <i>Corethrodyne filaginifolia</i> var. <i>filaginifolia</i> | California Cudweed-aster | PH | . | | Asteraceae |
| <i>Crepis acuminata</i> | Long-leaved Hawksbeard | PH | . | | Asteraceae |
| <i>Crepis occidentalis</i> ssp. <i>occidentalis</i> | Western Hawksbeard | PH | . | | Asteraceae |
| <i>Crepis occidentalis</i> ssp. <i>pumila</i> | Western Hawksbeard | PH | . | | Asteraceae |
| <i>Cryptantha barbigera</i> | Bearded Forget-me-not | AH | . | | Boraginaceae |
| <i>Cryptantha circumissa</i> | Greenocharis | AH | . | | Boraginaceae |
| <i>Cryptantha echinella</i> | Prickly Forget-me-not | AH | . | | Boraginaceae |
| <i>Cryptantha intermedia</i> | Common Forget-Me-Not | AH | . | | Boraginaceae |
| <i>Cryptantha micrantha</i> | Eremocarya | AH | . | | Boraginaceae |
| <i>Cryptantha muricata</i> | Jones Prickly Forget-me-not | AH | . | | Boraginaceae |
| <i>Cryptantha oxygona</i> | Sharp-not Forget-Me-Not | AH | . | | Boraginaceae |
| <i>Cuscuta californica</i> var. <i>californica</i> | California Dodder | AV | . | | Convolvulaceae |
| <i>Cystopteris fragilis</i> | Brittle Fern | PF | FACU | | Aspleniaceae |
| <i>Delphinium gracilentum</i> | Coast Larkspur | PH | . | | Ranunculaceae |
| <i>Delphinium inopinum</i> | Kern River Canyon Larkspur | PH | . | | Ranunculaceae |
| <i>Delphinium parishii</i> ssp. <i>pallidum</i> | Pale-flowered Larkspur | PH | . | | Ranunculaceae |
| <i>Delphinium parryi</i> ssp. <i>purpureum</i> | Mount Pinos Larkspur | PH | . | | Ranunculaceae |
| <i>Delphinium patens</i> ssp. <i>montanum</i> | Mountain Larkspur | PH | . | | Ranunculaceae |
| <i>Deschampsia cespitosa</i> ssp. <i>cespistosa</i> | Tufted Hair-grass | PG | FACW | | Poaceae |
| <i>Deschampsia danthonoides</i> | Annual Hairgrass | AG | FACW | | Poaceae |
| <i>Descurainia obtusa</i> ssp. <i>adenophora</i> | Desert Tansy Mustard | BH | . | | Brassicaceae |
| <i>Descurainia pinnata</i> ssp. <i>menziesii</i> | Menzies Tansy Mustard | AH | . | | Brassicaceae |
| <i>Diplacus brevipes</i> | Short-throat Monkeyflower | AH | . | | Phrymaceae |
| <i>Diplacus constrictus</i> | Narrow-throated Monkeyflower | AH | . | | Phrymaceae |
| <i>Diplacus longiflorus</i> | Fuzzy Bush Monkeyflower | S | . | | Phrymaceae |
| <i>Dodecatheon alpinum</i> | Alpine Shooting Star | PH | . | | Primulaceae |
| <i>Downingia bella</i> | Downingia | AH | OBL | | Campanulaceae |
| <i>Drymocallis glandulosa</i> var. <i>glandulosa</i> | Sticky Cinquifoil | PH | FAC | | Rosaceae |
| <i>Drymocallis glandulosa</i> var. <i>reflexa</i> | Greene Cinquifoil | PH | FAC | | Rosaceae |
| <i>Drymocallis lactea</i> | Sierra Nevada Cinquifoil | PH | FAC | | Rosaceae |
| <i>Eleocharis acicularis</i> | Slender Spike-rush | PG | OBL | | Cyperaceae |
| <i>Elymus condensatus</i> | Giant Wildrye | PG | | | Poaceae |
| <i>Elymus condensatus</i> | Giant Wildrye | PG | FACU | | Poaceae |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|-----------------------------------|-------|-------------------|---------------|--------|
| | | | Status | | |
| <i>Elymus elymoides</i> ssp. <i>elymoides</i> | Bottlebrush Squirretail | PG | FACU | Poaceae | |
| <i>Elymus glaucus</i> ssp. <i>glaucus</i> | Blue Wildrye | PG | FACU | Poaceae | |
| <i>Elymus stebbinsii</i> | Wheatgrass | PG | . | Poaceae | |
| <i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i> | Slender Wheatgrass | PG | NI | Poaceae | |
| <i>Elymus triticoides</i> | Creeping Wildrye | PG | FAC | Poaceae | |
| <i>Emmenanthe penduliflora</i> var. <i>penduliflora</i> | Whispering Bells | AH | . | Boraginaceae | |
| <i>Enemion occidentale?</i> | Western Rue-anemone | PH | . | Ranunculaceae | |
| <i>Ephedra viridis</i> | Green Mormon Tea | S | . | Ephedraceae | |
| <i>Epilobium brachycarpum</i> | Panicled Willow-herb | AH | . | Onagraceae | |
| <i>Epilobium canum</i> ssp. <i>canum</i> | California Fuchsia | PH | . | Onagraceae | |
| <i>Epilobium canum</i> ssp. <i>latifolium</i> | Broad-leaved California Fuchsia | PH | . | Onagraceae | |
| <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> | Northern Willow-herb | AH | FACW | Onagraceae | |
| <i>Epipactis gigantea</i> | Stream Orchid | PG | OBL | Orchidaceae | |
| <i>Equisetum arvense</i> | Common Horsetail | PF | FAC | Equisetaceae | |
| <i>Equisetum laevigatum</i> | Smooth Scouring-rush | PF | FACW | Equisetaceae | |
| <i>Eremothera boothii</i> ssp. <i>decorticans</i> | Booth Shredding Primrose | AH | . | Onagraceae | |
| <i>Eriastrum densifolium</i> ssp. <i>austromontanum</i> | Mountain Woolly Star | PH | . | Polemoniaceae | |
| <i>Eriastrum densifolium</i> ssp. <i>densifolium</i> | Woolly Star | PH | . | Polemoniaceae | |
| <i>Eriastrum densifolium</i> ssp. <i>mohavense</i> | Mojave Woolly Star | PH | . | Polemoniaceae | |
| <i>Eriastrum eremicum</i> ssp. <i>eremicum</i> | Desert Woolly Star | AH | . | Polemoniaceae | |
| <i>Eriastrum pluriflorum</i> | Many-flowered or Tehachapi Woolly | AH | . | Polemoniaceae | |
| <i>Eriastrum signatum</i> | Maroon-spotted Woolly Star | AH | . | Polemoniaceae | |
| <i>Ericameria linearifolia</i> | Interior Goldenbush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>bernardina</i> | San Bernardino Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>mohavense</i> | Mojave Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>mohavensis</i> | Mojave Rubber Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>oreophila</i> | Common Rubber Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>oreophyla</i> | Common Rubber Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria nauseosa</i> var. <i>speciosa</i> | White-stemmed Rabbitbrush | S | . | Asteraceae | |
| <i>Ericameria parryi</i> var. <i>aspera</i> | Rough Rabbitbrush | S | . | Asteraceae | |
| <i>Erigeron foliosus</i> var. <i>foliosus</i> | Slender Fleabane | PH | . | Asteraceae | |
| <i>Eriodictyon crassifolium</i> var. <i>crassifolium</i> | Thickleaf Yerba Santa | S | . | Namaceae | |
| <i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> | Sticky Thickleaf Yerba Santa | S | . | Namaceae | |
| <i>Eriogonum angulosum</i> | Angle-stemmed Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum baileyi</i> var. <i>baileyi</i> | Bailey Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum cithariforme</i> var. <i>cithariforme</i> | Santa Ynez Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum davidsonii</i> | Davidson Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum deflexum</i> var. <i>baratum</i> | Flat-crown Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum elongatum</i> | Long-stemmed Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum fasciculatum</i> ssp. <i>polifolium</i> | Hoary California Buckwheat | S | . | Polygonaceae | |
| <i>Eriogonum gracile</i> | Slender Woolly Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum heermannii</i> var. <i>heermannii</i> | Heermann Buckwheat | S | . | Polygonaceae | |
| <i>Eriogonum kennedyi</i> ssp. <i>alpigenum</i> | Alpine Kennedy Buckwheat | S | . | Polygonaceae | |
| <i>Eriogonum kennedyi</i> ssp. <i>austromontanum</i> | Southern Mountain Buckwheat | S | . | Polygonaceae | |
| <i>Eriogonum kennedyi</i> ssp. <i>kennedyi</i> | Kennedy Buckwheat | S | . | Polygonaceae | |
| <i>Eriogonum maculatum</i> | Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum molestum</i> | Pine Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum nudum</i> var. <i>pauciflorum</i> | Tibinagua | PH | . | Polygonaceae | |
| <i>Eriogonum nudum</i> var. <i>pubiflorum</i> | Hairy-flowered Barestem Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum nudum</i> var. <i>saxicola</i> | Rock-loving Barestem Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum nudum</i> var. <i>westonii</i> | Weston Barestem Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum roseum</i> | Rose Buckwheat | AH | . | Polygonaceae | |
| <i>Eriogonum saxatile</i> | Rock Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum spargulinum</i> ssp. <i>reddingianum</i> | Spurry Buckwheat | PH | . | Polygonaceae | |
| <i>Eriogonum trichopes</i> var. <i>trichopes</i> | Little Trumpet | AH | . | Polygonaceae | |
| <i>Eriogonum umbellatum</i> var. <i>furcosum</i> | Sulphur Buckwheat | S | . | Polygonaceae | |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California
David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|--------------------------------|-------|-------------------|------------|---------------|
| | | | Status | OBL | |
| <i>Eriogonum umbellatum</i> var. <i>munzii</i> | Munz Yellow Buckwheat | PH | . | . | Polygonaceae |
| <i>Eriogonum wrightii</i> var. <i>subscaposum</i> | Short-scape Wright Buckwheat | S | . | . | Polygonaceae |
| <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i> | Golden Yarrow | PH | . | . | Asteraceae |
| <i>Eriophyllum confertiflorum</i> var. <i>tridactylum</i> | Trifid Golden Yarrow | PH | . | . | Asteraceae |
| <i>Erodium cicutarium</i> * | Redstem Filaree | AH | . | . | Gentianaceae |
| <i>Erysimum capitatum</i> var. <i>capitatum</i> | Western Wallflower | AH | . | . | Brassicaceae |
| <i>Erythranthe guttata</i> | Common Streamside Monkeyflower | PH | OBL | . | Phrymaceae |
| <i>Eulobus californicus</i> | Mustard Primrose | AH | . | . | Onagraceae |
| <i>Euphorbia palmeri</i> var. <i>palmeri</i> | Wood Spurge | AH | . | . | Euphorbiaceae |
| <i>Frangula californica</i> ssp. <i>californica</i> | California Coffeeberry | S | . | . | Rhamnaceae |
| <i>Frangula californica</i> ssp. <i>cuspidata</i> | Cuspid Hoary Coffeeberry | S | . | . | Rhamnaceae |
| <i>Frangula californica</i> ssp. <i>tomentella</i> | Hoary Coffeeberry | S | . | . | Rhamnaceae |
| <i>Fremontodendron californicum</i> ssp. <i>californicum</i> | California Flannel Bush | S | . | . | Malvaceae |
| <i>Galium andrewsii</i> ssp. <i>andrewsii</i> | Pine Mat | PH | . | . | Rubiaceae |
| <i>Galium andrewsii</i> ssp. <i>intermedium</i> | Intermediate Pine Mat | PH | . | . | Rubiaceae |
| <i>Galium angustifolium</i> ssp. <i>angustifolium</i> | Chaparral Bedstraw | S | . | . | Rubiaceae |
| <i>Galium aparine</i> | Goosegrass | AH | . | . | Rubiaceae |
| <i>Galium bifolium</i> | Low Mountain Bedstraw | AH | . | . | Rubiaceae |
| <i>Galium bolanderi</i> | Bolander's Bedstraw | PH | . | . | Rubiaceae |
| <i>Galium hallii</i> | Nodding Bedstraw | PH | . | . | Rubiaceae |
| <i>Garrya flavescens</i> ssp. <i>pallida</i> | Pallid Silk-tassel Bush | S | . | . | Garryaceae |
| <i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> | Diffuse Gayophytum | AH | . | . | Onagraceae |
| <i>Gayophytum racemosum</i> | Black-foot Gayophytum | AH | . | . | Onagraceae |
| <i>Gilia brecciarum</i> ssp. <i>breccianum</i> | Breccia Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia brecciarum</i> ssp. <i>jacens</i> | Purple-flowered Breccia Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia capillaris</i> | Smooth-leaved Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia interior</i> | Slender-flowered Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia leptantha</i> ssp. <i>pinetorum</i> | Broad-flowered Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia ochroleuca</i> ssp. <i>bizonata</i> | Desert Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia sinuata</i> | Sinuate Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia splendens</i> ssp. <i>splendens</i> | Splendid Gilia | AH | . | . | Polemoniaceae |
| <i>Gilia tetrabreccia</i> | Mount Piños Gilia | AH | . | . | Polemoniaceae |
| <i>Gnaphalium palustre</i> | Lowland Cudweed | AH | FACW | Asteraceae | |
| <i>Helenium bigelovii</i> | Bigelow Sneezeweed | PH | OBL | Asteraceae | |
| <i>Hemizonella minima</i> | Hemizonella | AH | . | . | Asteraceae |
| <i>Hesperoyucca whipplei</i> ssp. <i>cespitoso</i> | Clumping Our Lord's Candle | S | . | . | Agavaceae |
| <i>Hesperoyucca whipplei</i> ssp. <i>whipplei</i> | Our Lord's Candle | S | . | . | Agavaceae |
| <i>Heuchera elegans</i> | Urn-flowered Alumroot | PH | . | . | Saxifragaceae |
| <i>Holodiscus microphyllus</i> var. <i>microphyllus</i> | Rock Spirea | S | . | . | Rosaceae |
| <i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i> | Meadow Barley | AG | FACW | Poaceae | |
| <i>Hordeum murinum</i> ssp. <i>glaucum</i> * | Summer Barley | AG | . | . | Poaceae |
| <i>Horkelia rydbergii</i> | Rydberg Horkelia | PH | . | . | Rosaceae |
| <i>Hosackia crassifolia</i> var. <i>crassifolia</i> | Buck Lotus | PH | . | . | Fabaceae |
| <i>Hosackia oblongifolia</i> var. <i>oblongifolia</i> | Stream Trefoil | PH | OBL | Fabaceae | |
| <i>Hypericum formosum</i> var. <i>scouleri</i> | St. John's Wort | PH | FACW | Clusiaceae | |
| <i>Iris douglasiana</i> | Blue Flag | PG | . | . | Iridaceae |
| <i>Iris missouriensis</i> | Blue Flag Iris | PG | OBL | Iridaceae | |
| <i>Ivesia santolinoides</i> | Mouse-tail Ivesia | PH | . | . | Rosaceae |
| <i>Juncus arcticus</i> ssp. <i>vallicola</i> | Baltic Rush | PG | FACW | Juncaceae | |
| <i>Juncus balticus</i> | Baltic Rush | PG | OBL | Juncaceae | |
| <i>Juncus ensifolius</i> var. <i>ensifolius</i> | Swordleaf Rush | PG | FACW | Juncaceae | |
| <i>Juncus macrandrus</i> | Long-anthered Rush | PG | OBL | Juncaceae | |
| <i>Juncus mexicanus</i> | Mexican Rush | PG | FACW | Juncaceae | |
| <i>Juncus nevadensis</i> | Sierra Rush | PG | OBL | Juncaceae | |
| <i>Juncus oxymeris</i> | Iris-leaved Rush | PG | FACW | Juncaceae | |
| <i>Juncus rugulosus</i> | Wrinkled Rush | PG | OBL | Juncaceae | |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|--|-------|-------------------|--|-----------------|
| | | | Status | | |
| <i>Juncus xiphioides</i> | Iris-leaved Rush | PG | OBL | | Juncaceae |
| <i>Juniperus californica</i> | California Juniper | S | . | | Cupressaceae |
| <i>Keckiella breviflora</i> var. <i>breviflora</i> | Stubflower Penstemon, Gaping Beardtongue | S | . | | Plantaginaceae |
| <i>Koeleria macrantha</i> | Junegrass | PG | . | | Poaceae |
| <i>Lactuca serriola</i> * | Prickly Wild Lettuce | AH | FAC | | Asteraceae |
| <i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> | White-petaled Peavine | PV | . | | Fabaceae |
| <i>Layia glandulosa</i> ssp. <i>glandulosa</i> | White Layia | AH | . | | Asteraceae |
| <i>Lepidium virginicum</i> var. <i>pubescens</i> | Hairy Poorman's Peppergrass | AH | FACU | | Brassicaceae |
| <i>Leptodactylon pungens</i> ssp. <i>hallii</i> | Granite Prickly Phlox | S | . | | Polemoniaceae |
| <i>Leptosiphon aureus</i> ssp. <i>aureus</i> = <i>L. chrysanthus</i> | Desert Gold | AH | . | | Polemoniaceae |
| <i>Leptosyne bigelovii</i> | Bigelow Coreopsis | AH | . | | Asteraceae |
| <i>Lessingia lemmontii</i> var. <i>lemmontii</i> | Lemmon Lessingia | AH | . | | Asteraceae |
| <i>Lessingia tenuis</i> | Spring Lessingia | AH | . | | Asteraceae |
| <i>Lewisia pygmaea</i> ? | Pygmy Bitterroot | PH | FACW | | Montiaceae |
| <i>Lewisia rediviva</i> ssp. <i>minor</i> | Small Bitterroot | PH | . | | Montiaceae |
| <i>Lilium pardalinum</i> ssp. <i>pardalinum</i> | Leopard Lily | PG | OBL | | Liliaceae |
| <i>Linanthus bigelovii</i> | Bigelow Linanthus | AH | . | | Polemoniaceae |
| <i>Linanthus dichotomus</i> | Evening Snow | AH | . | | Polemoniaceae |
| <i>Linanthus pungens</i> | Granite Prickly Phlox | S | . | | Polemoniaceae |
| <i>Linum lewisii</i> ssp. <i>lewisii</i> | Western Blue Flax | PH | . | | Linaceae |
| <i>Lomatium mohavense</i> ssp. <i>mohavense</i> | Desert-parsley, Mojave Lomatium | PH | . | | Apiaceae |
| <i>Lomatium utriculatum</i> | Foothill Lomatium | PH | . | | Apiaceae |
| <i>Lonicera interrupta</i> | Chaparral Honeysuckle | S | . | | Caprifoliaceae |
| <i>Lonicera subspicata</i> var. <i>denudata</i> | Southern Honeysuckle | S | . | | Caprifoliaceae |
| <i>Lupinus adsurgens</i> var. <i>undulatus</i> | Silky Lupine | PH | . | | Fabaceae |
| <i>Lupinus albifrons</i> var. <i>albifrons</i> | Silver Bush Lupine | S | . | | Fabaceae |
| <i>Lupinus albifrons</i> var. <i>austromontanus</i> | Southern Mountain Bush Lupine | S | . | | Fabaceae |
| <i>Lupinus andersonii</i> | Anderson Lupine | PH | . | | Fabaceae |
| <i>Lupinus breweri</i> var. <i>breweri</i> | Brewer Lupine | PH | . | | Fabaceae |
| <i>Lupinus breweri</i> var. <i>bryoides</i> | Alpine Brewer Lupine | PH | . | | Fabaceae |
| <i>Lupinus densiflorus</i> var. <i>glareosus</i> | White Whorled Lupine | AH | . | | Fabaceae |
| <i>Lupinus elatus</i> | Johnston Silky Lupine | PH | . | | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>austromontanus</i> | Southern Mountain Bush Lupine | S | . | | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>excubitus</i> | Grape Sode Lupine | S | . | | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>johnstonii</i> | Johnston Bush Lupine | S | . | | Fabaceae |
| <i>Lupinus formosus</i> var. <i>formosus</i> | Summer Bush Lupine | PH | . | | Fabaceae |
| <i>Lupinus latifolius</i> var. <i>latifolius</i> | Large-leaved Lupine | PH | (OBL) | | Fabaceae |
| <i>Lupinus latifolius</i> var. <i>parishii</i> | Parish Broad-leaved Lupine | PH | (OBL) | | Fabaceae |
| <i>Lupinus lepidus</i> var. <i>confertus</i> | Prairie Lupine | PH | . | | Fabaceae |
| <i>Lupinus microcarpus</i> var. <i>microcarpus</i> | Red-flowered Lupine | AH | . | | Fabaceae |
| <i>Lupinus polyphyllus</i> ssp. <i>burkei</i> | Large-leaved Lupine | PH | FACW | | Fabaceae |
| <i>Luzula comosa</i> ? | Wood Rush | PG | NI | | Juncaceae |
| <i>Machaeranthera canescens</i> ssp. <i>canescens</i> | Hoary Aster | BH | . | | Asteraceae |
| <i>Madia elegans</i> ssp. <i>elegans</i> | Common Tarplant | AH | . | | Asteraceae |
| <i>Madia elegans</i> ssp. <i>wheeleri</i> | Wheeler Tarplant | AH | . | | Asteraceae |
| <i>Madia minima</i> | Tiny Madia | AH | . | | Asteraceae |
| <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> | False Solomon's Seal | PG | (OBL) | | Convallariaceae |
| <i>Maianthemum stellatum</i> | False Solomon's Seal | PG | (OBL) | | Convallariaceae |
| <i>Malacothamnus fasciculatus</i> ssp. <i>fasciculatus</i> | Chaparral Bush Mallow | S | . | | Malvaceae |
| <i>Malacothamnus fremontii</i> | Fremont Bushmallow | S | . | | Malvaceae |
| <i>Malacothamnus marrubiooides</i> | Pink-flowered Bush Mallow | S | . | | Malvaceae |
| <i>Malacothrix floccifera</i> | Woolly Dandelion | AH | . | | Asteraceae |
| <i>Malacothrix saxatilis</i> var. <i>altissima</i> | Cliff-aster | PH | . | | Asteraceae |
| <i>Marrubium vulgare</i> * [*] | White Horehound | PH | FAC | | Lamiaceae |
| <i>Melica imperfecta</i> | Coast Melic Grass | PG | . | | Poaceae |
| <i>Melica stricta</i> var. <i>stricta</i> | Nodding Melic Grass | PG | . | | Poaceae |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California

David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|--------------------------------|-------|-------------------|-----------------|-----------|
| | | | Status | | |
| <i>Mentzelia congesta</i> var. <i>congesta</i> | Congested Stickleaf | AH | . | | Loasaceae |
| <i>Mentzelia congesta</i> var. <i>davidsoniana</i> | Ventana Stickleaf | AH | . | | Loasaceae |
| <i>Mentzelia dispersa</i> | Scattered Stickleaf | AH | . | | Loasaceae |
| <i>Microsteris gracilis</i> ssp. <i>humilis</i> | Slender Phlox | AH | FACU | Polemoniaceae | |
| <i>Mimetanthe pilosa</i> | Pilose Monkeyflower | AH | OBL | Phrymaceae | |
| <i>Mimulus breweri</i> | Brewer Monkeyflower | AH | . | Phrymaceae | |
| <i>Mimulus cardinalis</i> | Scarlet Monkeyflower | PH | OBL | Phrymaceae | |
| <i>Mimulus floribundus</i> | Floriferous Monkeyflower | AH | OBL | Phrymaceae | |
| <i>Mimulus moschatus</i> var. <i>longiflorus</i> | Musk Flower | AH | OBL | Phrymaceae | |
| <i>Mimulus primuloides</i> var. <i>primuloides</i> | Primrose Monkeyflower | PH | OBL | Phrymaceae | |
| <i>Mimulus suksdorfii</i> | Suksdorf Monkeyflower | AH | FACW | Phrymaceae | |
| <i>Minuartia douglasii</i> | Douglas Sandwort | AH | . | Caryophyllaceae | |
| <i>Monardella breweri</i> var. <i>lanceolata</i> | Mustang Mint | AH | . | Lamiaceae | |
| <i>Monardella linoides</i> ssp. <i>oblonga</i> | Flax-leaved Horsemint | PH | . | Lamiaceae | |
| <i>Montia chamissoi</i> | Toad-lily | PH | OBL | Portulacaceae | |
| <i>Muhlenbergia californica</i> | California Muhly | PG | . | Poaceae | |
| <i>Muilla maritima</i> | Common Muilla | PG | . | Poaceae | |
| <i>Nemacladus sigmoideus</i> | Thread Stem | AH | . | Lobeliaceae | |
| <i>Nicotiana attenuata</i> | Coyote Tobacco | AH | FAC | Solanaceae | |
| <i>Orobanche californica</i> ssp. <i>feudgei</i> | California Sagebrush Broomrape | PH | . | Orobanchaceae | |
| <i>Orobanche fasciculata</i> | Clustered Broom-rape | PH | . | Orobanchaceae | |
| <i>Orobanche parishii</i> ssp. <i>parishii</i> | Parish Broomrape | PH | . | Orobanchaceae | |
| <i>Pectocarya setosa</i> | Setose Pectocarya | AH | . | Boraginaceae | |
| <i>Pedicularis semibarbata</i> | Pine-woods Lousewort | PH | . | Orobanchaceae | |
| <i>Penstemon centranthifolius</i> | Scarlet Bugler | PH | . | Plantaginaceae | |
| <i>Penstemon grinnellii</i> ssp. <i>grinnellii</i> | Grinnell Beardtongue | PH | . | Plantaginaceae | |
| <i>Penstemon grinnellii</i> var. <i>scrophularioides</i> | Figwort Beardtongue | PH | . | Plantaginaceae | |
| <i>Penstemon heterophyllus</i> var. <i>heterophyllus</i> | Foothill Penstemon | PH | . | Plantaginaceae | |
| <i>Penstemon labrosus</i> | San Gabriel Penstemon | PH | . | Plantaginaceae | |
| <i>Penstemon rostriflorus</i> | Bridges Penstemon | PH | . | Plantaginaceae | |
| <i>Penstemon speciosus</i> | Showy Beardtongue | PH | . | Plantaginaceae | |
| <i>Perideridia gairdneri</i> ssp. <i>gairdneri</i> | Gairdner Yampah | PH | FACW | Apiaceae | |
| <i>Perideridia parishii</i> ssp. <i>latifolia</i> | Parish Yampah | PH | . | Apiaceae | |
| <i>Peritoma arborea</i> var. <i>globosa</i> | Globe Bladderpod | S | . | Cleomaceae | |
| <i>Phacelia austromontana</i> | Low Phacelia | AH | . | Hydrophyllaceae | |
| <i>Phacelia cicutaria</i> var. <i>hispida</i> | Hispid Caterpillar Phacelia | AH | . | Hydrophyllaceae | |
| <i>Phacelia curvipes</i> var. <i>curvipes</i> | Washoe Phacelia | AH | . | Hydrophyllaceae | |
| <i>Phacelia distans</i> | Wild Heliotrope | AH | . | Hydrophyllaceae | |
| <i>Phacelia egena</i> | Rock Phacelia | PH | . | Hydrophyllaceae | |
| <i>Phacelia fremontii</i> | Fremont Phacelia | AH | . | Hydrophyllaceae | |
| <i>Phacelia imbricata</i> ssp. <i>imbricata</i> | Imbricate Phacelia | PH | . | Hydrophyllaceae | |
| <i>Phacelia imbricata</i> ssp. <i>patula</i> | Mountain Phacelia | PH | . | Hydrophyllaceae | |
| <i>Phacelia mohavensis</i> | Mojave Phacelia | AH | . | Hydrophyllaceae | |
| <i>Phacelia oreopola</i> ssp. <i>oreopola</i> | Mountain Phacelia | PH | . | Hydrophyllaceae | |
| <i>Phacelia ramosissima</i> var. <i>latifolia</i> | Branching Phacelia | PH | . | Hydrophyllaceae | |
| <i>Phlox austromontana</i> | Spreading Phlox | PH | . | Polemoniaceae | |
| <i>Phlox diffusa</i> | Mat Phlox | S | . | Polemoniaceae | |
| <i>Phlox gracilis</i> | Slender Phlox | AH | FACU | Polemoniaceae | |
| <i>Phlox hoodii</i> ssp. <i>canescens</i> | Fuzzy Hood Phlox | PH | . | Polemoniaceae | |
| <i>Phlox rigida</i> | Rigid Mat Phlox | S | . | Polemoniaceae | |
| <i>Phoradendron bolleanum</i> [P. <i>densum</i>] | Fir Mistletoe | PH | . | Viscaceae | |
| <i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> | Hairy or Oak Mistletoe | PH | . | Viscaceae | |
| <i>Phoradendron libocedri</i> | Incense-cedar Mistletoe | PH | . | Viscaceae | |
| <i>Pinus flexilis</i> | Limber Pine | T | . | Pinaceae | |
| <i>Pinus jeffreyi</i> | Jeffrey Pine | T | . | Pinaceae | |
| <i>Pinus lambertiana</i> | Sugar Pine | T | . | Pinaceae | |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California
David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|---|-----------------------------------|-------|-------------------|--|-----------------|
| | | | Status | | |
| <i>Pinus monophylla</i> | Singleleaf Pinyon Pine | T | . | | Pinaceae |
| <i>Pinus ponderosa</i> var. <i>ponderosa</i> | Pacific Ponderosa Pine | T | . | | Pinaceae |
| <i>Platanthera leucostachys</i> | White-flowered Bog-Orchid | PG | OBL | | Orchidaceae |
| <i>Poa pratensis</i> ssp. <i>pratensis</i> * | Kentucky Bluegrass | PG | FACU | | Poaceae |
| <i>Poa secunda</i> ssp. <i>secunda</i> | One-sided Bluegrass | PG | . | | Poaceae |
| <i>Polygonum douglasii</i> ssp. <i>johnstonii</i> | Sawatch Knotweed | AH | FACU | | Polygonaceae |
| <i>Polygonum polystachoides</i> ssp. <i>kelloggii</i> | Kellogg Knotweed | AH | NI | | Polygonaceae |
| <i>Potentilla biennis</i> | Biennial Cinquifoil | BH | FACW | | Rosaceae |
| <i>Potentilla gracilis</i> var. <i>elmeri</i> | Elmer Slender Cinquifoil | PH | FACW | | Rosaceae |
| <i>Potentilla norvegica</i> | Rough Cinquifoil | A BH | FAC | | Rosaceae |
| <i>Prunus virginiana</i> var. <i>demissa</i> | Western Choke Cherry | S | . | | Rosaceae |
| <i>Pseudognaphalium stramineum</i> | Western Everlasting Cottonbatting | BH | FAC | | Asteraceae |
| <i>Pseudotsuga macrocarpa</i> | Big-cone Spruce | T | . | | Pinaceae |
| <i>Purshia tridentata</i> var. <i>glandulosa</i> | Antelope Bush | S | . | | Rosaceae |
| <i>Quercus berberidifolia</i> | California Scrub Oak | S | . | | Fagaceae |
| <i>Quercus john-tuckeri</i> | Tucker Oak | S | . | | Fagaceae |
| <i>Quercus kelloggii</i> | Black Oak | T | . | | Fagaceae |
| <i>Quercus turbinella</i> ssp. <i>turbinella</i> | Sonoran Scrub or Desert Oak | S | . | | Fagaceae |
| <i>Quercus wislizenii</i> ssp. <i>frutescens</i> | Shrubby Interior Live Oak | S | . | | Fagaceae |
| <i>Quercus wislizenii</i> ssp. <i>wislizenii</i> | Interior Live Oak | T | . | | Fagaceae |
| <i>Ranunculus canus</i> var. <i>ludovicianus</i> ? | Transverse Ranges Buttercup | PH | FAC | | Ranunculaceae |
| <i>Ranunculus cymbalaria</i> | Desert Buttercup | PH | OBL | | Ranunculaceae |
| <i>Rhamnus ilicifolia</i> | Hollyleaf Redberry | S | . | | Rhamnaceae |
| <i>Ribes cereum</i> var. <i>cereum</i> | Wax Currant | S | NI | | Grossulariaceae |
| <i>Ribes montigenum</i> | Alpine Prickly Currant | S | . | | Grossulariaceae |
| <i>Ribes nevadense</i> | Sierra Pink Currant | S | . | | Grossulariaceae |
| <i>Ribes roezli</i> var. <i>roezli</i> | Sierra Gooseberry | S | . | | Grossulariaceae |
| <i>Ribes speciosum</i> | Fuchsia-flowered Gooseberry | S | . | | Grossulariaceae |
| <i>Ribes velutinum</i> | Plateau Gooseberry | S | . | | Grossulariaceae |
| <i>Rorippa curvisiliqua</i> | Curved-pod Watercress | PH | OBL | | Brassicaceae |
| <i>Rosa californica</i> | California Wild Rose | S | FAC | | Rosaceae |
| <i>Rosa woodsii</i> var. <i>ultramontana</i> | Interior Wild Rose | S | FAC | | Rosaceae |
| <i>Sagina decumbens</i> ssp. <i>occidentalis</i> | Western Pearlwort | AH | FAC | | Caryophyllaceae |
| <i>Sagina saginoides</i> | Arctic Pearlwort | AH | OBL | | Caryophyllaceae |
| <i>Salix exigua</i> var. <i>exigua</i> | Narrowleaf Willow | S | FACW | | Salicaceae |
| <i>Salix lasiolepis</i> var. <i>lasiolepis</i> | Arroyo Willow | S/T | FACW | | Salicaceae |
| <i>Salvia columbariae</i> | Chia | AH | . | | Lamiaceae |
| <i>Sambucus caerulea</i> | Mountain Elderberry | S | . | | Adoxaceae |
| <i>Sambucus mexicana</i> | Blue Elderberry | S | FAC | | Adoxaceae |
| <i>Sarcodes sanguinea</i> | Snow Plant | PH | . | | Ericaceae |
| <i>Scirpus microcarpus</i> | Small-fruited Bullrush | PH | OBL | | Cyperaceae |
| <i>Senecio flaccidus</i> var. <i>douglasii</i> | Shrubby Butterweed | S | . | | Asteraceae |
| <i>Sidalcea malvaeflora</i> ssp. <i>sparsifolia</i> | Few-leaved Globe Mallow | S | . | | Malvaceae |
| <i>Silene bernardina</i> | Palmer Campion | PH | . | | Caryophyllaceae |
| <i>Silene verecunda</i> ssp. <i>platyota</i> | Cuyamaca Campion | PH | . | | Caryophyllaceae |
| <i>Sisymbrium altissimum</i> * | Tumble Mustard | AH | FACU | | Brassicaceae |
| <i>Sisymbrium orientale</i> * | Indian Hedge mustard | AH | . | | Brassicaceae |
| <i>Sisyrinchium bellum</i> | Blue-eyed Grass | PH | FAC | | Iridaceae |
| <i>Solanum xanti</i> var. <i>xanti</i> | Chaparral Nightshade | S | . | | Solanaceae |
| <i>Solidago guiradonis</i> | Guirado Goldenrod | PH | . | | Asteraceae |
| <i>Solidago velutina</i> ssp. <i>californica</i> | California Goldenrod | PH | (FACU) | | Asteraceae |
| <i>Stachys albens</i> | Woolly Hedge Nettle | PH | OBL | | Lamiaceae |
| <i>Stanleya pinnata</i> var. <i>pinnata</i> | Prince's Plume | S | . | | Brassicaceae |
| <i>Stephanomeria virgata</i> ssp. <i>virgata</i> | Twiggy Wreath Plant | AH | . | | Asteraceae |
| <i>Stipa cernua</i> | Foothill Needlegrass | PG | . | | Poaceae |
| <i>Stipa hymenoides</i> | Indian Ricegrass | PG | . | | Poaceae |

Checklist of Vascular Plants of Mount Pinos, Ventura/Kern Counties, California
David L. Magney

| Scientific Name | Common Name | Habit | Wetland Indicator | | Family |
|--|-----------------------------|-------|-------------------|--|----------------|
| | | | Status | | |
| <i>Stipa occidentalis</i> var. <i>occidentalis</i> | Western Needlegrass | PG | . | | Poaceae |
| <i>Stipa speciosa</i> | Desert Needlegrass | PG | . | | Poaceae |
| <i>Stipa thruberiana</i> | Thurber Needlegrass | PG | . | | Poaceae |
| <i>Swertia [Fraseria] neglecta</i> | Parry Green Gentian | PH | . | | Gentianaceae |
| <i>Swertia parryi</i> | Parry Gentian | PH | . | | Gentianaceae |
| <i>Symporicarpos albus</i> var. <i>laevigatus</i> | Common Snowberry | PV | . | | Caprifoliaceae |
| <i>Symporicarpos rotundifolius</i> var. <i>parishii</i> | Parish Snowberry | PV | . | | Caprifoliaceae |
| <i>Sympphyotrichum chilense</i> | Long-leaved Aster | AH | . | | Asteraceae |
| <i>Sympphyotrichum spathulatum</i> var. <i>spathulatum</i> | Long-leaved Aster | AH | . | | Asteraceae |
| <i>Taraxacum officinale</i> * | Common Dandelion | AH | . | | Asteraceae |
| <i>Tauschia parishii</i> | Parish Tauschia | PH | . | | Apiaceae |
| <i>Thermopsis californica</i> var. <i>argentata</i> | Silvery False-lupine | PH | . | | Fabaceae |
| <i>Thysanocarpus laciniatus</i> | Lace Pod | AH | . | | Brassicaceae |
| <i>Tragopogon dubius</i> * | Yellow Salsify | AH | . | | Asteraceae |
| <i>Trifolium cyathiferum</i> | Mountain or Cup Clover | AH | FACW | | Fabaceae |
| <i>Trifolium gracilentum</i> var. <i>gracilentum</i> | Pinpoint Clover | AH | . | | Fabaceae |
| <i>Trifolium monanthum</i> var. <i>monanthum</i> | Carpet Clover | PH | FACW | | Fabaceae |
| <i>Trifolium montanum</i> var. <i>grantianum</i> | Carpet Clover | PH | FACW | | Fabaceae |
| <i>Trifolium wormskioeldii</i> | Cows Clover | PH | FACW | | Fabaceae |
| <i>Triteleia dudleyi</i> ? | Dudley Triteleia | PG | . | | Themidaceae |
| <i>Turritis glabra</i> | Tower Mustard | BH | (FACU) | | Brassicaceae |
| <i>Uropappus lindleyi</i> | Silver Puffs | AH | . | | Asteraceae |
| <i>Urtica dioica</i> ssp. <i>holosericea</i> | Giant Creek or Hoary Nettle | PH | FACW | | Urticaceae |
| <i>Veratrum californicum</i> var. <i>californicum</i> | California False Hellebore | PH | OBL | | Melanthiaceae |
| <i>Veronica americana</i> | American Brooklime | PH | OBL | | Plantaginaceae |
| <i>Veronica serpyllifolia</i> ssp. <i>humifusa</i> | Tyme-leaved Speedwell | AH | NI | | Plantaginaceae |
| <i>Viola macloskeyi</i> | White Violet | PH | OBL | | Violaceae |
| <i>Viola pinetorum</i> ssp. <i>pinetorum</i> | Mountain Violet | PH | . | | Violaceae |
| <i>Viola purpurea</i> ssp. <i>purpurea</i> | Mountain Violet | PH | . | | Violaceae |
| <i>Viola sheltonii</i> | Shelton Violet | PH | . | | Violaceae |
| <i>Yosemitaea repanda</i> | Yosemite Rockcress | PH | . | | Brassicaceae |
| <i>Zigadenus brevibracteatus</i> | Desert Zigadene | PG | . | | Melanthiaceae |

Notes: Scientific nomenclature follows Baldwin et al. (2012) and Flora of North America Committee (1993+).

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

Habit definitions:

AF = annual fern or fern ally.

PG = perennial grass.

AG = annual grass.

PH = perennial herb.

AH = annual herb.

PV = perennial vine.

BH = biennial herb.

S = shrub.

PF = perennial fern or fern ally.

T = tree.

Wetland indicator status (Lichvar et al. 2016): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

This checklist was developed based on database searches and observations and collections by David L. Magney made on 6/27/1981, 8/28/1982, 6/27/1987, 6/6/2004, 5/30/2010, 10/7/2019, 11/7/2019, 7/28-29/2020, 7/13-14/2021, 8/18-20/2021, & 7/14/2022.