

Vascular Plant of South Ormond Beach, Oxnard, Ventura County, California
David L. Magney

Scientific Name	Common Name	Growth Habit	Wetland Indicator Status		Family
<i>Abronia maritima</i>	Sticky Sand-verbena, Beach Pancake	PH	.	.	Nyctaginaceae
<i>Ambrosia chamissonis</i>	Beach Bur	PH	.	.	Asteraceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	BH	FAC	.	Asteraceae
<i>Amsinckia menziesii</i> var. <i>intermedia</i>	Rancher's Fire, Common Fiddleneck	AH	.	.	Boraginaceae
<i>Anagallis arvensis</i> *	Scarlet Pimpernel	AH	FAC	.	Primulaceae
<i>Anemopsis californica</i> var. <i>californica</i>	Yerba Manza	PH	OBL	.	Saururaceae
<i>Anthemis cotula</i> *	Mayweed	AH	FACU	.	Asteraceae
<i>Apium graveolens</i> *	Celery	PH	FACW*	.	Apiaceae
<i>Artemisia biennis</i> *	Biennial Wormwood	BH	FAC	.	Asteraceae
<i>Artemesia californica</i>	California Sagebrush	S	.	.	Asteraceae
<i>Arthrocnemum</i> [<i>Salicornia</i>] <i>subterminale</i>	Common Glasswort	S	OBL	.	Chenopodiaceae
<i>Arundo donax</i> *	Giant Reed	PG	FACW	.	Poaceae
<i>Aster subulatus</i> var. <i>ligulatus</i>	Annual Saltmarsh Aster	AH	FACW	.	Asteraceae
<i>Astragalus trichopodus</i> var. <i>lonchus</i>	Three-pod Milkvetch	PH	.	.	Fabaceae
<i>Atriplex californica</i>	California Saltbush	PH/S	FAC	.	Chenopodiaceae
<i>Atriplex lenticiformis</i> var. <i>breweri</i>	Brewer's Saltbush or Quail Brush	S	FAC	.	Chenopodiaceae
<i>Atriplex leucophylla</i>	Beach Saltbush or Seaside	PH	FAC*	.	Chenopodiaceae
<i>Atriplex rosea</i>	Rose or Red or Tumbling Orache	AH	FACU	.	Chenopodiaceae
<i>Atriplex semibaccata</i> *	Australian Saltbush	PH	FAC	.	Chenopodiaceae
<i>Atriplex triangularis</i>	Halberd-leaved Orache	AH	FACW	.	Chenopodiaceae
<i>Avena fatua</i> *	Wild Oat	AG	.	.	Poaceae
<i>Baccharis douglasii</i>	Saltmarsh Baccharis	S	OBL	.	Asteraceae
<i>Baccharis pilularis</i>	Coyote Brush	S	.	.	Asteraceae
<i>Baccharis salicifolia</i>	Mulefat, Seep-willow	S	FACW	.	Asteraceae
<i>Bassia hyssopifolia</i> *	Five-hook, Smother-weed	AH	FAC	.	Chenopodiaceae
<i>Bolboschoenus</i> [<i>Scirpus</i>] <i>maritimus</i> var. <i>paludosus</i>	Saltmarsh Bulrush	PH	OBL	.	Cyperaceae
<i>Bolboschoenus</i> [<i>Scirpus</i>] <i>robustus</i>	Seashore Bulrush	PH	OBL	.	Cyperaceae
<i>Brassica nigra</i> *	Black Mustard	AH	.	.	Brassicaceae
<i>Bromus diandrus</i> *	Ripgut Grass	AG	(FACU-)	.	Poaceae
<i>Bromus hordeaceus</i> *	Soft Chess	AG	FACU-	.	Poaceae
<i>Bromus madritensis</i> spp. <i>rubens</i> *	Red Brome	AG	NI	.	Poaceae
<i>Cakile maritima</i> *	European Searocket	AH	FACW	.	Brassicaceae
<i>Callistemon viminalis</i> *+	Weeping Bottle Brush	S	(FAC)	.	Myrtaceae
<i>Calystegia soldanella</i>	Beach Morning-glory	PV	.	.	Convolvulaceae
<i>Camissonia cheiranthifolia</i> ssp. <i>suffruticosa</i>	Beach Primrose	PH	.	.	Onagraceae
<i>Carpobrotus chilensis</i> *	Sea Fig	PH/S	.	.	Aizoaceae
<i>Carpobrotus edulis</i> *+	Hottentot Fig	PH/S	.	.	Aizoaceae
<i>Centaurea maculosa</i> *	Spotted Knapweed	BH	.	.	Asteraceae
<i>Centaurea melitensis</i> *	Tocalote	AH	.	.	Asteraceae
<i>Chamaesyce ocellata</i> ssp. <i>ocellata</i>	Littleeye Spurge	AH	.	.	Euphorbiaceae
<i>Chamomilla suaveolens</i>	Pineapple Weed	AH	FACU	.	Asteraceae
<i>Chenopodium macrospermum</i> var. <i>halophilum</i> *	Coast Goosefoot	AH	(FACW)	.	Chenopodiaceae
<i>Chenopodium murale</i> *	Nettle-leaved Goosefoot	AH	(FACU)	.	Chenopodiaceae
<i>Conium maculatum</i> *	Poison Hemlock	BH	FACW	.	Apiaceae
<i>Convolvulus arvensis</i> *	Bindweed	PV	.	.	Convolvulaceae
<i>Conyzza canadensis</i>	Horseweed	AH	FAC	.	Asteraceae
<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>	Salt Marsh Bird's Beak	AH	OBL	.	Orobanchaceae
<i>Coreopsis gigantea</i>	Giant Coreopsis	S	.	.	Asteraceae
<i>Cortedaria jubata</i> *	Andean Pampas Grass	PG	.	.	Poaceae
<i>Cortedaria selliana</i> *	Pampas Grass	PG	.	.	Poaceae
<i>Cotula coronopifolia</i> *	Brass Buttons	AH	FACW	.	Asteraceae
<i>Crassula connata</i>	Pygmy [Sand-] Weec	AH	FAC	.	Crassulaceae
<i>Cressa truxillensis</i>	Spreading Alkali-weed	PH	FACW	.	Convolvulaceae
<i>Croton californicus</i> var. <i>californicus</i>	California Croton	PH	.	.	Euphorbiaceae
<i>Cuscuta salina</i> var. <i>major</i>	Saltmarsh Dodder	AV	(FACW)	.	Cuscutaceae
<i>Cynodon dactylon</i> *	Bermuda Grass	PG	FAC	.	Poaceae

Vascular Plant of South Ormond Beach, Oxnard, Ventura County, California

David L. Magney

Scientific Name	Common Name	Growth Habit	Wetland Indicator Status		Family
<i>Cyperus eragrostis</i>	Umbrella-sedge	PH	FACW		Cyperaceae
<i>Cytisus scoparius</i> *	Scotch Broom	S	.		Fabaceae
<i>Distichlis spicata</i>	Saltgrass	PG	FACW		Poaceae
<i>Echinochloa crusgalli</i> var. <i>crus-galli</i> *	Barnyard Grass	AG	FACW		Poaceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW		Onagraceae
<i>Eriogonum parvifolium</i> var. <i>paynei</i>	Payne Dune Buckwheat	S	.		Polygonaceae
<i>Eucalyptus globulus</i> var. <i>globulus</i> +	Tasmanian Blue Gum	T	.		Myrtaceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	OBL		Asteraceae
<i>Festuca pratensis</i> *	Meadow Fescue	PG	FACU		Poaceae
<i>Foeniculum vulgare</i> *	Sweet Fennel	PH	FACU		Apiaceae
<i>Frankenia salina</i>	Alkali Heath	PH	FACW+		Frankeniaceae
<i>Galium aparine</i>	Catchseed Bedstraw	AH	FACU		Rubiaceae
<i>Gnaphalium palustre</i>	Lowland Cudweed	AH	FACW-		Asteraceae
<i>Heliotropium curassavicum</i>	Alkali Heliotrope	PH	OBL		Hydrophyllaceae
<i>Heterotheca grandiflora</i>	Telegraph Weed	PH	.		Asteraceae
<i>Hirschfeldia incana</i> * [<i>Erucastrum incanum</i>]	Summar Mustard	A/BH	.		Brassicaceae
<i>Hordeum murinum</i> ssp. <i>leporinum</i> *	Hare Barley	AG	NI		Poaceae
<i>Isocoma menziesii</i> var. <i>vernonioides</i>	Coastal Goldenbush	S	.		Asteraceae
<i>Jaumea carnosa</i>	Fleshy Jaumea	PH	OBL		Asteraceae
<i>Juncus acutus</i> ssp. <i>leopoldii</i>	Spiny Rush	PH	FACW		Juncaceae
<i>Juncus balticus</i> ssp. <i>balticus</i>	Baltic Rush	PH	OBL		Juncaceae
<i>Juncus bufonius</i> var. <i>congestus</i>	Congested Toad Rush	AH	OBL		Juncaceae
<i>Juncus mexicanus</i>	Mexican Rush, Wiregrass	PH	FACW		Juncaceae
<i>Juncus textilis</i>	Basket Rush	PH	OBL		Juncaceae
<i>Kochia scoparia</i> *	Common Kochia	AH	NI*		Chenopodiaceae
<i>Lamarkia aurea</i> *	Goldentop	AG	.		Poaceae
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i>	Rayless Goldfields	AH	FACW		Asteraceae
<i>Lavatera assurgentiflora</i> ssp. <i>assurgentiflora</i>	Malva Rose, Island Mallow	S	.		Malvaceae
<i>Leymus triticoides</i>	Creeping Ryegrass	PG	FAC+		Poaceae
<i>Limonium californicum</i>	California Sea Lavender	PH	OBL		Plumbaginaceae
<i>Malva parviflora</i> *	Cheeseweed	AH	.		Malvaceae
<i>Malvella leprosa</i>	Alkali-mallow	PH	FAC		Malvaceae
<i>Marrubium vulgare</i> *	White Horehound	S	FAC		Lamiaceae
<i>Medicago polymorpha</i> *	Common Burclover	AH	(FACU)		Fabaceae
<i>Melaleuca densa?</i> *	Bottlebrush Melaleuca	S	(FACU)		Myrtaceae
<i>Melilotus alba</i> *	White Sweetclover	AH	FACU+		Fabaceae
<i>Melilotus indica</i> *	Yellow Sweetclover	AH	FAC		Fabaceae
<i>Mesembryanthemum crystallinum</i> *	Crystalline Ice Plant	AH	(FAC)		Aizoaceae
<i>Mesembryanthemum nodiflorum</i> *	Slenderleaf Ice Plant	AH	FACU		Aizoaceae
<i>Monanthochloe littoralis</i>	Shoregrass	PG	OBL		Poaceae
<i>Myoporum laetum</i> *+	Myoporum, Wax Myrtle	S	(FAC)		Scrophulariaceae
<i>Nicotiana glauca</i> *	Tree Tobacco	S	FAC		Solanaceae
<i>Osteospermum fruticosum</i> *+	Trailing African Daisy	PH	.		Asteraceae
<i>Oxalis pes-caprae</i> *	Bermuda Buttercup	PH	.		Oxalidaceae
<i>Pennisetum clandestinum</i> *	Kikuyu Grass	PG	FACU+		Poaceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	(FACU)		Poaceae
<i>Plantago major</i> *	Broadleaf or Common Plantain	PH	FACW-		Plantaginaceae
<i>Polygonum punctatum</i>	Dotted Smartweed	AH	OBL		Polygonaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot Beardgrass	AG	FACW+		Poaceae
<i>Psuedognaphalium stramineum</i> *	Cotton-battling Plant	BH	FAC-		Asteraceae
<i>Raphanus sativus</i> *	Wild Radish	AH	.		Brassicaceae
<i>Ricinus communis</i> *	Castor Bean	S	FACU		Euphorbiaceae
<i>Rumex crispus</i> *	Curly Dock	PH	FACW-		Polygonaceae
<i>Ruppia maritima</i>	Wigeon-grass, Ditch-grass	PH	OBL		Zosteraceae
<i>Salix exigua</i>	Narrow-leaved or Sandbar Willow	S	OBL		Salicaceae
<i>Salsola tragus</i> *	Russian Thistle	AH	FAC		Chenopodiaceae

Vascular Plant of South Ormond Beach, Oxnard, Ventura County, California
David L. Magney

Scientific Name	Common Name	Growth Habit	Wetland Indicator Status		Family
			OBL	NI*	
<i>Sarcocornia pacifica</i> [<i>Salicornia virginica</i>]	Pacific Pickleweed or Swampfire	S	OBL		Chenopodiaceae
<i>Schoenoplectus</i> [<i>Scirpus</i>] <i>acutus</i> var. <i>occidentalis</i>	Viscid or Common Tule	PG	OBL		Cyperaceae
<i>Schoenoplectus</i> [<i>Scirpus</i>] <i>californicus</i>	California Bulrush	PH	OBL		Cyperaceae
<i>Senecio vulgaris</i> *	Common Groundsel	AH	NI*		Asteraceae
<i>Silybum marianum</i> *	Milk Thistle	AH	.		Asteraceae
<i>Sisymbrium altissimum</i> *	Tumble Mustard	AH	FACU		Brassicaceae
<i>Sisymbrium irio</i> *	London Rocket	AH	.		Brassicaceae
<i>Solanum nigrum</i> *	Black Nightshade	AH	FACU		Solanaceae
<i>Sonchus asper</i> *	Prickly Sow-thistle	AH	FAC		Asteraceae
<i>Sonchus oleraceus</i> *	Common Sow-thistle	AH	NI*		Asteraceae
<i>Spergularia marina</i>	Saltmarsh Sandspurry	AH	OBL		Caryophyllaceae
<i>Suaeda moquinii</i>	Bush Seepweed	S	FAC+		Chenopodiaceae
<i>Suaeda taxifolia</i>	California Seablite	S	FACW+		Chenopodiaceae
<i>Tetragonia tetragonoides</i> *	New Zealand Spinach	AH	.		Aizoaceae
<i>Triglochin concinna</i>	Utah Arrow-grass	PH	OBL		Scheuchzeriaceae
<i>Triglochin striata</i>	Three-ribbed Arrow-grass	PG	OBL		Scheuchzeriaceae
<i>Typha domingensis</i>	Narrow-leaved Cattail	PH	OBL		Typhaceae
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Hoary or Giant Creek Nettle	PH	FACW		Urticaceae
<i>Urtica urens</i> *	Dwarf Nettle	AH	(FACU)		Urticaceae
<i>Washingtonia robusta</i> *+	Mexican Fan Palm	T	.		Arecaceae
<i>Xanthium strumarium</i> ssp. <i>canadense</i>	Cocklebur	AH	FAC+		Asteraceae
<i>Yucca baccata</i> *	Spanish Bayonet	S/T	.		Agavaceae
<i>Zantedeschia aethiopica</i> *	Calla Lily	PG	.		Arecaceae

Notes: Scientific nomenclature follows Hickman (1993) and Flora of North America Committee (1998-2006).

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

A "+" indicates ornamental or agricultural plant species that are actively cultivated.

Growth habit definitions:

AG = annual grass or graminoid/monocot.

AH = annual herb.

AV = annual vine.

BH = biennial herb.

PG = perennial grass or graminoid/monocot.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Reed 1988): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability).

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

* = a tentative assignment to that indicator status by Reed (1988).

A period "." indicates that no wetland indicator status has been given in Reed (1988).

Parentheses around an indicator status indicates the wetland status as suggested by David Magney based on extensive field observations.